

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : C07K 14/00	A2	(11) International Publication Number: WO 00/61612 (43) International Publication Date: 19 October 2000 (19.10.00)															
(21) International Application Number: PCT/US00/08896 (22) International Filing Date: 3 April 2000 (03.04.00) (30) Priority Data: <table border="0"><tr><td>09/285,479</td><td>2 April 1999 (02.04.99)</td><td>US</td></tr><tr><td>09/466,396</td><td>17 December 1999 (17.12.99)</td><td>US</td></tr><tr><td>09/476,496</td><td>30 December 1999 (30.12.99)</td><td>US</td></tr><tr><td>09/480,884</td><td>10 January 2000 (10.01.00)</td><td>US</td></tr><tr><td>09/510,376</td><td>22 February 2000 (22.02.00)</td><td>US</td></tr></table> (71) Applicant (for all designated States except US): CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): WANG, Tongtong [US/US]; 8049 NE 28th Street, Medina, WA 98039 (US). FAN, Liqun [CN/US]; 14116 SE 46th Street, Bellevue, WA 98006 (US). (74) Agents: MAKI, David, J.; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 (US) et al.		09/285,479	2 April 1999 (02.04.99)	US	09/466,396	17 December 1999 (17.12.99)	US	09/476,496	30 December 1999 (30.12.99)	US	09/480,884	10 January 2000 (10.01.00)	US	09/510,376	22 February 2000 (22.02.00)	US	(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>
09/285,479	2 April 1999 (02.04.99)	US															
09/466,396	17 December 1999 (17.12.99)	US															
09/476,496	30 December 1999 (30.12.99)	US															
09/480,884	10 January 2000 (10.01.00)	US															
09/510,376	22 February 2000 (22.02.00)	US															
(54) Title: COMPOUNDS AND METHODS FOR THERAPY AND DIAGNOSIS OF LUNG CANCER (57) Abstract Compounds and methods for the treatment and diagnosis of lung cancer are provided. The inventive compounds include polypeptides containing at least a portion of a lung tumor protein. Vaccines and pharmaceutical compositions for immunotherapy of lung cancer comprising such polypeptides, or DNA molecules encoding such polypeptides, are also provided, together with DNA molecules for preparing the inventive polypeptides.																	

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

COMPOUNDS AND METHODS FOR THERAPY

AND DIAGNOSIS OF LUNG CANCER

TECHNICAL FIELD

5 The present invention relates generally to therapy and diagnosis of cancer, such as lung cancer. The invention is more specifically related to polypeptides comprising at least a portion of a lung tumor protein, and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides may be used in vaccines and pharmaceutical compositions for prevention and treatment of lung cancer, and for the
10 diagnosis and monitoring of such cancers.

BACKGROUND OF THE INVENTION

Lung cancer is the primary cause of cancer death among both men and women in the U.S., with an estimated 172,000 new cases being reported in 1994. The five-year survival rate among all lung cancer patients, regardless of the stage of disease
15 at diagnosis, is only 13%. This contrasts with a five-year survival rate of 46% among cases detected while the disease is still localized. However, only 16% of lung cancers are discovered before the disease has spread.

Early detection is difficult since clinical symptoms are often not seen until the disease has reached an advanced stage. Currently, diagnosis is aided by the
20 use of chest x-rays, analysis of the type of cells contained in sputum and fiberoptic examination of the bronchial passages. Treatment regimens are determined by the type and stage of the cancer, and include surgery, radiation therapy and/or chemotherapy. In spite of considerable research into therapies for the disease, lung cancer remains difficult to treat.

25 Accordingly, there remains a need in the art for improved vaccines, treatment methods and diagnostic techniques for lung cancer.

SUMMARY OF THE INVENTION

Briefly stated, the present invention provides compositions and methods for the diagnosis and therapy of cancer, such as lung cancer. In one aspect, the present

invention provides polypeptides comprising at least a portion of a lung tumor protein, or a variant thereof. Certain portions and other variants are immunogenic, such that the ability of the variant to react with antigen-specific antisera is not substantially diminished. Within certain embodiments, the polypeptide comprises a sequence that is encoded by a polynucleotide sequence selected from the group consisting of: (a) sequences recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253-337, 345, 347 and 349; (b) variants of a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253-337, 345, 347 and 349; and (c) complements of a sequence of (a) or (b). In specific embodiments, the polypeptides of the present invention comprise at least a portion of a tumor protein that includes an amino acid sequence selected from the group consisting of sequences recited in any one of SEQ ID NO: 152, 155, 156, 165, 166, 169, 170, 172, 174, 176, 226-252, 338-344 and 346, and variants thereof.

The present invention further provides polynucleotides that encode a polypeptide as described above, or a portion thereof (such as a portion encoding at least 15 amino acid residues of a lung tumor protein), expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

Within other aspects, the present invention provides pharmaceutical compositions comprising a polypeptide or polynucleotide as described above and a physiologically acceptable carrier.

Within a related aspect of the present invention, vaccines for prophylactic or therapeutic use are provided. Such vaccines comprise a polypeptide or polynucleotide as described above and an immunostimulant.

The present invention further provides pharmaceutical compositions that comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to a lung tumor protein; and (b) a physiologically acceptable carrier.

Within further aspects, the present invention provides pharmaceutical compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a pharmaceutically acceptable carrier or excipient. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B cells.

Within related aspects, vaccines are provided that comprise: (a) an antigen presenting cell that expresses a polypeptide as described above, and (b) an immunostimulant.

The present invention further provides, in other aspects, fusion proteins that comprise at least one polypeptide as described above, as well as polynucleotides encoding such fusion proteins.

Within related aspects, pharmaceutical compositions comprising a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a physiologically acceptable carrier are provided.

Vaccines are further provided, within other aspects, that comprise a fusion protein, or a polynucleotide encoding a fusion protein, in combination with an immunostimulant.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient a pharmaceutical composition or vaccine as recited above.

The present invention further provides, within other aspects, methods for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a lung tumor protein, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the protein from the sample.

Within related aspects, methods are provided for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated as described above.

Methods are further provided, within other aspects, for stimulating and/or expanding T cells specific for a lung tumor protein, comprising contacting T cells with one or more of: (i) a polypeptide as described above; (ii) a polynucleotide encoding such a polypeptide; and/or (iii) an antigen presenting cell that expresses such a polypeptide; under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells. Determined T cell populations comprising T cells prepared as described above are also provided.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population as described above.

The present invention further provides methods for inhibiting the development of a cancer in a patient, comprising the steps of: (a) incubating CD4⁺ and/or CD8⁺ T cells determined from a patient with one or more of: (i) a polypeptide comprising at least an immunogenic portion of a lung tumor protein; (ii) a polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that expressed such a polypeptide; and (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient. Proliferated cells may, but need not, be cloned prior to administration to the patient.

Within further aspects, the present invention provides methods for determining the presence or absence of a cancer in a patient, comprising: (a) contacting a biological sample obtained from a patient with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and (c) comparing the amount of polypeptide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within preferred embodiments, the binding agent is an antibody, more preferably a monoclonal antibody. The cancer may be lung cancer.

The present invention also provides, within other aspects, methods for monitoring the progression of a cancer in a patient. Such methods comprise the steps of: (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a polypeptide as recited above; (b) detecting in the

sample an amount of polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polypeptide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide encoding a polypeptide as recited above, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that hybridizes to a polynucleotide that encodes a polypeptide as recited above, or a complement of such a polynucleotide.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein; (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polynucleotide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

Within further aspects, the present invention provides antibodies, such as monoclonal antibodies, that bind to a polypeptide as described above, as well as diagnostic kits comprising such antibodies. Diagnostic kits comprising one or more oligonucleotide probes or primers as described above are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

5

SEQUENCE IDENTIFIERS

- SEQ ID NO: 1 is the determined cDNA sequence for LST-S1-2
- SEQ ID NO: 2 is the determined cDNA sequence for LST-S1-28
- SEQ ID NO: 3 is the determined cDNA sequence for LST-S1-90
- 10 SEQ ID NO: 4 is the determined cDNA sequence for LST-S1-144
- SEQ ID NO: 5 is the determined cDNA sequence for LST-S1-133
- SEQ ID NO: 6 is the determined cDNA sequence for LST-S1-169
- SEQ ID NO: 7 is the determined cDNA sequence for LST-S2-6
- SEQ ID NO: 8 is the determined cDNA sequence for LST-S2-11
- 15 SEQ ID NO: 9 is the determined cDNA sequence for LST-S2-17
- SEQ ID NO: 10 is the determined cDNA sequence for LST-S2-25
- SEQ ID NO: 11 is the determined cDNA sequence for LST-S2-39
- SEQ ID NO: 12 is a first determined cDNA sequence for LST-S2-43
- SEQ ID NO: 13 is a second determined cDNA sequence for LST-S2-43
- 20 SEQ ID NO: 14 is the determined cDNA sequence for LST-S2-65
- SEQ ID NO: 15 is the determined cDNA sequence for LST-S2-68
- SEQ ID NO: 16 is the determined cDNA sequence for LST-S2-72
- SEQ ID NO: 17 is the determined cDNA sequence for LST-S2-74
- SEQ ID NO: 18 is the determined cDNA sequence for LST-S2-103
- 25 SEQ ID NO: 19 is the determined cDNA sequence for LST-S2-N1-1F
- SEQ ID NO: 20 is the determined cDNA sequence for LST-S2-N1-2A
- SEQ ID NO: 21 is the determined cDNA sequence for LST-S2-N1-4H
- SEQ ID NO: 22 is the determined cDNA sequence for LST-S2-N1-5A
- SEQ ID NO: 23 is the determined cDNA sequence for LST-S2-N1-6B
- 30 SEQ ID NO: 24 is the determined cDNA sequence for LST-S2-N1-7B
- SEQ ID NO: 25 is the determined cDNA sequence for LST-S2-N1-7H

- SEQ ID NO: 26 is the determined cDNA sequence for LST-S2-N1-8A
- SEQ ID NO: 27 is the determined cDNA sequence for LST-S2-N1-8D
- SEQ ID NO: 28 is the determined cDNA sequence for LST-S2-N1-9A
- SEQ ID NO: 29 is the determined cDNA sequence for LST-S2-N1-9E
- 5 SEQ ID NO: 30 is the determined cDNA sequence for LST-S2-N1-10A
- SEQ ID NO: 31 is the determined cDNA sequence for LST-S2-N1-10G
- SEQ ID NO: 32 is the determined cDNA sequence for LST-S2-N1-11A
- SEQ ID NO: 33 is the determined cDNA sequence for LST-S2-N1-12C
- SEQ ID NO: 34 is the determined cDNA sequence for LST-S2-N1-12E
- 10 SEQ ID NO: 35 is the determined cDNA sequence for LST-S2-B1-3D
- SEQ ID NO: 36 is the determined cDNA sequence for LST-S2-B1-6C
- SEQ ID NO: 37 is the determined cDNA sequence for LST-S2-B1-5D
- SEQ ID NO: 38 is the determined cDNA sequence for LST-S2-B1-5F
- SEQ ID NO: 39 is the determined cDNA sequence for LST-S2-B1-6G
- 15 SEQ ID NO: 40 is the determined cDNA sequence for LST-S2-B1-8A
- SEQ ID NO: 41 is the determined cDNA sequence for LST-S2-B1-8D
- SEQ ID NO: 42 is the determined cDNA sequence for LST-S2-B1-10A
- SEQ ID NO: 43 is the determined cDNA sequence for LST-S2-B1-9B
- SEQ ID NO: 44 is the determined cDNA sequence for LST-S2-B1-9F
- 20 SEQ ID NO: 45 is the determined cDNA sequence for LST-S2-B1-12D
- SEQ ID NO: 46 is the determined cDNA sequence for LST-S2-I2-2B
- SEQ ID NO: 47 is the determined cDNA sequence for LST-S2-I2-5F
- SEQ ID NO: 48 is the determined cDNA sequence for LST-S2-I2-6B
- SEQ ID NO: 49 is the determined cDNA sequence for LST-S2-I2-7F
- 25 SEQ ID NO: 50 is the determined cDNA sequence for LST-S2-I2-8G
- SEQ ID NO: 51 is the determined cDNA sequence for LST-S2-I2-9E
- SEQ ID NO: 52 is the determined cDNA sequence for LST-S2-I2-12B
- SEQ ID NO: 53 is the determined cDNA sequence for LST-S2-H2-2C
- SEQ ID NO: 54 is the determined cDNA sequence for LST-S2-H2-1G
- 30 SEQ ID NO: 55 is the determined cDNA sequence for LST-S2-H2-4G
- SEQ ID NO: 56 is the determined cDNA sequence for LST-S2-H2-3H

- SEQ ID NO: 57 is the determined cDNA sequence for LST-S2-H2-5G
- SEQ ID NO: 58 is the determined cDNA sequence for LST-S2-H2-9B
- SEQ ID NO: 59 is the determined cDNA sequence for LST-S2-H2-10H
- SEQ ID NO: 60 is the determined cDNA sequence for LST-S2-H2-12D
- 5 SEQ ID NO: 61 is the determined cDNA sequence for LST-S3-2
- SEQ ID NO: 62 is the determined cDNA sequence for LST-S3-4
- SEQ ID NO: 63 is the determined cDNA sequence for LST-S3-7
- SEQ ID NO: 64 is the determined cDNA sequence for LST-S3-8
- SEQ ID NO: 65 is the determined cDNA sequence for LST-S3-12
- 10 SEQ ID NO: 66 is the determined cDNA sequence for LST-S3-13
- SEQ ID NO: 67 is the determined cDNA sequence for LST-S3-14
- SEQ ID NO: 68 is the determined cDNA sequence for LST-S3-16
- SEQ ID NO: 69 is the determined cDNA sequence for LST-S3-21
- SEQ ID NO: 70 is the determined cDNA sequence for LST-S3-22
- 15 SEQ ID NO: 71 is the determined cDNA sequence for LST-S1-7
- SEQ ID NO: 72 is the determined cDNA sequence for LST-S1-A-1E
- SEQ ID NO: 73 is the determined cDNA sequence for LST-S1-A-1G
- SEQ ID NO: 74 is the determined cDNA sequence for LST-S1-A-3E
- SEQ ID NO: 75 is the determined cDNA sequence for LST-S1-A-4E
- 20 SEQ ID NO: 76 is the determined cDNA sequence for LST-S1-A-6D
- SEQ ID NO: 77 is the determined cDNA sequence for LST-S1-A-8D
- SEQ ID NO: 78 is the determined cDNA sequence for LST-S1-A-10A
- SEQ ID NO: 79 is the determined cDNA sequence for LST-S1-A-10C
- SEQ ID NO: 80 is the determined cDNA sequence for LST-S1-A-9D
- 25 SEQ ID NO: 81 is the determined cDNA sequence for LST-S1-A-10D
- SEQ ID NO: 82 is the determined cDNA sequence for LST-S1-A-9H
- SEQ ID NO: 83 is the determined cDNA sequence for LST-S1-A-11D
- SEQ ID NO: 84 is the determined cDNA sequence for LST-S1-A-12D
- SEQ ID NO: 85 is the determined cDNA sequence for LST-S1-A-11E
- 30 SEQ ID NO: 86 is the determined cDNA sequence for LST-S1-A-12E
- SEQ ID NO: 87 is the determined cDNA sequence for L513S (T3).

- SEQ ID NO: 88 is the determined cDNA sequence for L513S contig 1.
- SEQ ID NO: 89 is a first determined cDNA sequence for L514S.
- SEQ ID NO: 90 is a second determined cDNA sequence for L514S.
- SEQ ID NO: 91 is a first determined cDNA sequence for L516S.
- 5 SEQ ID NO: 92 is a second determined cDNA sequence for L516S.
- SEQ ID NO: 93 is the determined cDNA sequence for L517S.
- SEQ ID NO: 94 is the extended cDNA sequence for LST-S1-169 (also known as L519S).
- SEQ ID NO: 95 is a first determined cDNA sequence for L520S.
- 10 SEQ ID NO: 96 is a second determined cDNA sequence for L520S.
- SEQ ID NO: 97 is a first determined cDNA sequence for L521S.
- SEQ ID NO: 98 is a second determined cDNA sequence for L521S.
- SEQ ID NO: 99 is the determined cDNA sequence for L522S.
- SEQ ID NO: 100 is the determined cDNA sequence for L523S.
- 15 SEQ ID NO: 101 is the determined cDNA sequence for L524S.
- SEQ ID NO: 102 is the determined cDNA sequence for L525S.
- SEQ ID NO: 103 is the determined cDNA sequence for L526S.
- SEQ ID NO: 104 is the determined cDNA sequence for L527S.
- SEQ ID NO: 105 is the determined cDNA sequence for L528S.
- 20 SEQ ID NO: 106 is the determined cDNA sequence for L529S.
- SEQ ID NO: 107 is a first determined cDNA sequence for L530S.
- SEQ ID NO: 108 is a second determined cDNA sequence for L530S.
- SEQ ID NO: 109 is the determined full-length cDNA sequence for L531S short form.
- SEQ ID NO: 110 is the predicted amino acid sequence encoded by SEQ ID NO: 109.
- 25 SEQ ID NO: 111 is the determined full-length cDNA sequence for L531S long form.
- SEQ ID NO: 112 is the predicted amino acid sequence encoded by SEQ ID NO: 111.
- SEQ ID NO: 113 is the determined full-length cDNA sequence for L520S.
- SEQ ID NO: 114 is the predicted amino acid sequence encoded by SEQ ID NO: 113.
- SEQ ID NO: 115 is the determined cDNA sequence for contig 1.
- 30 SEQ ID NO: 116 is the determined cDNA sequence for contig 3.
- SEQ ID NO: 117 is the determined cDNA sequence for contig 4.

- SEQ ID NO: 118 is the determined cDNA sequence for contig 5.
- SEQ ID NO: 119 is the determined cDNA sequence for contig 7.
- SEQ ID NO: 120 is the determined cDNA sequence for contig 8.
- SEQ ID NO: 121 is the determined cDNA sequence for contig 9.
- 5 SEQ ID NO: 122 is the determined cDNA sequence for contig 10.
- SEQ ID NO: 123 is the determined cDNA sequence for contig 12.
- SEQ ID NO: 124 is the determined cDNA sequence for contig 11.
- SEQ ID NO: 125 is the determined cDNA sequence for contig 13.
- SEQ ID NO: 126 is the determined cDNA sequence for contig 15.
- 10 SEQ ID NO: 127 is the determined cDNA sequence for contig 16.
- SEQ ID NO: 128 is the determined cDNA sequence for contig 17.
- SEQ ID NO: 129 is the determined cDNA sequence for contig 19.
- SEQ ID NO: 130 is the determined cDNA sequence for contig 20.
- SEQ ID NO: 131 is the determined cDNA sequence for contig 22.
- 15 SEQ ID NO: 132 is the determined cDNA sequence for contig 24.
- SEQ ID NO: 133 is the determined cDNA sequence for contig 29.
- SEQ ID NO: 134 is the determined cDNA sequence for contig 31.
- SEQ ID NO: 135 is the determined cDNA sequence for contig 33.
- SEQ ID NO: 136 is the determined cDNA sequence for contig 38.
- 20 SEQ ID NO: 137 is the determined cDNA sequence for contig 39.
- SEQ ID NO: 138 is the determined cDNA sequence for contig 41.
- SEQ ID NO: 139 is the determined cDNA sequence for contig 43.
- SEQ ID NO: 140 is the determined cDNA sequence for contig 44.
- SEQ ID NO: 141 is the determined cDNA sequence for contig 45.
- 25 SEQ ID NO: 142 is the determined cDNA sequence for contig 47.
- SEQ ID NO: 143 is the determined cDNA sequence for contig 48.
- SEQ ID NO: 144 is the determined cDNA sequence for contig 49.
- SEQ ID NO: 145 is the determined cDNA sequence for contig 50.
- SEQ ID NO: 146 is the determined cDNA sequence for contig 53.
- 30 SEQ ID NO: 147 is the determined cDNA sequence for contig 54.
- SEQ ID NO: 148 is the determined cDNA sequence for contig 56.

- SEQ ID NO: 149 is the determined cDNA sequence for contig 57.
- SEQ ID NO: 150 is the determined cDNA sequence for contig 58.
- SEQ ID NO: 151 is the full-length cDNA sequence for L530S.
- SEQ ID NO: 152 is the amino acid sequence encoded by SEQ ID NO: 151.
- 5 SEQ ID NO: 153 is the full-length cDNA sequence of a first variant of L514S.
- SEQ ID NO: 154 is the full-length cDNA sequence of a second variant of L514S.
- SEQ ID NO: 155 is the amino acid sequence encoded by SEQ ID NO: 153.
- SEQ ID NO: 156 is the amino acid sequence encoded by SEQ ID NO: 154.
- SEQ ID NO: 157 is the determined cDNA sequence for contig 59.
- 10 SEQ ID NO: 158 is the full-length cDNA sequence for L763P (also referred to as contig 22).
- SEQ ID NO: 159 is the amino acid sequence encoded by SEQ ID NO: 158.
- SEQ ID NO: 160 is the full-length cDNA sequence for L762P (also referred to as contig 17).
- 15 SEQ ID NO: 161 is the amino acid sequence encoded by SEQ ID NO: 160.
- SEQ ID NO: 162 is the determined cDNA sequence for L515S.
- SEQ ID NO: 163 is the full-length cDNA sequence of a first variant of L524S.
- SEQ ID NO: 164 is the full-length cDNA sequence of a second variant of L524S.
- SEQ ID NO: 165 is the amino acid sequence encoded by SEQ ID NO: 163.
- 20 SEQ ID NO: 166 is the amino acid sequence encoded by SEQ ID NO: 164.
- SEQ ID NO: 167 is the full-length cDNA sequence of a first variant of L762P.
- SEQ ID NO: 168 is the full-length cDNA sequence of a second variant of L762P.
- SEQ ID NO: 169 is the amino acid sequence encoded by SEQ ID NO: 167.
- SEQ ID NO: 170 is the amino acid sequence encoded by SEQ ID NO: 168.
- 25 SEQ ID NO: 171 is the full-length cDNA sequence for L773P (also referred to as contig 56).
- SEQ ID NO: 172 is the amino acid sequence encoded by SEQ ID NO: 171.
- SEQ ID NO: 173 is an extended cDNA sequence for L519S.
- SEQ ID NO: 174 is the predicted amino acid sequence encoded by SEQ ID NO: 174.
- 30 SEQ ID NO: 175 is the full-length cDNA sequence for L523S.
- SEQ ID NO: 176 is the predicted amino acid sequence encoded by SEQ ID NO: 175.

- SEQ ID NO: 177 is the determined cDNA sequence for LST-sub5-7A.
- SEQ ID NO: 178 is the determined cDNA sequence for LST-sub5-8G.
- SEQ ID NO: 179 is the determined cDNA sequence for LST-sub5-8H.
- SEQ ID NO: 180 is the determined cDNA sequence for LST-sub5-10B.
- 5 SEQ ID NO: 181 is the determined cDNA sequence for LST-sub5-10H.
- SEQ ID NO: 182 is the determined cDNA sequence for LST-sub5-12B.
- SEQ ID NO: 183 is the determined cDNA sequence for LST-sub5-11C.
- SEQ ID NO: 184 is the determined cDNA sequence for LST-sub6-1c.
- SEQ ID NO: 185 is the determined cDNA sequence for LST-sub6-2f.
- 10 SEQ ID NO: 186 is the determined cDNA sequence for LST-sub6-2G.
- SEQ ID NO: 187 is the determined cDNA sequence for LST-sub6-4d.
- SEQ ID NO: 188 is the determined cDNA sequence for LST-sub6-4e.
- SEQ ID NO: 189 is the determined cDNA sequence for LST-sub6-4f.
- SEQ ID NO: 190 is the determined cDNA sequence for LST-sub6-3h.
- 15 SEQ ID NO: 191 is the determined cDNA sequence for LST-sub6-5d.
- SEQ ID NO: 192 is the determined cDNA sequence for LST-sub6-5h.
- SEQ ID NO: 193 is the determined cDNA sequence for LST-sub6-6h.
- SEQ ID NO: 194 is the determined cDNA sequence for LST-sub6-7a.
- SEQ ID NO: 195 is the determined cDNA sequence for LST-sub6-8a.
- 20 SEQ ID NO: 196 is the determined cDNA sequence for LST-sub6-7d.
- SEQ ID NO: 197 is the determined cDNA sequence for LST-sub6-7e.
- SEQ ID NO: 198 is the determined cDNA sequence for LST-sub6-8e.
- SEQ ID NO: 199 is the determined cDNA sequence for LST-sub6-7g.
- SEQ ID NO: 200 is the determined cDNA sequence for LST-sub6-9f.
- 25 SEQ ID NO: 201 is the determined cDNA sequence for LST-sub6-9h.
- SEQ ID NO: 202 is the determined cDNA sequence for LST-sub6-11b.
- SEQ ID NO: 203 is the determined cDNA sequence for LST-sub6-11c.
- SEQ ID NO: 204 is the determined cDNA sequence for LST-sub6-12c.
- SEQ ID NO: 205 is the determined cDNA sequence for LST-sub6-12e.
- 30 SEQ ID NO: 206 is the determined cDNA sequence for LST-sub6-12f.
- SEQ ID NO: 207 is the determined cDNA sequence for LST-sub6-11g.

- SEQ ID NO: 208 is the determined cDNA sequence for LST-sub6-12g.
- SEQ ID NO: 209 is the determined cDNA sequence for LST-sub6-12h.
- SEQ ID NO: 210 is the determined cDNA sequence for LST-sub6-II-1a.
- SEQ ID NO: 211 is the determined cDNA sequence for LST-sub6-II-2b.
- 5 SEQ ID NO: 212 is the determined cDNA sequence for LST-sub6-II-2g.
- SEQ ID NO: 213 is the determined cDNA sequence for LST-sub6-II-1h.
- SEQ ID NO: 214 is the determined cDNA sequence for LST-sub6-II-4a.
- SEQ ID NO: 215 is the determined cDNA sequence for LST-sub6-II-4b.
- SEQ ID NO: 216 is the determined cDNA sequence for LST-sub6-II-3e.
- 10 SEQ ID NO: 217 is the determined cDNA sequence for LST-sub6-II-4f.
- SEQ ID NO: 218 is the determined cDNA sequence for LST-sub6-II-4g.
- SEQ ID NO: 219 is the determined cDNA sequence for LST-sub6-II-4h.
- SEQ ID NO: 220 is the determined cDNA sequence for LST-sub6-II-5c.
- SEQ ID NO: 221 is the determined cDNA sequence for LST-sub6-II-5e.
- 15 SEQ ID NO: 222 is the determined cDNA sequence for LST-sub6-II-6f.
- SEQ ID NO: 223 is the determined cDNA sequence for LST-sub6-II-5g.
- SEQ ID NO: 224 is the determined cDNA sequence for LST-sub6-II-6g.
- SEQ ID NO: 225 is the amino acid sequence for L528S.
- SEQ ID NO: 226-251 are synthetic peptides derived from L762P.
- 20 SEQ ID NO: 252 is the expressed amino acid sequence of L514S.
- SEQ ID NO: 253 is the DNA sequence corresponding to SEQ ID NO: 252.
- SEQ ID NO: 254 is the DNA sequence of a L762P expression construct.
- SEQ ID NO: 255 is the determined cDNA sequence for clone 23785.
- SEQ ID NO: 256 is the determined cDNA sequence for clone 23786.
- 25 SEQ ID NO: 257 is the determined cDNA sequence for clone 23788.
- SEQ ID NO: 258 is the determined cDNA sequence for clone 23790.
- SEQ ID NO: 259 is the determined cDNA sequence for clone 23793.
- SEQ ID NO: 260 is the determined cDNA sequence for clone 23794.
- SEQ ID NO: 261 is the determined cDNA sequence for clone 23795.
- 30 SEQ ID NO: 262 is the determined cDNA sequence for clone 23796.
- SEQ ID NO: 263 is the determined cDNA sequence for clone 23797.

- SEQ ID NO: 264 is the determined cDNA sequence for clone 23798.
- SEQ ID NO: 265 is the determined cDNA sequence for clone 23799.
- SEQ ID NO: 266 is the determined cDNA sequence for clone 23800.
- SEQ ID NO: 267 is the determined cDNA sequence for clone 23802.
- 5 SEQ ID NO: 268 is the determined cDNA sequence for clone 23803.
- SEQ ID NO: 269 is the determined cDNA sequence for clone 23804.
- SEQ ID NO: 270 is the determined cDNA sequence for clone 23805.
- SEQ ID NO: 271 is the determined cDNA sequence for clone 23806.
- SEQ ID NO: 272 is the determined cDNA sequence for clone 23807.
- 10 SEQ ID NO: 273 is the determined cDNA sequence for clone 23808.
- SEQ ID NO: 274 is the determined cDNA sequence for clone 23809.
- SEQ ID NO: 275 is the determined cDNA sequence for clone 23810.
- SEQ ID NO: 276 is the determined cDNA sequence for clone 23811.
- SEQ ID NO: 277 is the determined cDNA sequence for clone 23812.
- 15 SEQ ID NO: 278 is the determined cDNA sequence for clone 23813.
- SEQ ID NO: 279 is the determined cDNA sequence for clone 23815.
- SEQ ID NO: 280 is the determined cDNA sequence for clone 25298.
- SEQ ID NO: 281 is the determined cDNA sequence for clone 25299.
- SEQ ID NO: 282 is the determined cDNA sequence for clone 25300.
- 20 SEQ ID NO: 283 is the determined cDNA sequence for clone 25301.
- SEQ ID NO: 284 is the determined cDNA sequence for clone 25304.
- SEQ ID NO: 285 is the determined cDNA sequence for clone 25309.
- SEQ ID NO: 286 is the determined cDNA sequence for clone 25312.
- SEQ ID NO: 287 is the determined cDNA sequence for clone 25317.
- 25 SEQ ID NO: 288 is the determined cDNA sequence for clone 25321.
- SEQ ID NO: 289 is the determined cDNA sequence for clone 25323.
- SEQ ID NO: 290 is the determined cDNA sequence for clone 25327.
- SEQ ID NO: 291 is the determined cDNA sequence for clone 25328.
- SEQ ID NO: 292 is the determined cDNA sequence for clone 25332.
- 30 SEQ ID NO: 293 is the determined cDNA sequence for clone 25333.
- SEQ ID NO: 294 is the determined cDNA sequence for clone 25336.

- SEQ ID NO: 295 is the determined cDNA sequence for clone 25340.
- SEQ ID NO: 296 is the determined cDNA sequence for clone 25342.
- SEQ ID NO: 297 is the determined cDNA sequence for clone 25356.
- SEQ ID NO: 298 is the determined cDNA sequence for clone 25357.
- 5 SEQ ID NO: 299 is the determined cDNA sequence for clone 25361.
- SEQ ID NO: 300 is the determined cDNA sequence for clone 25363.
- SEQ ID NO: 301 is the determined cDNA sequence for clone 25397.
- SEQ ID NO: 302 is the determined cDNA sequence for clone 25402.
- SEQ ID NO: 303 is the determined cDNA sequence for clone 25403.
- 10 SEQ ID NO: 304 is the determined cDNA sequence for clone 25405.
- SEQ ID NO: 305 is the determined cDNA sequence for clone 25407.
- SEQ ID NO: 306 is the determined cDNA sequence for clone 25409.
- SEQ ID NO: 307 is the determined cDNA sequence for clone 25396.
- SEQ ID NO: 308 is the determined cDNA sequence for clone 25414.
- 15 SEQ ID NO: 309 is the determined cDNA sequence for clone 25410.
- SEQ ID NO: 310 is the determined cDNA sequence for clone 25406.
- SEQ ID NO: 311 is the determined cDNA sequence for clone 25306.
- SEQ ID NO: 312 is the determined cDNA sequence for clone 25362.
- SEQ ID NO: 313 is the determined cDNA sequence for clone 25360.
- 20 SEQ ID NO: 314 is the determined cDNA sequence for clone 25398.
- SEQ ID NO: 315 is the determined cDNA sequence for clone 25355.
- SEQ ID NO: 316 is the determined cDNA sequence for clone 25351.
- SEQ ID NO: 317 is the determined cDNA sequence for clone 25331.
- SEQ ID NO: 318 is the determined cDNA sequence for clone 25338.
- 25 SEQ ID NO: 319 is the determined cDNA sequence for clone 25335.
- SEQ ID NO: 320 is the determined cDNA sequence for clone 25329.
- SEQ ID NO: 321 is the determined cDNA sequence for clone 25324.
- SEQ ID NO: 322 is the determined cDNA sequence for clone 25322.
- SEQ ID NO: 323 is the determined cDNA sequence for clone 25319.
- 30 SEQ ID NO: 324 is the determined cDNA sequence for clone 25316.
- SEQ ID NO: 325 is the determined cDNA sequence for clone 25311.

SEQ ID NO: 326 is the determined cDNA sequence for clone 25310.

SEQ ID NO: 327 is the determined cDNA sequence for clone 25302.

SEQ ID NO: 328 is the determined cDNA sequence for clone 25315.

SEQ ID NO: 329 is the determined cDNA sequence for clone 25308.

5 SEQ ID NO: 330 is the determined cDNA sequence for clone 25303.

SEQ ID NO: 331-337 are the cDNA sequences of isoforms of the p53 tumor suppressor homologue, p63 (also referred to as L530S).

SEQ ID NO: 338-344 are the amino acid sequences encoded by SEQ ID NO: 331-337, respectively.

10 SEQ ID NO: 345 is a second cDNA sequence for the antigen L763P.

SEQ ID NO: 346 is the amino acid sequence encoded by the sequence of SEQ ID NO: 345.

SEQ ID NO: 347 is a determined full-length cDNA sequence for L523S.

SEQ ID NO: 348 is the predicted amino acid sequence encoded by SEQ ID NO: 347.

15 SEQ ID NO: 349 is the cDNA sequence encoding the N-terminal portion of L773P.

SEQ ID NO: 350 is the amino acid sequence of the N-terminal portion of L773P.

DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to
20 compositions and methods for the therapy and diagnosis of cancer, such as lung cancer. The compositions described herein may include lung tumor polypeptides, polynucleotides encoding such polypeptides, binding agents such as antibodies, antigen presenting cells (APCs) and/or immune system cells (*e.g.*, T cells). Polypeptides of the present invention generally comprise at least a portion (such as an immunogenic
25 portion) of a lung tumor protein or a variant thereof. A "lung tumor protein" is a protein that is expressed in lung tumor cells at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in a normal tissue, as determined using a representative assay provided herein. Certain lung tumor proteins are tumor
30 proteins that react detectably (within an immunoassay, such as an ELISA or Western blot) with antisera of a patient afflicted with lung cancer. Polynucleotides of the subject invention generally comprise a DNA or RNA sequence that encodes all or a portion of

such a polypeptide, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of binding to a polypeptide as described above. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B-cells that express a polypeptide as described above. T cells that may be employed within such compositions are generally T cells that are specific for a polypeptide as described above.

The present invention is based on the discovery human lung tumor proteins. Sequences of polynucleotides encoding specific tumor proteins are provided in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349.

LUNG TUMOR PROTEIN POLYNUCLEOTIDES

Any polynucleotide that encodes a lung tumor protein or a portion or other variant thereof as described herein is encompassed by the present invention.

Preferred polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides and more preferably at least 45 consecutive nucleotides, that encode a portion of a lung tumor protein. More preferably, a polynucleotide encodes an immunogenic portion of a lung tumor protein.

Polynucleotides complementary to any such sequences are also encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules.

RNA molecules include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a lung tumor protein or a portion thereof) or may comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that the immunogenicity of the

encoded polypeptide is not diminished, relative to a native tumor protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Variants preferably exhibit at least about 70% identity, more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide sequence that encodes a native lung tumor protein or a portion thereof. The term "variants" also encompasses homologous genes of xenogenic origin.

Two polynucleotide or polypeptide sequences are said to be "identical" if the sequence of nucleotides or amino acids in the two sequences is the same when aligned for maximum correspondence as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A "comparison window" as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, 40 to about 50, in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices for detecting distant relationships. In Dayhoff, M.O. (ed.) *Atlas of Protein Sequence and Structure*, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) *Unified Approach to Alignment and Phylogenies* pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad. Sci. USA* 80:726-730.

Preferably, the "percentage of sequence identity" is determined by comparing two optimally aligned sequences over a window of comparison of at least 20

positions, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (i.e. gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (i.e. the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

10 Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native lung tumor protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 15 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode 20 a polypeptide as described herein. Some of these polynucleotides bear minimal homology to the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous 25 genes that are altered as a result of one or more mutations, such as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. 30 For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (i.e., expression that

is at least two fold greater in a lung tumor than in normal tissue, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and
5 Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein, such as lung tumor cells. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

10 An amplified portion may be used to isolate a full length gene from a suitable library (e.g., a lung tumor cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be
15 preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (e.g., by nick-translation or end-labeling with ^{32}P) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured
20 bacterial colonies (or lawns containing phage plaques) with the labeled probe (see Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using
25 a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into a single contiguous sequence. A full length cDNA molecule can be
30 generated by ligating suitable fragments, using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see* Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (*e.g.*, NCBI BLAST searches), and such ESTs

may be used to generate a contiguous full length sequence. Full length DNA sequences may also be obtained by analysis of genomic fragments.

Certain nucleic acid sequences of cDNA molecules encoding portions of lung tumor proteins are provided in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (see Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a lung tumor protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (e.g., by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a lung tumor polypeptide, and administering the transfected cells to the patient).

A portion of a sequence complementary to a coding sequence (i.e., an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a tumor protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (see Gee et al., In Huber and Carr, *Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (e.g., promoter, enhancer or transcription

initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such as inosine, queosine and wybutosine, as well as acetyl-, methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (e.g., avian pox virus). The polynucleotides may also be administered as naked

plasmid vectors. Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane vesicle). The preparation and use of such systems is well known in the art.

15 LUNG TUMOR POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise at least an immunogenic portion of a lung tumor protein or a variant thereof, as described herein. As noted above, a "lung tumor protein" is a protein that is expressed by lung tumor cells. Proteins that are lung tumor proteins also react detectably within an immunoassay (such as an ELISA) with antisera from a patient with lung cancer. Polypeptides as described herein may be of any length. Additional sequences derived from the native protein and/or heterologous sequences may be present, and such sequences may (but need not) possess further immunogenic or antigenic properties.

An "immunogenic portion," as used herein is a portion of a protein that is recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of a lung tumor protein or a variant thereof. Certain preferred immunogenic portions include peptides in which an N-terminal leader sequence and/or transmembrane domain have been deleted. Other preferred immunogenic portions may

contain a small N- and/or C-terminal deletion (e.g., 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (i.e., they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins).
Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native lung tumor protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (e.g., in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, ¹²⁵I-labeled Protein A.

As noted above, a composition may comprise a variant of a native lung tumor protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native lung tumor protein in one or more substitutions, deletions, additions and/or insertions, such that the immunogenicity of the polypeptide is not substantially diminished. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein. Preferred variants include

those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (e.g., 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein.

5 Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity (determined as described above) to the identified polypeptides.

Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydropathic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the

30

polypeptide (e.g., poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques. Recombinant polypeptides encoded by DNA sequences as described above may be readily prepared from the DNA sequences using any of a variety of expression vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast, higher eukaryotic and plant cells. Preferably, the host cells employed are *E. coli*, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known tumor protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans,

or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein.

Fusion proteins may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion protein is expressed as a recombinant protein, allowing the production of increased levels, relative to a non-fused protein, in an expression system. Briefly, DNA sequences encoding the polypeptide components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase. This permits translation into a single fusion protein that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al., *Proc. Natl. Acad. Sci. USA* 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second

polypeptides have non-essential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (see, for example, Stoute et al *New Engl. J. Med.*, 336:86-91, 1997).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (e.g., the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible

for the affinity to the choline or to some choline analogues such as DEAE. This property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (see 5 *Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides 10 as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is 15 considered to be isolated if, for example, it is cloned into a vector that is not a part of the natural environment.

BINDING AGENTS

The present invention further provides agents, such as antibodies and 20 antigen-binding fragments thereof, that specifically bind to a lung tumor protein. As used herein, an antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a lung tumor protein if it reacts at a detectable level (within, for example, an ELISA) with a lung tumor protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association 25 between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding 30 constant for complex formation exceeds about 10^3 L/mol. The binding constant may be determined using methods well known in the art.

Binding agents may be further capable of differentiating between patients with and without a cancer, such as lung cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a lung tumor protein will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (e.g., blood, sera, sputum, urine and/or tumor biopsies) from patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. See, e.g., Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (e.g., mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically.

Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (*i.e.*, reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be prepared using standard techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane,

Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include ^{90}Y , ^{123}I , ^{125}I , ^{131}I , ^{186}Re , ^{188}Re , ^{211}At , and ^{212}Bi . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, *Shigella* toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (e.g., covalently bonded) to a suitable monoclonal antibody either directly or indirectly (e.g., via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (e.g., a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents or functional groups on agents, which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups, sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, e.g., U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (e.g., U.S. Patent No. 4,489,710, to Spitler), by irradiation of a photolabile bond (e.g., U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (e.g., U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (e.g., U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (e.g., U.S. Patent No. 4,569,789, to Blattler et al.).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (e.g., U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (e.g., U.S. Patent No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (e.g., U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

A variety of routes of administration for the antibodies and immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or in the bed of a resected tumor. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody used, the antigen density on the tumor, and the rate of clearance of the antibody.

T CELLS

Immunotherapeutic compositions may also, or alternatively, comprise T cells specific for a lung tumor protein. Such cells may generally be prepared *in vitro* or *ex vivo*, using standard procedures. For example, T cells may be isolated from bone marrow, peripheral blood, or a fraction of bone marrow or peripheral blood of a patient, using a commercially available cell separation system, such as the Isolex™ System, available from Nexell Therapeutics, Inc. Irvine, CA (see also U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO 92/07243). Alternatively, T cells may be derived from related or unrelated humans, non-human mammals, cell lines or cultures.

T cells may be stimulated with a lung tumor polypeptide, polynucleotide encoding a lung tumor polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a time sufficient to permit the generation of T cells that are specific for the polypeptide. Preferably, a lung tumor polypeptide or polynucleotide is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for a lung tumor polypeptide if the T cells specifically proliferate, secrete cytokines or kill target cells coated with the polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be evaluated using any of a variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of T cells may be accomplished by a variety of known techniques. For example, T cell

proliferation can be detected by measuring an increased rate of DNA synthesis (e.g., by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a lung tumor polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (e.g., TNF or IFN-γ) is indicative of T-cell activation (see Coligan et al., Current Protocols in Immunology, vol. 1, Wiley Interscience (Greene 1998)). T cells that have been activated in response to a lung tumor polypeptide, polynucleotide or polypeptide-expressing APC may be CD4⁺ and/or CD8⁺. Lung tumor protein-specific T cells may be expanded using standard techniques. Within preferred embodiments, the T cells are derived from either a patient or a related, or unrelated, donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4⁺ or CD8⁺ T cells that proliferate in response to a lung tumor polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a variety of ways. For example, the T cells can be re-exposed to a lung tumor polypeptide, or a short peptide corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a lung tumor polypeptide. Alternatively, one or more T cells that proliferate in the presence of a lung tumor protein can be expanded in number by cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

PHARMACEUTICAL COMPOSITIONS AND VACCINES

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions or immunogenic compositions (i.e., vaccines). Pharmaceutical compositions comprise one or more such compounds and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and an immunostimulant. An immunostimulant

may be any substance that enhances or potentiates an immune response to an exogenous antigen. Examples of immunostimulants include adjuvants, biodegradable microspheres (e.g., polylactic galactide) and liposomes (into which the compound is incorporated; *see e.g.*, Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995).

Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present, either incorporated into a fusion polypeptide or as a separate compound, within the composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998, and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (e.g., vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl.*

Acad. Sci. USA 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 5 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier 10 will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. 15 For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres 20 are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (e.g., neutral buffered saline or phosphate buffered saline), carbohydrates (e.g., glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA or glutathione, adjuvants (e.g., aluminum hydroxide) 25 and/or preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of immunostimulants may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a 30 substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A,

Bordetella pertussis or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA);
5 aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

10 Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (e.g., IFN- γ , TNF α , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (e.g., IL-4, IL-5, IL-6 and IL-10) tend to favor the
15 induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using
20 standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt.
25 MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT) (see US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555 and WO 99/33488. Immunostimulatory DNA sequences
30 are also described, for example, by Sato et al., *Science* 273:352, 1996. Another preferred adjuvant is a saponin, preferably QS21 (Aquila Biopharmaceuticals Inc.,

Framingham, MA), which may be used alone or in combination with other adjuvants. For example, an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with cholesterol, as described in WO 96/33739. Other preferred formulations comprises an oil-in-water emulsion and tocopherol. A particularly potent adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210.

Other preferred adjuvants include Montanide ISA 720 (Seppic, France), SAF (Chiron, California, United States), ISCOMS (CSL), MF-59 (Chiron), the SBAS series of adjuvants (e.g., SBAS-2 or SBAS-4, available from SmithKline Beecham, Rixensart, Belgium), Detox (Ribi ImmunoChem Research Inc., Hamilton, MT), RC-529 (Ribi ImmunoChem Research Inc., Hamilton, MT) and Aminoalkyl glucosaminide 4-phosphates (AGPs).

Any vaccine provided herein may be prepared using well known methods that result in a combination of antigen, immune response enhancer and a suitable carrier or excipient. The compositions described herein may be administered as part of a sustained release formulation (i.e., a formulation such as a capsule, sponge or gel (composed of polysaccharides, for example) that effects a slow release of compound following administration). Such formulations may generally be prepared using well known technology (see, e.g. Coombes et al., *Vaccine* 14:1429-1438, 1996) and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix and/or contained within a reservoir surrounded by a rate controlling membrane.

Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively constant level of active component release. Such carriers include microparticles of poly(lactide-co-glycolide), as well as polyacrylate, latex, starch, cellulose and dextran. Other delayed-release carriers include supramolecular biovectors, which comprise a non-liquid hydrophilic core (e.g., a cross-linked polysaccharide or oligosaccharide) and, optionally,

an external layer comprising an amphiphilic compound, such as a phospholipid (see e.g., U.S. Patent No. 5,151,254 and PCT applications WO 94/20078, WO/94/23701 and WO 96/06638). The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical compositions and vaccines to facilitate production of an antigen-specific immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (see Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*), their ability to take up, process and present antigens with high efficiency, and their ability to activate naïve T cell responses. Dendritic cells may, of course, be engineered to express specific cell-surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (see Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood,

bone marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF α to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF α , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce differentiation, maturation and proliferation of dendritic cells.

10 Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc γ receptor and mannose receptor. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II MHC, adhesion molecules (e.g., CD54 and CD11) and costimulatory molecules (e.g., CD40, CD80, CD86 and 4-1BB).

20 APCs may generally be transfected with a polynucleotide encoding a lung tumor protein (or portion or other variant thereof) such that the lung tumor polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein.

25 Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells with the lung tumor polypeptide, DNA

(naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (e.g., vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that provides T cell help (e.g., a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of the polypeptide.

Vaccines and pharmaceutical compositions may be presented in unit-dose or multi-dose containers, such as sealed ampoules or vials. Such containers are preferably hermetically sealed to preserve sterility of the formulation until use. In general, formulations may be stored as suspensions, solutions or emulsions in oily or aqueous vehicles. Alternatively, a vaccine or pharmaceutical composition may be stored in a freeze-dried condition requiring only the addition of a sterile liquid carrier immediately prior to use.

15 CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as lung cancer. Within such methods, pharmaceutical compositions and vaccines are typically administered to a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. A cancer may be diagnosed using criteria generally accepted in the art, including the presence of a malignant tumor. Pharmaceutical compositions and vaccines may be administered either prior to or following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides disclosed herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8⁺ cytotoxic T lymphocytes and CD4⁺ T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The polypeptides provided herein may also be used to generate antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte, fibroblast and/or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example, antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies have shown that cultured effector cells can be induced to grow *in vivo* and to survive

long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (see, for example, Cheever et al., *Immunological Reviews* 157:177, 1997).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions disclosed herein, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (e.g., intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (e.g., by aspiration) or orally. Preferably, between 1 and 10 doses may be administered over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50% above the basal (i.e., untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (e.g., more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 25 µg to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL. In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome (e.g., more frequent remissions, complete or partial, or longer disease-free

survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a lung tumor protein generally correlate with an improved clinical outcome. Such immune responses may generally be evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of one or more lung tumor proteins and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, sputum urine and/or tumor biopsies) obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as lung cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer. In general, a lung tumor sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue.

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. See, e.g., Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent immobilized on a solid support to bind to and remove the polypeptide from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent

that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding agent. Suitable polypeptides for use within such assays include full length lung tumor proteins and portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the tumor protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10 µg, and preferably about 100 ng to about 1 µg, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the

binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.,* Pierce Immunotechnology Catalog and Handbook, 1991, at 5 A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody. 10 Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

15 More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20™ (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to 20 bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.,* incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with lung cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least about 95% of 25 that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

30 Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second

antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide.

5 An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are
10 generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of
15 the reaction products.

To determine the presence or absence of a cancer, such as lung cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average
20 mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical*
25 *Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (i.e., sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (i.e., the value that
30 encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered

positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

5 In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution
10 containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent.
15 Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the
20 biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1 μ g, and more preferably from about 50 ng to about
25 500 ng. Such tests can typically be performed with a very small amount of biological sample.

Of course, numerous other assay protocols exist that are suitable for use with the tumor proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to
30 those of ordinary skill in the art that the above protocols may be readily modified to use lung tumor polypeptides to detect antibodies that bind to such polypeptides in a

biological sample. The detection of such lung tumor protein specific antibodies may correlate with the presence of a cancer.

- A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a lung tumor protein in a biological sample. Within certain methods, a biological sample comprising CD4⁺ and/or CD8⁺ T cells isolated from a patient is incubated with a lung tumor polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells.
- For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with polypeptide (e.g., 5-25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of lung tumor polypeptide to serve as a control. For CD4⁺ T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8⁺ T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.
- As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a lung tumor protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify a portion of a lung tumor cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (i.e., hybridizes to) a polynucleotide encoding the lung tumor protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a lung tumor protein may be used in a hybridization assay to detect the presence of polynucleotide encoding the tumor protein in a biological sample.
- To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%,

preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a lung tumor protein that is at least 10 nucleotides, and preferably at least 20 nucleotides, in length. Preferably, oligonucleotide primers and/or probes will hybridize to a polynucleotide encoding a polypeptide disclosed herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers comprise at least 10 contiguous nucleotides, more preferably at least 15 contiguous nucleotides, of a DNA molecule having a sequence recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349. Techniques for both PCR based assays and hybridization assays are well known in the art (see, for example, Mullis et al., *Cold Spring Harbor Symp. Quant. Biol.*, 51:263, 1987; Erlich ed., *PCR Technology*, Stockton Press, NY, 1989).

One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered positive.

In another embodiment, the disclosed compositions may be used as markers for the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the

level of polypeptide or polynucleotide detected increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor.

5 One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

As noted above, to improve sensitivity, multiple lung tumor protein
10 markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of tumor protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for tumor proteins
15 provided herein may be combined with assays for other known tumor antigens.

DIAGNOSTIC KITS

The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components
20 necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a lung tumor protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements,
25 such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

Alternatively, a kit may be designed to detect the level of mRNA encoding a lung tumor protein in a biological sample. Such kits generally comprise at
30 least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a lung tumor protein. Such an oligonucleotide may be used,

for example, within a PCR or hybridization assay. Additional components that may be present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a lung tumor protein.

The following Examples are offered by way of illustration and not by way of limitation.

EXAMPLE 1**ISOLATION AND CHARACTERIZATION OF cDNA SEQUENCES
ENCODING LUNG TUMOR POLYPEPTIDES**

5 This example illustrates the isolation of cDNA molecules encoding lung tumor-specific polypeptides from lung tumor cDNA libraries.

**A. ISOLATION OF cDNA SEQUENCES FROM A LUNG SQUAMOUS CELL
10 CARCINOMA LIBRARY**

A human lung squamous cell carcinoma cDNA expression library was constructed from poly A⁺ RNA from a pool of two patient tissues using a Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning kit (BRL Life Technologies, Gaithersburg, MD) following the manufacturer's protocol. Specifically, lung carcinoma
15 tissues were homogenized with polytron (Kinematica, Switzerland) and total RNA was extracted using Trizol reagent (BRL Life Technologies) as directed by the manufacturer. The poly A⁺ RNA was then purified using an oligo dT cellulose column as described in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989. First-strand cDNA was
20 synthesized using the NotI/Oligo-dT18 primer. Double-stranded cDNA was synthesized, ligated with BstXI/EcoRI adaptors (Invitrogen, San Diego, CA) and digested with NotI. Following size fractionation with cDNA size fractionation columns (BRL Life Technologies), the cDNA was ligated into the BstXI/NotI site of pcDNA3.1 (Invitrogen) and transformed into ElectroMax *E. coli* DH10B cells (BRL Life
25 Technologies) by electroporation.

Using the same procedure, a normal human lung cDNA expression library was prepared from a pool of four tissue specimens. The cDNA libraries were characterized by determining the number of independent colonies, the percentage of clones that carried insert, the average insert size and by sequence analysis. The lung
30 squamous cell carcinoma library contained 2.7×10^6 independent colonies, with 100% of clones having an insert and the average insert size being 2100 base pairs. The normal

lung cDNA library contained 1.4×10^6 independent colonies, with 90% of clones having inserts and the average insert size being 1800 base pairs. For both libraries, sequence analysis showed that the majority of clones had a full length cDNA sequence and were synthesized from mRNA.

5 cDNA library subtraction was performed using the above lung squamous cell carcinoma and normal lung cDNA libraries, as described by Hara *et al.* (*Blood*, 84:189-199, 1994) with some modifications. Specifically, a lung squamous cell carcinoma-specific subtracted cDNA library was generated as follows. Normal tissue cDNA library (80 μ g) was digested with BamHI and XhoI, followed by a filling-in
10 reaction with DNA polymerase Klenow fragment. After phenol-chloroform extraction and ethanol precipitation, the DNA was dissolved in 133 μ l of H₂O, heat-denatured and mixed with 133 μ l (133 μ g) of Photoprobe biotin (Vector Laboratories, Burlingame, CA). As recommended by the manufacturer, the resulting mixture was irradiated with a 270 W sunlamp on ice for 20 minutes. Additional Photoprobe biotin (67 μ l) was added
15 and the biotinylation reaction was repeated. After extraction with butanol five times, the DNA was ethanol-precipitated and dissolved in 23 μ l H₂O to form the driver DNA.
To form the tracer DNA, 10 μ g lung squamous cell carcinoma cDNA library was digested with NotI and SpeI, phenol chloroform extracted and passed through Chroma spin-400 columns (Clontech, Palo Alto, CA). Typically, 5 μ g of
20 cDNA was recovered after the sizing column. Following ethanol precipitation, the tracer DNA was dissolved in 5 μ l H₂O. Tracer DNA was mixed with 15 μ l driver DNA and 20 μ l of 2 x hybridization buffer (1.5 M NaCl/10 mM EDTA/50 mM HEPES pH 7.5/0.2% sodium dodecyl sulfate), overlaid with mineral oil, and heat-denatured completely. The sample was immediately transferred into a 68 °C water bath and
25 incubated for 20 hours (long hybridization [LH]). The reaction mixture was then subjected to a streptavidin treatment followed by phenol/chloroform extraction. This process was repeated three more times. Subtracted DNA was precipitated, dissolved in 12 μ l H₂O, mixed with 8 μ l driver DNA and 20 μ l of 2 x hybridization buffer, and subjected to a hybridization at 68 °C for 2 hours (short hybridization [SH]). After
30 removal of biotinylated double-stranded DNA, subtracted cDNA was ligated into NotI/SpeI site of chloramphenicol resistant pBCSK⁺ (Stratagene, La Jolla, CA) and

transformed into ElectroMax *E. coli* DH10B cells by electroporation to generate a lung squamous cell carcinoma specific subtracted cDNA library (herein after referred to as "lung subtraction I").

A second lung squamous cell carcinoma specific subtracted cDNA library (referred to as "lung subtraction II") was generated in a similar way to the lung subtraction library I, except that eight frequently recovered genes from lung subtraction I were included in the driver DNA, and 24,000 independent clones were recovered.

To analyze the subtracted cDNA libraries, plasmid DNA was prepared from 320 independent clones, randomly picked from the subtracted lung squamous cell carcinoma specific libraries. Representative cDNA clones were further characterized by DNA sequencing with a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A and/or Model 377 (Foster City, CA). The cDNA sequences for sixty isolated clones are provided in SEQ ID NO: 1-60. These sequences were compared to known sequences in the gene bank using the EMBL and GenBank databases (release 96). No significant homologies were found to the sequences provided in SEQ ID NO: 2, 3, 19, 38 and 46. The sequences of SEQ ID NO: 1, 6-8, 10-13, 15, 17, 18, 20-27, 29, 30, 32, 34-37, 39-45, 47-49, 51, 52, 54, 55 and 57-59 were found to show some homology to previously identified expressed sequence tags (ESTs). The sequences of SEQ ID NO: 9, 28, 31 and 33 were found to show some homology to previously identified non-human gene sequences and the sequences of SEQ ID NO: 4, 5, 14, 50, 53, 56 and 60 were found to show some homology to gene sequences previously identified in humans.

The subtraction procedure described above was repeated using the above lung squamous cell carcinoma cDNA library as the tracer DNA, and the above normal lung tissue cDNA library and a cDNA library from normal liver and heart (constructed from a pool of one sample of each tissue as described above), plus twenty other cDNA clones that were frequently recovered in lung subtractions I and II, as the driver DNA (lung subtraction III). The normal liver and heart cDNA library contained 1.76×10^6 independent colonies, with 100% of clones having inserts and the average insert size being 1600 base pairs. Ten additional clones were isolated (SEQ ID NO: 61-70). Comparison of these cDNA sequences with those in the gene bank as described above,

revealed no significant homologies to the sequences provided in SEQ ID NO: 62 and 67. The sequences of SEQ ID NO: 61, 63-66, 68 and 69 were found to show some homology to previously isolated ESTs and the sequence provided in SEQ ID NO: 70 was found to show some homology to a previously identified rat gene.

5 In further studies, the subtraction procedure described above was repeated using the above lung squamous cell carcinoma cDNA library as the tracer DNA, and a cDNA library from a pool of normal lung, kidney, colon, pancreas, brain, resting PBMC, heart, skin and esophagus as the driver DNA, with esophagus cDNAs making up one third of the driver material. Since esophagus is enriched in normal
10 epithelial cells, including differentiated squamous cells, this procedure is likely to enrich genes that are tumor specific rather than tissues specific. The cDNA sequences of 48 clones determined in this subtraction are provided in SEQ ID NO: 177-224. The sequences of SEQ ID NO: 177, 178, 180, 181, 183, 187, 192, 195-197, 208, 211, 212, 215, 216, 218 and 219 showed some homology to previously identified genes. The
15 sequences of SEQ ID NO: 179, 182, 184-186, 188-191, 193, 194, 198-207, 209 210, 213, 214, 217, 220 and 224 showed some homology to previously determined ESTs. The sequence of SEQ ID NO: 221-223 showed no homology to any previously determined sequence.

20 B. ISOLATION OF cDNA SEQUENCES FROM A LUNG ADENOCARCINOMA LIBRARY

A human lung adenocarcinoma cDNA expression library was constructed as described above. The library contained 3.2×10^6 independent colonies, with 100% of clones having an insert and the average insert size being 1500 base pairs.
25 Library subtraction was performed as described above using the normal lung and normal liver and heart cDNA expression libraries described above as the driver DNA. Twenty-six hundred independent clones were recovered. Initial cDNA sequence analysis from 100 independent clones revealed
30 many ribosomal protein genes. The cDNA sequences for fifteen clones isolated in this subtraction are provided in SEQ ID NO: 71-86. Comparison of these sequences with those in the gene bank as described above revealed no significant homologies to the

sequence provided in SEQ ID NO: 84. The sequences of SEQ ID NO: 71, 73, 74, 77, 78 and 80-82 were found to show some homology to previously isolated ESTs, and the sequences of SEQ ID NO: 72, 75, 76, 79, 83 and 85 were found to show some homology to previously identified human genes.

5 In further studies, a cDNA library (referred to as mets3616A) was constructed from a metastatic lung adenocarcinoma. The determined cDNA sequences of 25 clones sequenced at random from this library are provided in SEQ ID NO: 255-279. The mets3616A cDNA library was subtracted against a cDNA library prepared from a pool of normal lung, liver, pancreas, skin, kidney, brain and resting PBMC. To
10 increase the specificity of the subtraction, the driver was spiked with genes that were determined to be most abundant in the mets3616A cDNA library, such as EF1-alpha, integrin-beta and anticoagulant protein PP4, as well as with cDNAs that were previously found to be differentially expressed in subtracted lung adenocarcinoma cDNA libraries. The determined cDNA sequences of 51 clones isolated from the
15 subtracted library (referred to as mets3616A-S1) are provided in SEQ ID NO: 280-330.

Comparison of the sequences of SEQ ID NO: 255-330 with those in the public databases revealed no significant homologies to the sequences of SEQ ID NO: 255-258, 260, 262-264, 270, 272, 275, 276, 279, 281, 287, 291, 296, 300 and 310. The sequences of SEQ ID NO: 259, 261, 265-269, 271, 273, 274, 277, 278, 282-285, 288-
20 290, 292, 294, 297-299, 301, 303-309, 313, 314, 316, 320-324 and 326-330 showed some homology to previously identified gene sequences, while the sequences of SEQ ID NO: 280, 286, 293, 302, 310, 312, 315, 317-319 and 325 showed some homology to previously isolated expressed sequence tags (ESTs).

25 EXAMPLE 2

DETERMINATION OF TISSUE SPECIFICITY OF LUNG TUMOR

POLYPEPTIDES

Using gene specific primers, mRNA expression levels for seven
30 representative lung tumor polypeptides described in Example 1 were examined in a variety of normal and tumor tissues using RT-PCR.

Briefly, total RNA was extracted from a variety of normal and tumor tissues using Trizol reagent as described above. First strand synthesis was carried out using 2 μ g of total RNA with SuperScript II reverse transcriptase (BRL Life Technologies) at 42 °C for one hour. The cDNA was then amplified by PCR with gene-specific primers. To ensure the semi-quantitative nature of the RT-PCR, β -actin was used as an internal control for each of the tissues examined. 1 μ l of 1:30 dilution of cDNA was employed to enable the linear range amplification of the β -actin template and was sensitive enough to reflect the differences in the initial copy numbers. Using these conditions, the β -actin levels were determined for each reverse transcription reaction from each tissue. DNA contamination was minimized by DNase treatment and by assuring a negative PCR result when using first strand cDNA that was prepared without adding reverse transcriptase.

mRNA Expression levels were examined in five different types of tumor tissue (lung squamous cell carcinoma from 3 patients, lung adenocarcinoma, colon tumor from 2 patients, breast tumor and prostate tumor), and thirteen different normal tissues (lung from 4 donors, prostate, brain, kidney, liver, ovary, skeletal muscle, skin, small intestine, stomach, myocardium, retina and testes). Using a 10-fold amount of cDNA, the antigen LST-S1-90 (SEQ ID NO: 3) was found to be expressed at high levels in lung squamous cell carcinoma and in breast tumor, and at low to undetectable levels in the other tissues examined.

The antigen LST-S2-68 (SEQ ID NO: 15) appears to be specific to lung and breast tumor, however, expression was also detected in normal kidney. Antigens LST-S1-169 (SEQ ID NO: 6) and LST-S1-133 (SEQ ID NO: 5) appear to be very abundant in lung tissues (both normal and tumor), with the expression of these two genes being decreased in most of the normal tissues tested. Both LST-S1-169 and LST-S1-133 were also expressed in breast and colon tumors. Antigens LST-S1-6 (SEQ ID NO: 7) and LST-S2-I2-5F (SEQ ID NO: 47) did not show tumor or tissue specific expression, with the expression of LST-S1-28 being rare and only detectable in a few tissues. The antigen LST-S3-7 (SEQ ID NO: 63) showed lung and breast tumor specific expression, with its message only being detected in normal testes when the PCR was performed for 30 cycles. Lower level expression was detected in some

normal tissues when the cycle number was increased to 35. Antigen LST-S3-13 (SEQ ID NO: 66) was found to be expressed in 3 out of 4 lung tumors, one breast tumor and both colon tumor samples. Its expression in normal tissues was lower compared to tumors, and was only detected in 1 out of 4 normal lung tissues and in normal tissues from kidney, ovary and retina. Expression of antigens LST-S3-4 (SEQ ID NO: 62) and LST-S3-14 (SEQ ID NO: 67) was rare and did not show any tissue or tumor-specificity. Consistent with Northern blot analyses, the RT-PCT results on antigen LAT-S1-A-10A (SEQ ID NO: 78) suggested that its expression is high in lung, colon, stomach and small intestine tissues, including lung and colon tumors, whereas its expression was low or undetectable in other tissues.

A total of 2002 cDNA fragments isolated in lung subtractions I, II and III, described above, were colony PCR amplified and their mRNA expression levels in lung tumor, normal lung, and various other normal and tumor tissues were determined using microarray technology (Synteni, Palo Alto, CA). Briefly, the PCR amplification products were dotted onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. This intensity correlates with the hybridization intensity. Seventeen non-redundant cDNA clones showed over-expression in lung squamous tumors, with expression in normal tissues tested (lung, skin, lymph node, colon, liver, pancreas, breast, heart, bone marrow, large intestine, kidney, stomach, brain, small intestine, bladder and salivary gland) being either undetectable, or 10-fold less compared to lung squamous tumors. The determined partial cDNA sequences for the clone L513S are provided in SEQ ID NO: 87 and 88; those for L514S are provided in SEQ ID NO: 89 and 90; those for L516S in SEQ ID NO: 91 and 92; that for L517S in SEQ ID NO: 93; that for L519S in SEQ ID NO: 94; those for L520S in SEQ ID NO: 95 and 96; those for L521S in SEQ ID NO: 97 and 98; that for L522S in SEQ ID NO: 99; that for L523S in SEQ ID NO: 100; that for L524S in SEQ ID NO: 101; that for L525S in SEQ ID NO: 102; that for L526S in SEQ ID NO: 103; that for L527S in SEQ ID NO: 104; that for L528S in SEQ ID NO: 105; that for L529S in SEQ ID NO: 106;

and those for L530S in SEQ ID NO: 107 and 108. Additionally, the full-length cDNA sequence for L530S is provided in SEQ ID NO: 151, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 152. L530S shows homology to a splice variant of a p53 tumor suppressor homologue, p63. The cDNA sequences of 7 known isoforms of p63 are provided in SEQ ID NO: 331-337, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 338-344, respectively.

Due to polymorphisms, the clone L531S appears to have two forms. A first determined full-length cDNA sequence for L531S is provided in SEQ ID NO: 109, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 110. A second determined full-length cDNA sequence for L531S is provided in SEQ ID NO: 111, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 112. The sequence of SEQ ID NO: 111 is identical to that of SEQ ID NO: 109, except that it contains a 27 bp insertion. Similarly, L514S also has two alternatively spliced forms; the first variant cDNA is listed as SEQ ID NO: 153, with the corresponding amino acid sequence being provided in SEQ ID NO: 155. The second variant form of L514S full-length cDNA is provided in SEQ ID NO: 154, with its corresponding amino acid sequence being provided in SEQ ID NO: 156.

Full length cloning for L524S (SEQ ID NO: 101) yielded two variants (SEQ ID NO: 163 and 164) with the corresponding predicted amino acid sequences of SEQ ID NO: 165 and 166, respectively. Both variants have been shown to encode parathyroid hormone-related peptide.

Attempts to isolate the full-length cDNA for L519S, resulted in the isolation of the extended cDNA sequence provided in SEQ ID NO: 173, which contains a potential open reading frame. The predicted amino acid sequence encoded by the sequence of SEQ ID NO: 173 is provided in SEQ ID NO: 174. Additionally, the full-length cDNA sequence for the clone of SEQ ID NO: 100 (known as L523S), a known gene, is provided in SEQ ID NO: 175, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 176. In further studies, a full-length cDNA sequence for L523S was isolated from a L523S-positive tumor cDNA library by PCR amplification using gene specific primers designed from the sequence of SEQ ID NO: 175. The determined cDNA sequence is provided in SEQ ID NO: *. The amino acid

sequence encoded by this sequence is provided in SEQ ID NO: **. This protein sequence differs from the previously published protein sequence at two amino acid positions, namely at positions 158 and 410.

Comparison of the sequences of L514S and L531S (SEQ ID NO: 87 and 88, 89 and 90, and 109, respectively) with those in the gene bank, as described above, revealed no significant homologies to known sequences. The sequences of L513S, L516S, L517S, L519S, L520S and L530S (SEQ ID NO: 87 and 88, 91 and 92, 93, 94, 95 and 96, 107 and 108, respectively) were found to show some homology to previously identified ESTs. The sequences of L521S, L522S, L523S, L524S, L525S, L526S, L527S, L528S and L529S (SEQ ID NO: 97 and 98, 99, 99, 101, 102, 103, 104, 105, and 106, respectively) were found to represent known genes. The determined full-length cDNA sequences for L520S is provided in SEQ ID NO: 113, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 114. Subsequent microarray analysis has shown L520S to be overexpressed in breast tumors in addition to lung squamous tumors.

Further analysis has demonstrated that L529S (SEQ ID NO: 106 and 115), L525S (SEQ ID NO: 102 and 120) and L527S (SEQ ID NO: 104) are cytoskeletal components and potentially squamous cell specific proteins. L529S is connexin 26, a gap junction protein. It is highly expressed in lung squamous tumor 9688T, and moderately over-expressed in two others. However, lower level expression of connexin 26 is also detectable in normal skin, colon, liver and stomach. The over-expression of connexin 26 in some breast tumors has been reported and a mutated form of L529S may result in over-expression in lung tumors. L525S is plakophilin 1, a desmosomal protein found in plaque-bearing adhering junctions of the skin. Expression levels for L525S mRNA is highly elevated in three out of four lung squamous tumors tested, and in normal skin. L527S has been identified as keratin 6 isoform, type II 58 Kd keratin, and cytokeratin 13 and shows over-expression in squamous tumors and low expression in normal skin, breast and colon tissues. Notably, keratin and keratin-related genes have been extensively documented as potential markers for lung cancer including CYFRA2.1 (Pastor, A., et al, *Eur. Respir. J.*, 10:603-609, 1997). L513S (SEQ ID NO: 87 and 88)

shows moderate over-expression in several tumor tissues tested, and encodes a protein that was first isolated as a pemphigus vulgaris antigen.

L520S (SEQ ID NO: 95 and 96) and L521S (SEQ ID NO: 97 and 98) are highly expressed in lung squamous tumors, and L520S is up-regulated in normal salivary gland and L521S is over-expressed in normal skin. Both belong to a family of small proline rich proteins and represent markers for fully differentiated squamous cells. L521S has been described as a specific marker for lung squamous tumor (Hu, R., et al, *Lung Cancer*, 20:25-30, 1998). L515S (SEQ ID NO: 162) encodes IGF- β 2 and L516S is an aldose reductase homologue and both are moderately expressed in lung squamous tumors and in normal colon. Notably, L516S (SEQ ID NO: 91 and 92) is up-regulated in metastatic tumors but not primary lung adenocarcinoma, an indication of its potential role in metatasis and a potential prognostic marker. L522S (SEQ ID NO: 99) is moderately over-expressed in lung squamous tumors with minimum expression in normal tissues. L522S has been shown to belong to a class IV alcohol dehydrogenase, ADH7, and its expression profile suggests it is a squamous cell specific antigen. L523S (SEQ ID NO: 100) is moderately over-expressed in lung squamous tumor, human pancreatic cancer cell lines and pancreatic cancer tissues, suggesting this gene may be a shared antigen between pancreatic and lung squamous cell cancer.

L524S (SEQ ID NO: 101) is over-expressed in the majority of squamous tumors tested and is homologous with parathyroid hormone-related peptide (PTHrP), which is best known to cause humoral hypercalcaemia associated with malignant tumors such as leukemia, prostate and breast cancer. It is also believed that PTHrP is most commonly associated with squamous carcinoma of lung and rarely with lung adenocarcinoma (Davidson, L.A., et al, *J. Pathol.*, 178: 398-401, 1996). L528S (SEQ ID NO: 105) is highly over-expressed in two lung squamous tumors with moderate expression in two other squamous tumors, one lung adenocarcinoma and some normal tissues, including skin, lymph nodes, heart, stomach and lung. It encodes the NMB gene that is similar to the precursor of melanocyte specific gene Pmel17, which is reported to be preferentially expressed in low-metastatic potential melanoma cell lines. This suggests that L528S may be a shared antigen in both melanoma and lung squamous cell carcinoma. L526S (SEQ ID NO: 103) is overexpressed in all lung

squamous cell tumor tissues tested and has been shown to share homology with a gene (ATM) in which a mutation causes ataxia telangiectasia, a genetic disorder in humans causing a predisposition to cancer, among other symptoms. ATM encodes a protein that activates p53 mediated cell-cycle checkpoint through direct binding and phosphorylation of the p53 molecule. Approximately 40% of lung cancer is associated with p53 mutations, and it is speculated that over-expression of ATM is a result of compensation for loss of p53 function, but it is unknown whether over-expression is the cause of result of lung squamous cell carcinoma. Additionally, expression of L526S (ATM) is also detected in a metastatic but not lung adenocarcinoma, suggesting a role in metastasis.

Expression of L523S (SEQ ID NO: 175), was also examined by real time RT-PCR as described above. In a first study using a panel of lung squamous tumors, L523S was found to be expressed in 4/7 lung squamous tumors, 2/3 head and neck squamous tumors and 2/2 lung adenocarcinomas, with low level expression being observed in skeletal muscle, soft palate and tonsil. In a second study using a lung adenocarcinoma panel, expression of L523S was observed in 4/9 primary adenocarcinomas, 2/2 lung pleural effusions, 1/1 metastatic lung adenocarcinomas and 2/2 lung squamous tumors, with little expression being observed in normal tissues.

Expression of L523S in lung tumors and various normal tissues was also examined by Northern blot analysis, using standard techniques. In a first study, L523S was found to be expressed in a number of lung adenocarcinomas and squamous cell carcinomas, as well as normal tonsil. No expression was observed in normal lung. In a second study using a normal tissue blot (HB-12) from Clontech, no expression was observed in brain, skeletal muscle, colon, thymus, spleen, kidney, liver, small intestine, lung or PBMC, although there was strong expression in placenta.

EXAMPLE 3 ISOLATION AND CHARACTERIZATION OF LUNG TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

Eight hundred and fifty seven clones from a cDNA subtraction library, containing cDNA from a pool of two human lung squamous tumors subtracted against eight normal human tissue cDNAs including lung, PBMC, brain, heart, kidney, liver, pancreas, and skin, (Clontech, Palo Alto, CA) were derived and submitted to a first round of PCR amplification. This library was subjected to a second round of PCR amplification, following the manufacturer's protocol. The resulting cDNA fragments were subcloned into the vector P7- Adv vector (Clontech, Palo Alto, CA) and transformed into DH5 α *E. coli* (Gibco, BRL). DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A.

One hundred and sixty two positive clones were sequenced. Comparison of the DNA sequences of these clones with those in the the EMBL and GenBank databases, as described above, revealed no significant homologies to 13 of these clones, hereinafter referred to as Contigs 13, 16, 17, 19, 22, 24, 29, 47, 49, 56-59. The determined cDNA sequences for these clones are provided in SEQ ID NO: 125, 127-129, 131-133, 142, 144, 148-150, and 157, respectively. Contigs 1, 3-5, 7-10, 12, 11, 15, 20, 31, 33, 38, 39, 41, 43, 44, 45, 48, 50, 53, 54 (SEQ ID NO: 115-124, 126, 130, 134-141, 143, 145-147, respectively) were found to show some degree of homology to previously identified DNA sequences. Contig 57 (SEQ ID NO: 149) was found to represent the clone L519S (SEQ ID NO: 94) disclosed in US. Patent Application No. 09/123,912, filed July 27, 1998. To the best of the inventors' knowledge, none of these sequences have been previously shown to be differentially over-expressed in lung tumors.

mRNA expression levels for representative clones in lung tumor tissues, normal lung tissues (n=4), resting PBMC, salivary gland, heart, stomach, lymph nodes, skeletal muscle, soft palate, small intestine, large intestine, bronchial, bladder, tonsil, kidney, esophagus, bone marrow, colon, adrenal gland, pancreas, and skin, (all derived from human) were determined by RT-PCR as described above. Expression levels using microarray technology, as described above, were examined in one sample of each tissue type unless otherwise indicated.

Contig 3 (SEQ ID NO: 116) was found to be highly expressed in all head and neck squamous cell tumors tested (17/17), and expressed in the majority (8/12) of lung squamous tumors, (high expression in 7/12, moderate in 2/12, and low in 2/12), while showing negative expression for 2/4 normal lung tissues and low expression in the remaining two samples. Contig 3 showed moderate expression in skin and soft palate, and lowered expression levels in resting PBMC, large intestine, salivary gland, tonsil, pancreas, esophagus, and colon. Contig 11 (SEQ ID NO: 124) was found to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 14/17, and moderately expressed in 3/17. Additionally, expression in lung squamous tumors showed high expression in 3/12 and moderate in 4/12. Contig 11 was negative for 3/4 normal lung samples, with the remaining sample having only low expression. Contig 11 showed low to moderate reactivity to salivary gland, soft palate, bladder, tonsil, skin, esophagus, and large intestine. Contig 13 (SEQ ID NO: 125) was found to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 12/17, and moderately expressed in 5/17. Contig 13 was expressed in 7/12 lung squamous tumors, with high expression in 4/12 and moderate expression in three samples. Analysis of normal lung samples showed negative expression for 2/4 and low to moderate expression in the remaining two samples. Contig 13 did show low to moderate reactivity to resting PBMC, salivary gland, bladder, pancreas, tonsil, skin, esophagus, and large intestine, as well as high expression in soft palate. Contig 16 (SEQ ID NO: 127) was found to be moderately expressed in some head and neck squamous cell tumors (6/17) and one lung squamous tumor, while showing no expression in any normal lung samples tested. Contig 16 did show low reactivity to resting PBMC, large intestine, skin, salivary gland, and soft palate. Contig 17 (SEQ ID NO: 128) was shown to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 5/17, and moderately expressed in 12/17. Expression levels in lung squamous tumors showed one tumor sample with high expression and 3/12 with moderate levels. Contig 17 was negative for 2/4 normal lung samples, with the remaining samples having only low expression. Additionally, low level expression was found in esophagus and soft palate. Contig 19 (SEQ ID NO: 129) was found to be expressed in most head and neck squamous cell tumors tested (11/17); with two

samples having high levels, 6/17 showing moderate expression, and low expression being found in 3/17. Testing in lung squamous tumors revealed only moderate expression in 3/12 samples. Expression levels in 2/4 of normal lung samples were negative, the two other samples having only low expression. Contig 19 showed low expression levels in esophagus, resting PBMC, salivary gland, bladder, soft palate and pancreas.

Contig 22 (SEQ ID NO: 131), was shown to be expressed in most head and neck squamous cell tumors tested (13/17) with high expression in four of these samples, moderate expression in 6/17, and low expression in 3/17. Expression levels in lung squamous tumors were found to be moderate to high for 3/12 tissues tested, with negative expression in two normal lung samples and low expression in two other samples (n=4). Contig 22 showed low expression in skin, salivary gland and soft palate. Similarly, Contig 24 (SEQ ID NO: 132) was found to be expressed in most head and neck squamous cell tumors tested (13/17) with high expression in three of these samples, moderate expression in 6/17, and low expression in 4/17. Expression levels in lung squamous tumors were found to be moderate to high for 3/12 tissues tested, with negative expression for three normal lung samples and low expression in one sample (n=4). Contig 24 showed low expression in skin, salivary gland and soft palate. Contig 29 (SEQ ID NO: 133) was expressed in nearly all head and neck squamous cell tumors tested (16/17): highly expressed in 4/17, moderately expressed in 11/17, with low expression in one sample. Also, it was moderately expressed in 3/12 lung squamous tumors, while being negative for 2/4 normal lung samples. Contig 29 showed low to moderate expression in large intestine, skin, salivary gland, pancreas, tonsil, heart and soft palate. Contig 47 (SEQ ID NO: 142) was expressed in most head and neck squamous cell tumors tested (12/17): moderate expression in 10/17, and low expression in two samples. In lung squamous tumors, it was highly expressed in one sample and moderately expressed in two others (n=13). Contig 47 was negative for 2/4 normal lung samples, with the remaining two samples having moderate expression. Also, Contig 47 showed moderate expression in large intestine, and pancreas, and low expression in skin, salivary gland, soft palate, stomach, bladder, resting PBMC, and tonsil.

Contig 48 (SEQ ID NO: 143) was expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 8/17 and moderately expressed in 7/17, with low expression in two samples. Expression levels in lung squamous tumors were high to moderate in three samples (n=13). Contig 48 was negative for one out of four normal lung samples, the remaining showing low or moderate expression. Contig 48 showed moderate expression in soft palate, large intestine, pancreas, and bladder, and low expression in esophagus, salivary gland, resting PBMC, and heart. Contig 49 (SEQ ID NO: 144) was expressed at low to moderate levels in 6/17 head and neck squamous cell tumors tested. Expression levels in lung squamous tumors were moderate in three samples (n=13). Contig 49 was negative for 2/4 normal lung samples, the remaining samples showing low expression. Moderate expression levels in skin, salivary gland, large intestine, pancreas, bladder and resting PBMC were shown, as well as low expression in soft palate, lymph nodes, and tonsil. Contig 56 (SEQ ID NO: 148) was expressed in low to moderate levels in 3/17 head and neck squamous cell tumors tested, and in lung squamous tumors, showing low to moderate levels in three out of thirteen samples. Notably, low expression levels were detected in one adenocarcinoma lung tumor sample (n=2). Contig 56 was negative for 3/4 normal lung samples, and showed moderate expression levels in only large intestine, and low expression in salivary gland, soft palate, pancreas, bladder, and resting PBMC. Contig 58, also known as L769P, (SEQ ID NO: 150) was expressed at moderate levels in 11/17 head and neck squamous cell tumors tested and low expression in one additional sample. Expression in lung squamous tumors showed low to moderate levels in three out of thirteen samples. Contig 58 was negative for 3/4 normal lung samples, with one sample having low expression. Moderate expression levels in skin, large intestine, and resting PBMC were demonstrated, as well as low expression in salivary gland, soft palate, pancreas, and bladder. Contig 59 (SEQ ID NO: 157) was expressed in some head, neck, and lung squamous tumors. Low level expression of Contig 59 was also detected in salivary gland and large intestine.

The full-length cDNA sequence for Contig 22, also referred to as L763P, is provided in SEQ ID NO: 158, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 159. Real-time RT-PCR analysis of L763P revealed

that it is highly expressed in 3/4 lung squamous tumors as well as 4/4 head and neck squamous tumors, with low level expression being observed in normal brain, skin, soft pallet and trachea. Subsequent database searches revealed that the sequence of SEQ ID NO: 158 contains a mutation, resulting in a frameshift in the corresponding protein sequence. A second cDNA sequence for L763P is provided in SEQ ID NO: 345, with the corresponding amino acid sequence being provided in SEQ ID NO: 346. The sequences of SEQ ID NO: 159 and 346 are identical with the exception of the C-terminal 33 amino acids of SEQ ID NO: 159.

The full-length cDNA sequence incorporating Contigs 17, 19, and 24, referred to as L762P, is provided in SEQ ID NO: 160, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 161. Further analysis of L762P has determined it to be a type I membrane protein and two additional variants have been sequenced. Variant 1 (SEQ ID NO: 167, with the corresponding amino acid sequence in SEQ ID NO: 169) is an alternatively spliced form of SEQ ID NO: 160 resulting in deletion of 503 nucleotides, as well as deletion of a short segment of the expressed protein. Variant 2 (SEQ ID NO: 168, with the corresponding amino acid sequence in SEQ ID NO: 170) has a two nucleotide deletion at the 3' coding region in comparison to SEQ ID NO: 160, resulting in a secreted form of the expressed protein. Real-time RT-PCR analysis of L762P revealed that is over-expressed in 3/4 lung squamous tumors and 4/4 head & neck tumors, with low level expression being observed in normal skin, soft pallet and trachea.

The full-length cDNA sequence for contig 56 (SEQ ID NO: 148), also referred to as L773P, is provided in SEQ ID NO: 171, with the predicted amino acid sequence in SEQ ID NO: 172. L773P was found to be identical to dihydroxyl dehydrogenase at the 3' portion of the gene, with divergent 5' sequence. As a result, the 69 N-terminal amino acids are unique. The cDNA sequence encoding the 69 N-terminal amino acids is provided in SEQ ID NO: 349, with the N-terminal amino acid sequence being provided in SEQ ID NO: 350. Real-time PCR revealed that L773P is highly expressed in lung squamous tumor and lung adenocarcinoma, with no detectable expression in normal tissues. Subsequent Northern blot analysis of L773P demonstrated that this transcript is differentially over-expressed in squamous tumors

and detected at approximately 1.6 Kb in primary lung tumor tissue and approximately 1.3 Kb in primary head and neck tumor tissue.

Subsequent microarray analysis has shown Contig 58, also referred to as L769S (SEQ ID NO: 150), to be overexpressed in breast tumors in addition to lung squamous tumors.

EXAMPLE 4

SYNTHESIS OF POLYPEPTIDES

- 10 Polypeptides may be synthesized on a Perkin Elmer/Applied Biosystems Division 430A peptide synthesizer using Fmoc chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation, binding to an immobilized surface, or labeling of the peptide.
- 15 Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse
- 20 phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

EXAMPLE 5

PREPARATION OF ANTIBODIES AGAINST LUNG CANCER ANTIGENS

Polyclonal antibodies against the lung cancer antigens L514S, L528S and L531S (SEQ ID NO: 155, 225 and 112, respectively) were prepared as follows.

- 30 Rabbits were immunized with recombinant protein expressed in and purified from *E. coli* as described above. For the initial immunization, 400 µg of

antigen combined with muramyl dipeptide (MDP) was injected subcutaneously (S.C.). Animals were boosted S.C. 4 weeks later with 200 µg of antigen mixed with incomplete Freund's Adjuvant (IFA). Subsequent boosts of 100 µg of antigen mixed with IFA were injected S.C. as necessary to induce high antibody titer responses. Serum bleeds
5 from immunized rabbits were tested for antigen-specific reactivity using ELISA assays with purified protein. Polyclonal antibodies against L514S, L528S and L531S were affinity purified from high titer polyclonal sera using purified protein attached to a solid support.

Immunohistochemical analysis using polyclonal antibodies against
10 L514S was performed on a panel of 5 lung tumor samples, 5 normal lung tissue samples and normal colon, kidney, liver, brain and bone marrow. Specifically, tissue samples were fixed in formalin solution for 24 hours and embedded in paraffin before being sliced into 10 micron sections. Tissue sections were permeabilized and incubated with antibody for 1 hr. HRP-labeled anti-mouse followed by incubation with DAB
15 chromogen was used to visualize L514S immunoreactivity. L514S was found to be highly expressed in lung tumor tissue with little or no expression being observed in normal lung, brain or bone marrow. Light staining was observed in colon and kidney. Staining was seen in normal liver but no mRNA has been detected in this tissue making this result suspect.

20

EXAMPLE 6

PEPTIDE PRIMING OF MICE AND PROPAGATION OF CTL LINES

Immunogenic peptides from the lung cancer antigen L762P (SEQ ID
25 NO: 161) for HLA-A2/K^b-restricted CD8⁺ T cells were identified as follows.

The location of HLA-A2 binding peptides within the lung cancer antigen L762P (SEQ ID NO: 161) was predicted using a computer program which predicts peptides sequences likely to be to HLA-A*0201 by fitting to the known peptide binding motif for HLA-A*0201 (Rupert *et al.* (1993) *Cell* 74:929; Rammensee *et al.*
30 (1995) *Immunogenetics* 41:178-228). A series of 19 synthetic peptides corresponding to a selected subset of the predicted HLA-A*0201 binding peptides was prepared as described above.

Mice expressing the transgene for human HLA A2/K^b (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with the synthetic peptides, as described by Theobald et al., *Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995 with the following modifications. Mice were immunized with 50µg of L762P peptide and 120µg of an I-A^b binding peptide derived from hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and single cell suspensions prepared. Cells were then resuspended at 7×10^6 cells/ml in complete media (RPMI-1640; Gibco BRL, Gaithersburg, MD) containing 10% FCS, 2mM Glutamine (Gibco BRL), sodium pyruvate (Gibco BRL), non-essential amino acids (Gibco BRL), 2×10^{-5} M 2-mercaptoethanol, 50U/ml penicillin and streptomycin, and cultured in the presence of irradiated (3000 rads) L762P peptide- (5µg/ml) and 10mg/ml B₂-microglobulin- (3 µg/ml) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7µg/ml dextran sulfate and 25µg/ml LPS for 3 days). After six days, cells (5×10^5 /ml) were restimulated with 2.5×10^6 /ml peptide pulsed irradiated (20,000 rads) EL4A2Kb cells (Sherman et al, *Science* 258:815-818, 1992) and 5×10^6 /ml irradiated (3000 rads) A2/K^b-transgenic spleen feeder cells. Cells were cultured in the presence of 10U/ml IL-2. Cells were restimulated on a weekly basis as described, in preparation for cloning the line.

Peptide-specific cell lines were cloned by limiting dilution analysis with irradiated (20,000 rads) L762P peptide-pulsed EL4 A2Kb tumor cells (1×10^6 cells/well) as stimulators and irradiated (3000 rads) A2/K^b-transgenic spleen cells as feeders (5×10^5 cells/ well) grown in the presence of 10U/ml IL-2. On day 7, cells were restimulated as before. On day 14, clones that were growing were isolated and maintained in culture.

Cell lines specific for L762P-87 (SEQ ID NO: 226; corresponding to amino acids 87-95 of SEQ ID NO: 161), L762P-145 (SEQ ID NO: 227; corresponding to amino acids 145-153 of SEQ ID NO: 161), L762P-585 (SEQ ID NO: 228; corresponding to amino acids 585-593 of SEQ ID NO: 161), L762P-425 (SEQ ID NO: 229; corresponding to amino acids 425-433 of SEQ ID NO: 161), L762P(10)-424 (SEQ ID NO: 230; corresponding to amino acids 424-433 of SEQ ID NO: 161) and L762P(10)-458 (SEQ ID NO: 231; corresponding to amino acids 458-467 of SEQ ID

NO: 161) demonstrated significantly higher reactivity (as measured by percent specific lysis) against L762P peptide-pulsed EL4-A2/K^b tumor target cells than control peptide-pulsed EL4-A2/K^b tumor target cells.

EXAMPLE 7

IDENTIFICATION OF CD4 IMMUNOGENIC T CELL EPITOPES DERIVED FROM THE LUNG CANCER ANTIGEN L762P

CD4 T cell lines specific for the antigen L762P (SEQ ID NO: 161) were generated as follows.

A series of 28 overlapping peptides were synthesized that spanned approximately 50% of the L762P sequence. For priming, peptides were combined into pools of 4-5 peptides, pulsed at 20 micrograms/ml into dendritic cells for 24 hours. The dendritic cells were then washed and mixed with positively selected CD4⁺ T cells in 96 well U-bottomed plates. Forty cultures were generated for each peptide pool. Cultures were restimulated weekly with fresh dendritic cells loaded with peptide pools. Following a total of 3 stimulation cycles, cells were rested for an additional week and tested for specificity to antigen presenting cells (APC) pulsed with peptide pools using interferon-gamma ELISA and proliferation assays. For these assays, adherent monocytes loaded with either the relevant peptide pool or an irrelevant peptide were used as APC. T cell lines that appeared to specifically recognize L762P peptide pools both by cytokine release and proliferation were identified for each pool. Emphasis was placed on identifying T cells with proliferative responses. T cell lines that demonstrated either both L762P-specific cytokine secretion and proliferation, or strong proliferation alone were further expanded to be tested for recognition of individual peptides from the pools, as well as for recognition of recombinant L762P. The source of recombinant L762P was *E. coli*, and the material was partially purified and endotoxin positive. These studies employed 10 micrograms of individual peptides, 10 or 2 micrograms of an irrelevant peptide, and 2 or 0.5 micrograms of either L762P protein or an irrelevant, equally impure, *E. coli* generated recombinant protein. Significant interferon-gamma production and CD4 T cell proliferation was induced by a number of L762P-derived

peptides in each pool. The amino acid sequences for these peptides are provided in SEQ ID NO: 232-251. These peptides correspond to amino acids 661-680, 676-696, 526-545, 874-893, 811-830, 871-891, 856-875, 826-845, 795-815, 736-755, 706-725, 706-725, 691-710, 601-620, 571-590, 556-575, 616-635, 646-665, 631-650, 541-560 and 586-605, respectively, of SEQ ID NO: 161.

CD4 T cell lines that demonstrated specificity for individual L762P-derived peptides were further expanded by stimulation with the relevant peptide at 10 micrograms/ml. Two weeks post-stimulation, T cell lines were tested using both proliferation and IFN-gamma ELISA assays for recognition of the specific peptide. A number of previously identified T cells continued to demonstrate L762P-peptide specific activity. Each of these lines was further expanded on the relevant peptide and, following two weeks of expansion, tested for specific recognition of the L762P-peptide in titration experiments, as well as for recognition of recombinant *E. coli*-derived L762P protein. For these experiments, autologous adherent monocytes were pulsed with either the relevant L762P-derived peptide, an irrelevant mammaglobin-derived peptide, recombinant *E. coli*-derived L762P (approx. 50% pure), or an irrelevant *E. coli*-derived protein. The majority of T cell lines were found to show low affinity for the relevant peptide, since specific proliferation and IFN-gamma ratios dramatically decreased as L762P peptide was diluted. However, four lines were identified that demonstrated significant activity even at 0.1 micrograms/ml peptide. Each of these lines (referred to as A/D5, D/F5, E/A7 and E/B6) also appeared to specifically proliferate in response to the *E. coli*-derived L762P protein preparation, but not in response to the irrelevant protein preparation. The amino acid sequences of the L762P-derived peptides recognized by these lines are provided in SEQ ID NO: 234, 249, 236 and 245, respectively. No protein specific IFN-gamma was detected for any of the lines. Lines A/D5, E/A7 and E/B6 were cloned on autologous adherent monocytes pulsed with the relevant peptide at 0.1 (A/D5 and E/A7) or 1 (D/F5) microgram/ml. Following growth, clones were tested for specificity for the relevant peptide. Numerous clones specific for the relevant peptide were identified for lines A/D5 and E/A7.

EXAMPLE 8**PROTEIN EXPRESSION OF LUNG TUMOR-SPECIFIC ANTIGENS****5 a) Expression of L514S in *E. coli***

The lung tumor antigen L514S (SEQ ID NO: 89) was subcloned into the expression vector pE32b at NcoI and NotI sites, and transformed into *E. coli* using standard techniques. The protein was expressed from residues 3-153 of SEQ ID NO: 89. The expressed amino acid sequence and the corresponding DNA sequence are
10 provided in SEQ ID NO: 252 and 253, respectively.

b) Expression of L762P

Amino acids 32-944 of the lung tumor antigen L762P (SEQ ID NO: 161), with a 6X His Tag, were subcloned into a modified pET28 expression vector,
15 using kanamycin resistance, and transformed into BL21 CodonPlus using standard techniques. Low to moderate levels of expression were observed. The determined DNA sequence of the L762P expression construct is provided in SEQ ID NO: 254.

From the foregoing it will be appreciated that, although specific
20 embodiments of the invention have been described herein for purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the invention is not limited except as by the appended claims.

CLAIMS

1. An isolated polypeptide, comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:
- (a) sequences recited in SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349;
- (b) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 under moderately stringent conditions; and
- (c) complements of sequences of (a) or (b).
2. An isolated polypeptide according to claim 1, wherein the polypeptide comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158,

160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences.

5 3. An isolated polypeptide comprising a sequence recited in any one of SEQ ID NO: 110, 112, 114, 152, 155, 156, 159, 161, 165, 166, 169, 170, 172, 174, 176, 226-252, 346, 348 and 350.

4. An isolated polynucleotide encoding at least 15 amino acid
10 residues of a lung tumor protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29,
15 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a
20 complement of any of the foregoing sequences.

5. An isolated polynucleotide encoding a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO:
25 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317,
30 323, 345, 347 and 349 or a complement of any of the foregoing sequences.

6. An isolated polynucleotide, comprising a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349.
7. An isolated polynucleotide, comprising a sequence that hybridizes to a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 under moderately stringent conditions.
8. An isolated polynucleotide complementary to a polynucleotide according to any one of claims 4-7.
9. An expression vector, comprising a polynucleotide according to any one of claims claim 4-8.
10. A host cell transformed or transfected with an expression vector according to claim 9.
11. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a lung tumor protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84,

86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences.

12. A fusion protein, comprising at least one polypeptide according to claim 1.

13. A fusion protein according to claim 12, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell transfected with a polynucleotide encoding the fusion protein.

14. A fusion protein according to claim 12, wherein the fusion protein comprises a T helper epitope that is not present within the polypeptide of claim 1.

15. A fusion protein according to claim 12, wherein the fusion protein comprises an affinity tag.

16. An isolated polynucleotide encoding a fusion protein according to claim 12.

17. A pharmaceutical composition, comprising a physiologically acceptable carrier and at least one component selected from the group consisting of:

- (a) a polypeptide according to claim 1;
- (b) a polynucleotide according to claim 4;
- (c) an antibody according to claim 11;
- (d) a fusion protein according to claim 12; and
- (e) a polynucleotide according to claim 16.

18. A vaccine comprising an immunostimulant and at least one component selected from the group consisting of:

- (a) a polypeptide according to claim 1;
- 5 (b) a polynucleotide according to claim 4;
- (c) an antibody according to claim 11;
- (d) a fusion protein according to claim 12; and
- (e) a polynucleotide according to claim 16.

19. A vaccine according to claim 18, wherein the immunostimulant is an adjuvant.

20. A vaccine according to any claims 18, wherein the immunostimulant induces a predominantly Type I response.

21. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 17.

22. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 18.

23. A pharmaceutical composition comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with a pharmaceutically acceptable carrier or excipient.

24. A pharmaceutical composition according to claim 23, wherein the antigen presenting cell is a dendritic cell or a macrophage.

30

25. A vaccine comprising an antigen-presenting cell that expresses a polypeptide comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

5 (a) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

(b) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171,
10 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions;
and

(c) complements of sequences of (i) or (ii);

in combination with an immunostimulant.

15 26. A vaccine according to claim 25, wherein the immunostimulant is an adjuvant.

27. A vaccine according to claim 25, wherein the immunostimulant induces a predominantly Type I response.

20 28. A vaccine according to claim 25, wherein the antigen-presenting cell is a dendritic cell.

29. A method for inhibiting the development of a cancer in a patient,
25 comprising administering to a patient an effective amount of an antigen-presenting cell that expresses a polypeptide comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

30 (a) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and

349;

(b) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

(c) complements of sequences of (i) or (ii) encoded by a polynucleotide recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349; and thereby inhibiting the development of a cancer in the patient.

30. A method according to claim 29, wherein the antigen-presenting cell is a dendritic cell.

31. A method according to any one of claims 21, 22 and 29, wherein the cancer is lung cancer.

32. A method for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349; and

(ii) complements of the foregoing polynucleotides; wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the antigen from the sample.

33. A method according to claim 32, wherein the biological sample is blood or a fraction thereof.

34. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated according to the method of claim 32.

5 35. A method for stimulating and/or expanding T cells specific for a lung tumor protein, comprising contacting T cells with at least one component selected from the group consisting of:

(a) polypeptides comprising at least an immunogenic portion of a
10 lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-
151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-
15 337, 345, 347 and 349;

(ii) sequences that hybridize to a sequence recited in any one
of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164,
167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately
stringent conditions; and

20 (iii) complements of sequences of (i) or (ii);

(b) polynucleotides encoding a polypeptide of (a); and

(c) antigen presenting cells that express a polypeptide of (a);

under conditions and for a time sufficient to permit the stimulation
and/or expansion of T cells.

25 36. An isolated T cell population, comprising T cells prepared according to the method of claim 35.

37. A method for inhibiting the development of a cancer in a patient,
30 comprising administering to a patient an effective amount of a T cell population according to claim 36.

38. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

(i) polypeptides comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(1) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

(2) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

(3) complements of sequences of (1) or (2);

(ii) polynucleotides encoding a polypeptide of (i); and

(iii) antigen presenting cells that expresses a polypeptide of

(i); such that T cells proliferate; and

(b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

39. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

(i) polypeptides comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence

selected from the group consisting of:

- (1) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;
- 5 (2) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and
- (3) complements of sequences of (1) or (2);
- 10 (ii) polynucleotides encoding a polypeptide of (i); and
- (iii) antigen presenting cells that express a polypeptide of (i); such that T cells proliferate;
- (b) cloning at least one proliferated cell to provide cloned T cells; and
- 15 (c) administering to the patient an effective amount of the cloned T cells, and thereby inhibiting the development of a cancer in the patient.

40. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

- 20 (a) contacting a biological sample obtained from a patient with a binding agent that binds to a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 or a complement of any of the
- 25 foregoing polynucleotide sequences;
- (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and
- (c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

41. A method according to claim 40, wherein the binding agent is an

antibody.

42. A method according to claim 43, wherein the antibody is a monoclonal antibody.

5

43. A method according to claim 40, wherein the cancer is lung cancer.

44. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polypeptide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

45. A method according to claim 44, wherein the binding agent is an antibody.

46. A method according to claim 45, wherein the antibody is a monoclonal antibody.

30

47. A method according to claim 44, wherein the cancer is a lung

cancer.

48. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

- 5 (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347
10 and 349 or a complement of any of the foregoing polynucleotide sequences;
- (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and
- (c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the
15 presence or absence of a cancer in the patient.

49. A method according to claim 48, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

20

50. A method according to claim 48, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

25

51. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

- (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a
30 polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347

and 349 or a complement of any of the foregoing polynucleotide sequences;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

10 52. A method according to claim 51, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

15 53. A method according to claim 51, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

20 54. A diagnostic kit, comprising:
(a) one or more antibodies according to claim 11; and
(b) a detection reagent comprising a reporter group.

55. A kit according to claim 54, wherein the antibodies are immobilized on a solid support.

25 56. A kit according to claim 54, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.

30 57. A kit according to claim 54, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent groups, enzymes, biotin and dye particles.

58. An oligonucleotide comprising 10 to 40 contiguous nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a complement of any of the foregoing polynucleotides.

59. A oligonucleotide according to claim 58, wherein the oligonucleotide comprises 10-40 contiguous nucleotides recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349.

20

60. A diagnostic kit, comprising:

(a) an oligonucleotide according to claim 59; and

(b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.

25

SEQUENCE LISTING

<110> Corixa Corporation et al.

<120> COMPOUNDS AND METHODS FOR THERAPY
AND DIAGNOSIS OF LUNG CANCER

<130> 210121.45501PC

<140> PCT

<141> 2000-04-03

<160> 350

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 315

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(315)

<223> n = A,T,C or G

<400> 1

gcagagacag actggtgggtt gaacctggag gtgccaaaaa agccagctgc gggcccagga	60
cagctgccgt gagactcccg atgtcacagg cagtctgtgt ggttacagcg cccctcagtg	120
ttcatctcca gcagagacaa cggaggaggc tcccaccagg acggttctca ttatttatat	180
gttaatatgt ttgtaaactc atgtacagtt ttttttgggg gggaagcaat gggaanggta	240
naaattacaa atagaatcat ttgctgtaat ccttaaatgg caaacggtca ggccacgtga	300
aaaaaaaaaaaa	315

<210> 2

<211> 380

<212> DNA

<213> Homo sapien

<400> 2

atttaggctt aagattttgt ttacccttgt tactaaggag caaattagta ttaaagtata	60
atatatataa acaaatataa aaagttttga gtgggttcagc ttttttattt tttttaatgg	120
cataactttt aacaacactg ctctgtaatg ggttgaactg tggactcag actgagataa	180
ctgaaatgag tggatgtata gtgttattgc ataattatcc cactatgaag caaagggact	240
ggataaattc ccagtctaga ttattagcct ttgttaacca tcaagcacct agaagaagaa	300
ttattggaaa ttttgtcttc tgtaactggc actttgggggt gtgacttatc ttttgccttt	360
gtaaaaaaaaaaaa	380

<210> 3

<211> 346

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<220>
 <221> misc_feature
 <222> (1)...(346)
 <223> n = A,T,C or G

<400> 3
 ttgtaagtat acaatttttag aaaggattaa atgttattga tcatttttact gaatactgca 60
 catcctcacc atacaccatc cacttttccaa taacattttaa tccttttctaa aattgtaagt 120
 atacaattgt acttttcttg gatttttcata acaaataac catagactgt taattttatt 180
 gaagtttccct taatggaatg agtcattttt gtcttgtgct tttgaggta cctttgcttt 240
 gacttccaac aatttgatca tatagtgttg agctgtggaa atctttaagt ttattctata 300
 gcaataattt ctattnnnag annccngggn naaaannann annaaa 346

<210> 4
 <211> 372
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(372)
 <223> n = A,T,C or G

<400> 4
 actagtctca ttactccaga attatgctct tgtacctgtg tggctggggt tcttagtcgt 60
 tggtttggtt tggttttttg aactgggatg taggggtggt cacagttcta atgtaagcac 120
 tctcttctcc aagttgtgct ttgtggggac aatcattctt tgaacattag agaggaaggc 180
 agttcaagct gttgaaaaga ctattgctta tttttgtttt taaagacctt cttgacgtca 240
 tgtggacagt gcacgtgcct tacgctacat cttgttttct aggaagaagg ggatgcnggg 300
 aaggantggg tgctttgtga tggataaaac gnctaaataa cacaccttta ctttttgaaa 360
 aaaacaaaac aa 372

<210> 5
 <211> 698
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(698)
 <223> n = A,T,C or G

<400> 5
 actagtanga tagaaacact gtgtcccgag agtaaggaga gaagctacta ttgattagag 60
 cctaaccag gttaactgca agaagaggcg ggatactttc agctttccat gtaactgtat 120
 gcataaagcc aatgtagtcc agtttctaag atcatgttcc aagctaactg aatcccactt 180
 caatacacac tcatgaactc ctgatggaac aataacaggc ccaagcctgt ggtatgatgt 240
 gcacacttgc tagactcaga aaaaatacta ctctcataaa tgggtgggag tattttgggt 300
 gacaacctac tttgcttggc tgagtgaagg aatgatattc atatnttcat ttattccatg 360
 gacatttagt tagtgctttt tatataccag gcatgatgct gagtgacact cttgtgtata 420
 tntccaaatn ttngtnngt cgctgcacat atctgaaatc ctatattaag antttcccaa 480
 natgangtcc ctgggttttc cacgccactt gatcngtcaa ngatctcacc tctgtntgtc 540
 ctaaaacctn ctncnnang gttagaacng acctctcttc tcccttcccg aanaatnaag 600
 tgtnggaaga nancnncn cccccnncn tncnncctng ccngctnnnc cnctgtngg 660

ggngcgcc ccgcgggg gaccccccn tttcccc

698

<210> 6
 <211> 740
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (740)
 <223> n = A,T,C or G

<400> 6
 actagtcaaa aatgctaaaa taatttggga gaaaatatatt ttttaagtagt gttatagttt 60
 catgtttatc ttttattatg tnttggaag ttgtgtcttt tcactaatta cctatactat 120
 gccaatattt ccttatatct atccataaca tttatactac atttgtaaga gaatatgcac 180
 gtgaaactta acactttata aggtaaaaat gaggtttcca agatttaata atctgatcaa 240
 gttcttggtta tttccaaata gaatggactt ggtctgttaa ggggctaagg gagaagaaga 300
 agataagggtt aaaagttggt aatgaccaa cattctaaaa gaaatgcaaa aaaaaattta 360
 ttttcaagcc ttogaactat ttaaggaaag caaatcatt tcctanatgc atatcatttg 420
 tgagantttc tcantaatat cctgaatcat tcatttcagc tnaggcttca tgttgactcg 480
 atatgtcatc tagggaaagt ctatttcatg gtccaaacct gttgccatag ttggttaggc 540
 tttcctttaa ntgtgaanta ttnacangaa attttctctt tnanagttct tnatagggtt 600
 aggggtgtgg gaaaagcttc taacaatctg tagtggtncg tgttatctgt ncagaaccan 660
 aatnacggat cgnangaagg actgggtcta tttacangaa cgaatnatct ngtnnntgt 720
 gtnnncaact ccngggagcc 740

<210> 7
 <211> 670
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (670)
 <223> n = A,T,C or G

<400> 7
 gctggggagc tcggcatggc ggtccccgct gcagccatgg ggccctcggc gttgggcccag 60
 agcgggcccg gctcgatggc ccggtggtgc tcagtgaagc gcggcccgtc gcgctacgtg 120
 cttgggatgc aggagctgtt ccggggccac agcaagaccg cgagttcctg gcgcacagcg 180
 ccaagggtgca ctgggtggcc tggagttgcy acgggcgtcg cctacctcgg ggtcttcgac 240
 aagacgccac gtcttcttgc tgganaanga ccgttggtca aagaaaacaa ttatcgggga 300
 catggggata gtgtggacca ctttgttggc atccaagtaa tcctgacctt tttgttacgg 360
 cgtctggaga taaaaccatt cgcactctgg atgtgaggac taaaaatgc attgccactg 420
 tgaacactaa aggggagaac attaatatct gctggantcc tgatgggcan accattgctg 480
 tagcnacaag gatgatgtgg tgactttatt gatgccaaga aaccccggtc caaagcaaaa 540
 aaacanttcc aanttcgaag tcaccnaaat ctctggaac aatgaacatn aatatnttct 600
 tcttgacaat ggnccctggg tgnntcacat cctcagctnc cccaaaactg aancctgtnc 660
 natccacccc 670

<210> 8
 <211> 689
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (689)
 <223> n = A,T,C or G

<400> 8
 actagtatct aggaatgaac agtaaaagag gagcagttgg ctacttgatt acaacagagt 60
 aaatgaagta ctggatttgg gaaaacctgg ttttattaga acatatggaa tgaaagccta 120
 cacctagcat tgcctactta gccccctgaa ttaacagagc ccaattgaga caaacccctg 180
 gcaacaggaa attcaagga gaaaaagtaa gcaacttggg ctaggatgag ctgactccct 240
 tagagcaaag ganagacagc cccattacc aaataccatt tttgcctggg gcttgtgcag 300
 ctggcagtgt tctgcccga gcatggcacc ttatngtttt gatagcaact tcgttgaatt 360
 ttcaccaact tattacttga aattataata tagcctgtcc gtttgcctgn tccaggctgt 420
 gatatatntt cctagtgggt tgactttnaa aataaatnag gtttantttt ctccccccnn 480
 cnntnctncc nntcnctcnn cnntcccccc cnetengtcc tccnnnttn gggggggccn 540
 ccccnccggn ggacccccct ttggtccctt agtggagggt natggccccct ggnnttatcc 600
 nggcntann ttccccgtn nnaaatgntt cccctccca ntccnccac ctcaanccgg 660
 aagcctaagt ttntaccctg ggggtcccc 689

<210> 9
 <211> 674
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (674)
 <223> n = A,T,C or G

<400> 9
 gtccactctc ctttgagtgt actgtcttac tgtgcactct gtttttcaac tttctagata 60
 taaaaaatgc ttgttctata gtggagtaag agctcacaca cccaaggcag caagataact 120
 gaaaaaagcg aggccttttt gccaccttgg taaaggccag ttcactgcta tagaactgct 180
 ataagcctga agggaagtag ctatgagact ttccattttt cttagtcttc ccaataggct 240
 ccttcattga aaaaggcttc ctgtaataat tttcacctaa tgaattagca gtgtgattat 300
 ttctgaaata agagacaaat tgggcgcgag agtcttctct tgatttaaaa taaacaacc 360
 aaagttttgt ttggtcttca ccaaaggaca tactctaggg ggtatgttgt tgaagacatt 420
 caaaaacatt agctgttctg tctttcaatt tcaagttatt ttggagactg cctccatgtg 480
 agttaattac tttgctctgg aactagcatt attgtcatta tcatcacatt ctgtcatcat 540
 catctgaata atattgtgga tttccccctc tgcttgcac ttcttttgac tctctggga 600
 anaaatgtca aaaaaaagg tcgatctact cngcaaggnc catctaata ctgcgctgga 660
 aggaccnct gcc 674

<210> 10
 <211> 346
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (346)
 <223> n = A,T,C or G

<400> 10

actagtctgc	tgatagaaag	cactatacat	cctattgttt	ctttctttcc	aaaatcagcc	60
ttctgtctgt	aacaaaaatg	tactttatag	agatggagga	aaaggtctaa	tactacatag	120
ccttaagtgt	ttctgtcatt	gttcaagtgt	attttctgta	acagaaacat	atttggaatg	180
tttttctttt	ccccttataa	attgtaattc	ctgaaatact	gctgctttta	aaagtcccac	240
tgtcagatta	tattatctaa	caattgaata	ttgtaaatat	acttgtctta	cctctcaata	300
aaaggggtact	tttctatttan	nnagnngnnn	gnnnnataaa	anaaaa		346

<210> 11

<211> 602

<212> DNA

<213> Homo sapien

<400> 11

actagtaaaa	agcagcattg	ccaaataatc	cctaattttc	cactaaaaat	ataatgaaat	60
gatgttaagc	tttttgaaaa	gtttagggtta	aacctactgt	tgtagatta	atgtatttgt	120
tgcttccctt	tatctggaat	gtggcattag	cttttttatt	ttaaccctct	ttaattctta	180
ttcaattcca	tgacttaagg	ttggagagct	aaacactggg	atttttggat	aacagactga	240
cagttttgca	taattataat	cggcattgta	catagaaagg	atatggctac	cttttggtta	300
atctgcactt	tctaaatata	aaaaaaggga	aatgaagtta	taaatcaatt	tttgataaat	360
ctgtttgaaa	catgagtttt	atttgcttaa	tattagggct	ttgccccttt	tctgtaagtc	420
tcttgggata	ctgtgtagaa	ctgttctcat	taaaacccaa	acagttaagt	ccattctctg	480
gtactagcta	caaattcggt	ttcatattct	acttaacaat	ttaaataaac	tgaaatatatt	540
ctagatggtc	tactttctgt	catataaaaa	caaaacttga	tttccaaaaa	aaaaaaaaaa	600
aa						602

<210> 12

<211> 685

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(685)

<223> n = A,T,C or G

<400> 12

actagtctctg	tgaaagtaca	actgaaggca	gaaagtgtta	ggatttttga	tctaattgttc	60
attatcatgg	tattgatgga	cctaagaaaa	taaaaattag	actaagcccc	caaataagct	120
gcatgcattt	gtaacatgat	tagtagattt	gaatatatag	atgtagtatn	ttgggtatct	180
agggttttta	tcattatgta	aaggaattaa	agtaaaggac	ttttagattg	tttttattaa	240
atatgcatat	agtagagtgc	aaaaatatag	caaaaatana	aactaaagg	agaaaagcat	300
tttagatatg	ccttaatnta	nnaactgtgc	cagggtggccc	tgggaataga	tgccaggcag	360
agaccagtgc	ctgggtgggtg	cctccctctg	tctgcccccc	tgaagaactt	ccctcacgtg	420
angtagtgcc	ctcgtagggtg	tcacgtggan	tantgggganc	aggccgnnnc	gtnanaagaa	480
ancanngtga	nagttttncc	gtngangcng	aactgtccct	gngccnnnac	gctcccanaa	540
cmtntccaat	ngacaatcga	gtttccnnnc	tcnngnaacc	tngccgnnnn	cnnngccnnc	600
cantntgnta	accccgcgcc	cggatcgctc	tcnnntcggt	ctcncncnaa	ngggntttcn	660
cnnccgcgct	cnncccccgc	cnncc				685

<210> 13

<211> 694

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature
 <222> (1)...(694)
 <223> n = A,T,C or G

<400> 13

cactagtcac	tcattagcgt	tttcaatagg	gctcttaagt	ccagtagatt	acgggtagtc	60
agttgaogaa	gatctggttt	acaagaacta	attaaatgtt	tcattgcatt	tttgtaagaa	120
cagaataatt	ttataaaatg	tttgtagttt	ataattgccg	aaaataattt	aaagacactt	180
tttctctgtg	tgtgcaaagt	tgtgtttgtg	atccattttt	tttttttttt	taggacacct	240
gtttactagc	tagctttaca	atatgccaaa	aaaggatttc	tccctgaccc	catccgtggt	300
tcacctctt	ttcccccat	gctttttgcc	ctagtttata	acaaaggaat	gatgatgatt	360
taaaaagtag	ttctgtatct	tcagtatctt	ggtcttccag	aacctctggt	ttgggaaggg	420
gatcattttt	tactggatcat	ttccctttgg	agtgtactac	tttaacagat	ggaaagaact	480
cattggccat	ggaaacagcc	gangtggttg	gagccagcag	tgcattggac	cgtccggcat	540
ctggcntgat	tggctgggt	gccgtcattg	tcagcacagt	gccatgggac	atggggaana	600
ctgactgcac	ngccaatggt	tttcatgaag	aatacngcat	ncncngtgat	cacgtnancc	660
angaogctat	gggggncana	gggccanttg	cttc			694

<210> 14
 <211> 679
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(679)
 <223> n = A,T,C or G

<400> 14

cagcgcctg	catctgtatc	cagcgccang	tcccgccagt	cccagctgog	cgcgccccc	60
agtcccnac	ccgttcggcc	cangctnagt	tagnctcac	catnccggtc	aaaggangca	120
ccaagtgc	caaatacctg	cngtncggat	ntaaattcat	cttctggctt	gccgggattg	180
ctgtcctgc	cattggacta	nggtccgat	ncgactctca	gaccanganc	atcttcganc	240
naganactaa	tnatnatnt	tccagcttct	acacaggagt	ctatattctg	atcggtccg	300
gcncctctnt	gatgctggtg	ggcttctga	gctgctgog	ggctgtgcaa	gagtcctant	360
gcatgctggg	actgttcttc	ggcttctct	tgggtgatn	cgccattgaa	atacctgog	420
ccatctgggg	atattccact	ncgatnatgt	gattaaggaa	ntccacggag	ttttacaagg	480
acacgtacaa	cnacctgaaa	accnnggat	anccccaccg	ggaancnctg	aangccatcc	540
actatgcgtt	gaactgcaat	ggtttggtg	gggncttga	acaatttaat	cncatacatc	600
tggccccann	aaaggacntn	ctcgannct	tcnccgtgna	attcngttct	gatnccatca	660
cagaagtctc	gaacaatcc					679

<210> 15
 <211> 695
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(695)
 <223> n = A,T,C or G

<400> 15

actagtggat	aaaggccagg	gatgctgctc	aacctcttac	catgtacagg	gacgtctccc	60
cattacaact	acccaatccg	aagtgtcaac	tgtgtcagga	ctaanaaacc	ctggttttga	120

ttaaaaaagg	gcctgaaaaa	aggggagcca	caaattctgtc	tgcttctctca	cmttantcnt	180
tggaataatna	gcattctgtc	tcnttggctg	cngcctcanc	ncaaaaaanc	ngaactcnat	240
cngggcccagg	aatacatctc	ncaatnaacn	aaattganca	aggcnntggg	aaatgccnga	300
tgggattatc	ntccgcttgt	tganccttcta	agtttcnttc	ccttcattcn	accctgccag	360
ccnagttctg	ttagaaaaat	gccngaattc	naacnccggt	tttctactc	ngaatttaga	420
tctncanaaa	cttccctggcc	acnattcnaa	ttnanggnca	cgnacanatn	ccttccatna	480
ancncacccc	acntttgana	gccangacaa	tgactgcntn	aantgaaggc	ntgaagggaan	540
aactttgaaa	ggaaaaaaa	ctttgtttcc	ggcccccttc	aacncttctg	tgtnnancac	600
tgccctctng	naaccctgga	agcccnngga	cagtgttaca	tggtgttcta	nnaaacngac	660
ncttnaatnt	cnatcttccc	nanaacgatt	ncncc			695

<210> 16

<211> 669

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (669)

<223> n = A,T,C or G

<400> 16

cgccgaagca	gcagcgagg	ttgtccccgt	ttccccctccc	ccttccccctc	tcgggttgcc	60
ttccccgggcc	ccttacactc	cacagtcccg	gtccccgccat	gtcccagaaa	caagaagaag	120
agaaccctgc	ggaggagacc	ggcgaggaga	agcaggacac	gcaggagaaa	gaagggtattc	180
tgccctgagag	agctgaagag	gcaaagctaa	aggccaaata	cccaagccta	ggacaaaagc	240
ctggagggtc	cgacttcctc	atgaagagac	tccagaaagg	gcaaaaagta	tttgactcng	300
gagactacaa	catggccaaa	gccaacatga	agaataagca	gctgcccaagt	gcangaccag	360
acaagaacct	ggtgactggt	gatcacatcc	ccacccccaca	ggatctgccc	agagaaagtc	420
ctcgctcgtc	accagcaagc	ttgcgggtgg	ccaagttgaa	tgatgctgcc	ggggtctctgc	480
canatctgag	acgttccctc	ccctgccccca	cccgggtcct	gtgctggctc	ctgcccttcc	540
tgcttttgca	gccangggtc	aggaagtggc	ncnggtngtg	gctggaaaagc	aaaacccttt	600
ctgtgtggtg	tcccacccat	ggagcccctg	ggcgagagccc	angaacttga	ncctttttgt	660
tntcttncc						669

<210> 17

<211> 697

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (697)

<223> n = A,T,C or G

<400> 17

gcaagatatg	gacaactaag	tgagaaggta	atnctctact	gctctagntn	ctccnngcnn	60
gacgcgctga	ggagannnac	gctggcccan	ctgcgggcca	cacacgggga	tcntggtnat	120
gcctgcccان	gggancccca	ncnctcggan	cccatntcac	acccgnnccn	tncccccacn	180
ncctggctcn	cncngcccng	nccagctcnc	gncccccctc	gccnnnctcn	ttnnctctc	240
cncnccctcc	ncnacnacct	cctaccncng	gtccctctcc	cagccccccc	ccgcaancct	300
ccacnacncc	ntcnnncoga	ancnccctc	gcncctngcc	cncgccccct	gccccccgcc	360
cncnacnneg	cgntcccccg	cgncgcngc	ctnccccct	cccacnacag	ncncaccgce	420
agncaegcnc	tccgcccnc	gaegccccnn	cccgccgcgc	tcacctteat	ggncnncng	480
ccccgctcnc	ncnctgcnc	gccnccnngg	cgccccgccc	cnnccngntn	ccncncgngg	540

```

ccccngcngn angcngtgcg cnnccangncc gngccggnncn ncaccctccg nccnccgccc 600
cgcccgctgg gggctcccg cncgcggntc antcccccnc cntnccgcca ctntccgntc 660
cnnctctcnc gctcngcgcn cgcncncnc cccccc 697

```

```

<210> 18
<211> 670
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1) ... (670)
<223> n = A,T,C or G

```

```

<400> 18
ctcgtgtgaa ggggtgcagta cctaagccgg agcggggtag aggcggggcg gcacccccctt 60
ctgacctcca gtgcgcgcgg cctcaagatc agacatggcc cagaacttga acgacttggc 120
gggacggctg cccgcggggc ccgggggcat gggcacggcc ctgaagctgt tgetgggggc 180
cggcgccgtg gcctacgggtg tgcgcgaatc tgtgttcacc gtggaaggcg ggcncagagc 240
catcttcttc aatcggatcg gtggagtgc caggacacta tcctggggcg anggccttca 300
cttcaggatc cttggttcca gtaccccanc atctatgaca ttcggggccag acctcgaaaa 360
aatctcctcc ctacaggctc caaagaccta cagatgggtga atatctccct gcgagtgttg 420
tctcgaccaa tgctcangaa cttcctaaca tgttcancg cctaagggtc ggactacnaa 480
gaacgantgt tgccgtccat tgtcacgaag tgctcaagaa tttnggtggc caagttcaat 540
gncctcacnn ctgacnccc agcggggcca agttanccct ggttgatccc cgggganctg 600
acnnaaaagg gcccaaggact tcccctcatc ctggataatg tggccntcac aaagctcaac 660
tttanccacc 670

```

```

<210> 19
<211> 606
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1) ... (606)
<223> n = A,T,C or G

```

```

<400> 19
actagtgcc aacctagctc ccaggccagt tctctgaatg tcgaggagtt ccaggatctc 60
tggcctcagt tgctcttggg tattgatggg ggacaaattg gggatggcca gagccccgag 120
tgctgccttg gctcaactgt ggttgatttg tctgtgccc gaaagtttg catcattcgt 180
ccaggctgtg ccctggaaag tactacagcc atcctccaac agaagtaagg actgctcccc 240
tcacatgcgt cctacctgtg aaactctggg aagcaggaag gcccaagacc tgggtgtgga 300
tactatgtgt ctgtccactg acgactgtca aggcctcatt tgcagaggcc accggagcta 360
gggcactagc ctgactttta aggcagtgtg tctttctgag cactgtagac caagcccttg 420
gagctgctgg tttagccttg caccctggga aaggatgtat ttatttgtat tttcatatat 480
cagccaaaag ctgaatggaa aagttnagaa cattcctagg tggccttatt ctaataagtt 540
tcttctgtct gttttgttt tcaattgaaa agttattaaa taacagattt agaattagtt 600
gagacc 606

```

```

<210> 20
<211> 449
<212> DNA
<213> Homo sapien

```


<400> 20

actagtaa	aacagcag	caaacatcag	tatcagcagc	gtcgccagca	ggagaatatg	60
cagcgccaga	gccgaggaga	acccccgctc	cctgaggagg	acctgtccaa	actcttcaaa	120
ccaccacagc	cgccctgccag	gatggactcg	ctgctcattg	caggccagat	aaacacttac	180
tgccagaaca	tcaaggagtt	cactgccc	aaacttaggca	agctcttcat	ggcccaggct	240
cttcaagaat	acaacaacta	agaaaaggaa	gtttccagaa	aagaagttaa	catgaactct	300
tgaagtcaca	ccagggcaac	tcttgggaaga	aatatatttg	catattgaaa	agcacagagg	360
atttcttttag	tgtcattgcc	gattttggct	ataacagtgt	ctttctagcc	ataataaaat	420
aaaacaaaat	cttgactgct	tgctcaaaa				449

<210> 21

<211> 409

<212> DNA

<213> Homo sapien

<400> 21

tatcaatcaa	ctggtgaata	attaacaat	gtgtggtgtg	atcatacaaa	gggtaccact	60
caatgataaa	aggaacaagc	tgcctatatg	tggaacaaca	tggatgcatt	tcagaaactt	120
tatgttgagt	gaaagaacaa	acacggagaa	catactatgt	ggttctcttt	atgtaacatt	180
acagaaaataa	aaacagaggc	aaccaccttt	gaggcagtat	ggagtgagat	agactggaaa	240
aaggaaggaa	ggaaactcta	cgctgatgga	aatgtctgtg	tcttcattgg	gtggtagtta	300
tgtggggata	tacatttgtc	aaaatttatt	gaactatata	ctaaagaact	ctgcatttta	360
ttgggatgta	aataatacct	caattaaaaa	gacaaaaaaa	aaaaaaaaa		409

<210> 22

<211> 649

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (649)

<223> n = A,T,C or G

<400> 22

acaattttca	ttatcttaag	cacattgtac	atttctacag	aacctgtgat	tattctcgca	60
tgataaggat	ggtacttgca	tatggtgaat	tactactggt	gacagtttcc	gcagaaatcc	120
tatttccagt	gaccaacatt	gtggcatggc	agcaaagccc	aacattttgt	ggaatagcag	180
caaactctaca	agagacctg	gttggttttt	cgttttgttt	tctttgtttt	ttcccccttc	240
tcctgaatca	gcagggatgg	aangagggtg	gggaagttat	gaattactcc	ttccagtagt	300
agctctgaag	tgtcacattt	aatatcagtt	ttttttaaac	atgattctag	ttnaatgtag	360
aagagagaag	aaagaggaag	tgttcacttt	tttaatacac	tgatttagaa	atttgatgtc	420
ttatatcagt	agttctgagg	tattgatagc	ttgctttatt	tctgccttta	cgttgacagt	480
gttgaagcag	ggtgaataac	taggggcata	tatatttttt	ttttttgtaa	gctgtttcat	540
gatgttttct	ttggaatttc	cggataagtt	caggaaaaca	tctgcatggt	gttatctagt	600
ctgaagttn	tatccatctc	attacaacaa	aaacnccag	aacggnntg		649

<210> 23

<211> 669

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (669)

<223> n = A,T,C or G

<400> 23

actagtgccg	tactggctga	aatccctgca	ggaccaggaa	gagaaccagt	tcagactttg	60
tactctcagt	caccagctct	ggaattagat	aaattccttg	aagatgtcag	gaatgggac	120
tatcctctga	cagcctttgg	gctgcctcgg	ccccagcagc	cacagcagga	ggaggtgaca	180
tcacctgtcg	tgcccccttc	tgtcaagact	ccgacacctg	aaccagctga	ggtggagact	240
cgcaagggtg	tgctgatgca	gtgcaacatt	gagtcgggtg	aggagggagt	caaacaccac	300
ctgacacttc	tgctgaagtt	ggaggacaaa	ctgaaccggc	acctgagctg	tgacctgatg	360
ccaaatgaga	atatccccga	ggtggcggct	gagctgggtg	agctgggctt	cattagttag	420
gctgaccaga	gccggttgac	ttctctgcta	gaagagactt	gaacaagtgc	aattttgcca	480
ggaacagtac	cctcaactca	gccgctgtca	ccgtctcttc	ttagagctca	ctcgggccag	540
gccctgatct	gcgctgtggc	tgtcctggac	gtgctgcacc	ctctgtcctt	ccccccagtc	600
agtattacct	gtgaagccct	tcctctcttt	attattcagg	anggctgggg	gggtctcctg	660
nttctaacc						669

<210> 24

<211> 442

<212> DNA

<213> Homo sapien

<400> 24

actagtacca	tcttgacaga	ggatacatgc	tcccaaaacg	tttgttacca	cacttaaaaa	60
tcactgccat	cattaagcat	cagtttcaaa	attatagcca	ttcatgattt	actttttcca	120
gatgactatc	attattctag	tcctttgaat	ttgtaagggg	aaaaaaaaa	aaaacaaaaa	180
cttacgatgc	acttttctcc	agcacatcag	atttcaaatt	gaaaattaaa	gacatgctat	240
ggtaatgcac	ttgctagtac	tacacacttt	ggtacaacaa	aaaacagagg	caagaaacaa	300
cggaaagaga	aaagccttcc	tttgttggcc	cttaaaactga	gtcaagatct	gaaatgtaga	360
gatgatctct	gacgatacct	gtatgttctt	attgtgtaaa	taaaattgct	ggtatgaaat	420
gacctaaaaa	aaaaaaaaa	ga aa				442

<210> 25

<211> 656

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (656)

<223> n = A,T,C or G

<400> 25

tgcaagtacc	acacactggt	tgaattttgc	acaaaaagtg	actgtaggat	caggtgatag	60
ccccggaatg	tacagtgtct	tggtgcacca	agatgccttc	taaaggctga	cataccttgg	120
accctaattg	ggcagagagt	atagccctag	cccagtggtg	acatgaccac	tccttttggg	180
aggcctgagg	tagaggggag	tggtatgtgt	tttctcagtg	gaagcagcac	atgagtgggt	240
gacaggatgt	tagataaagg	ctctagttag	ggtgtcattg	tcatttgaga	gactgacaca	300
ctcctagcag	ctggtaaagg	ggtgctggan	gccatggagg	anctctagaa	acattagcat	360
gggctgatct	gattacttcc	tggtcatccc	ctcactttta	tgggaagtct	tattagangg	420
atgggacagt	tttccatata	cttgctgtgg	agctctggaa	cactctctaa	atttccctct	480
attaaaaatc	actgccctaa	ctacacttcc	tccttgaagg	aatagaaatg	gaactttctc	540
tgacatannt	cttggcatgg	ggagccagcc	acaaatgana	atctgaacgt	gtccagggtt	600
ctcctganac	tcactctacat	agaattgggt	aaacctcccc	ttggaataag	gaaaaa	656

<210> 26
 <211> 434
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(434)
 <223> n = A,T,C or G

<400> 26
 actagttcag actgccacgc caaccccgaga aaatacccca catgccagaa aagtgaagtc 60
 ctaggtgttt ccatctatgt ttcaatctgt ccatctacca ggcctcgoga taaaaacaaa 120
 acaaaaaaac gctgccagggt tttagaagca gttctgggtct caaaaccatc aggatcctgc 180
 caccaggggt cttttgaaat agtaccacat gtaaaaggga atttggcttt cacttcatct 240
 aataactgaa ttgtcagggt ttgattgata attgtagaaa taagtagcct tctgttggtg 300
 gaataagtta taatcagtat tcactctctt gttttttgtc actcttttct ctctaattgt 360
 gtcatttcta ctgtttgaaa aatatttctt ctatnaaatt aaactaacct gccttaaaaa 420
 aaaaaaaaaa aaaa 434

<210> 27
 <211> 654
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(654)
 <223> n = A,T,C or G

<400> 27
 actagtccaa cacagtcaga aacattgttt tgaatcctct gtaaaccaag gcattaatct 60
 taataaacca ggatccattt aggtaccact tgatataaaa aggatatcca taatgaatat 120
 tttatactgc atcctttaca ttagccacta aatacgttat tgcttgatga agacctttca 180
 cagaatecta tggattgcag catttcactt ggctacttca taccatgcc ttaaagaggg 240
 gcagtttctc aaaagcagaa acatgccgcc agttctcaag ttttctcct aactccattt 300
 gaatgtaagg gcagctggcc cccaatgtgg ggaggtccga acattttctg aattcccatt 360
 ttcttggttcg cggctaaatg acagtttctg tcattactta gattccgac tttcccaaag 420
 gtgttgattt acaaagaggc cagctaatag cagaaatcat gaccctgaaa gagagatgaa 480
 attcaagctg tgagccaggc agganctcag tatggcaaag gtcttgagaa tcngccattt 540
 ggtacaaaaa aaatttttaa gcntttatgt tataccatgg aaccatagaa anggcaaggg 600
 aattgttaag aanaatttta agtgtccaga cccanaanga aaaaaaaaaa aaaa 654

<210> 28
 <211> 670
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(670)
 <223> n = A,T,C or G

<400> 28
 cgtgtgcaca tactgggagg atttccacag ctgcacgggc acagccctta cggattgccca 60

ggaagggg	aaagatatgt	gggataaaact	gagaaaagaa	nccaaaaaacc	tcaacatcca	120
aggcagctta	ttcgaactct	gcggcagcgg	caacggggcg	gcgggggtccc	tgctcccggc	180
gttcccgggtg	ctcctgggtgt	ctctctcggc	agcttttagcg	acctgncttt	ccttctgagc	240
gtggggccag	ctccccccgc	ggcgcccacc	cacnctcact	ccatgtctccc	ggaaatcgag	300
aggaagatca	ttagttcttt	ggggacgttn	gtgattctct	gtgatgctga	aaaacactca	360
tatagggaat	gtgggaaatc	ctganctctt	tnttatntcg	tntgatttct	tgtgttttat	420
ttgccaaaat	gttaccaatc	agtgaccaac	cnagcacagc	caaaaatcgg	acntcngctt	480
tagtccgtct	tcacacacag	aataagaaaa	cggcaaacc	acccacttt	tnantttnat	540
tattactaan	ttttttctgt	tgggcaaaaag	aatctcagga	acngccctgg	ggccnccgta	600
ctanagttaa	ccnagctagt	tncatgaaaa	atgatgggct	ccnctcaat	gggaaagcca	660
agaaaaagnc						670

<210> 29

<211> 551

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(551)

<223> n = A,T,C or G

<400> 29

actagtcctc	cacagcctgt	gaatccccct	agacctttca	agcatagtga	gcggagaaga	60
agatctcagc	gtttagccac	cttaccatg	cctgatgatt	ctgtagaaaa	ggtttcttct	120
ccctctccag	ccactgatgg	gaaagtattc	tccatcagtt	ctcaaaatca	gcaagaatct	180
tcagtaccag	aggtgcctga	tgttgacat	ttgccacttg	agaagctggg	accctgtctc	240
cctcttgact	taagtcgtgg	ttcagaagtt	acagcaccgg	tagcctcaga	ttcctcttac	300
cgtaatgaat	gtcccagggc	agaaaaagag	gatacncaga	tgcttccaaa	tccttcttcc	360
aaagcaatag	ctgatgggaa	gaggagctcc	agcagcagca	ggaatatcga	aaacagaaaa	420
aaaagtgaat	ttgggaagac	aaaagctcaa	cagcatttgg	taaggagaaa	aganaagatg	480
aggaaggaag	agagaagaga	gacnaagatc	nctacggacc	gnnncggaag	aagaagaagn	540
aaaaaanaaa	a					551

<210> 30

<211> 684

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(684)

<223> n = A,T,C or G

<400> 30

actagttcta	tctggaaaaa	gcccgggttg	gaagaagctg	tggagagtgc	gtgtgcaatg	60
cgagactcat	ttcttggaag	catccctggc	aaaaatgcag	ctgagtacaa	ggttatcact	120
gtgatagaac	ctggactgct	ttttgagata	atagagatgc	tgagctctga	agagacttcc	180
agcacctctc	agttgaatga	attaatgatg	gcttctgagt	caactttact	ggctcaggaa	240
ccacgagaga	tgactgcaga	tgtaatcgag	cttaaaggga	aattcctcat	caacttagaa	300
gggtggtgata	ttcgtgaaga	gtcttcctat	aaagtaattg	tcatgccgac	tacgaaagaa	360
aaatgcccc	gttggtggaa	gtatacagcg	ggagtcttca	gataactgt	gtcctcgatg	420
tgacagaagt	gtcagtggga	aaatagtatt	aacagctcac	tcgagcaaga	accctcctga	480
cagtactggg	ctagaagttt	ggatggatta	tttacaatat	aggaaagaaa	gccaaagaatt	540
aggtnatgag	tggatgagta	aatggtggan	gatgggggaat	tcaaatcaga	attatggaag	600

aagttnttcc tgttactata gaaaggaatt atgtttatattt acatgcagaa aatatanatg 660
tgtgggtgtgt accgtggatg gaan 684

<210> 31

<211> 654

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (654)

<223> n = A,T,C or G

<400> 31

ggcagaaaa	ggaaccaata	tttcagaaac	aagcttaata	ggaacagctg	cctgtacatc	60
aacatcttct	cagaatgacc	cagaagttat	catcgtggga	gctggcgtgc	ttggctctgc	120
tttggcagct	gtgctttcca	gagatggaag	aaaggtgaca	gtcattgaga	gagacttaaa	180
agagcctgac	agaatagttg	gagaattcct	gcagccgggt	ggttatcatg	ttctcaaaga	240
ccttgggtctt	ggagatacac	tggaaggctc	tgatgccag	gttgtaaatg	gttacatgat	300
tcatgatcag	ggaaagcaaa	tcagangttc	agattcetta	ccctctgtca	gaaaacaatc	360
aagtgcagag	tggaagagct	ttccatcacg	gaagattcat	catgagtctc	cggaagcag	420
ctatggcaga	gcccaatgca	aagtttattg	aaggtgttgt	gttacagtta	ttagaggaag	480
atgatgttgt	gatgggagtt	cagtacaagg	ataaagagac	tgggagatat	caaggaactc	540
catgctccac	tgactgttgt	tgcatatggg	cttttctcca	anttcaggaa	aagcctggtc	600
tcaataaagt	ttctgtatca	ctcatttggg	tggtctctta	tgaagaatgc	nccc	654

<210> 32

<211> 673

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (673)

<223> n = A,T,C or G

<400> 32

actagtgaag	aaaaagaaat	tctgatacgg	gacaaaaatg	ctcttcaaaa	catcattctt	60
tatcacctga	caccaggagt	tttcattgga	aaaggatttg	aacctgggtg	tactaacatt	120
ttaaagacca	cacaaggaag	caaaatcttt	ctgaaagaag	taaatgatac	acttctgggtg	180
aatgaattga	aatcaaaaga	atctgacatc	atgacaacaa	atggtgtaat	tcatgttgta	240
gataaaactcc	tctatccagc	agacacacct	gttggaatg	atcaactgct	ggaaatactt	300
aataaattaa	tcaaatacat	ccaaattaag	ttgttctgtg	gtagcacctt	caaagaaatc	360
cccgtagctg	tctatnagcc	aattattaaa	aaatacacca	aatcattga	tgggagtgcc	420
tgtgggaaat	aactgaaaaa	gagaccgaga	agaacgaatc	attacaggtc	ctgaaataaa	480
atacctagga	tttctactgg	aggtggagaa	acagaagaac	tctgaagaaa	ttgttacaag	540
aagangtccc	aaggtcacca	aattcattga	aggtggtgat	ggtctttatt	tgaagatgaa	600
gaaattaaaa	gacgcttcag	ggagacnccc	catgaaggaa	ttgccagcca	caaaaaaatt	660
cagggattag	aaa					673

<210> 33

<211> 673

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(673)
 <223> n = A,T,C or G

<400> 33

actagttatt	tactttctc	cgtttcagaa	ggtttttcag	actgagagcc	taagcatact	60
ggatctgttg	tttcttttg	gtctcacctc	atcagtgtgc	atagtggcag	aaattataaa	120
gaaggttgaa	aggagcagg	aaaagatcca	gaagcatgtt	agttcgacat	catcatcttt	180
tcttgaagta	tgatgcatat	tgcatatttt	tatttgcaaa	ctaggaattg	cagtctgagg	240
atcatttaga	agggcaagtt	caagaggata	tgaagatttg	agaacttttt	aactattcat	300
tgactaaaaa	tgaacattaa	tgtnaagac	ttaagacttt	aacctgctgg	cagtcccaaa	360
tgaatttatg	caactttgat	atcatattcc	ttgatttaaa	ttgggctttt	gtgattgant	420
gaaactttat	aaagcatatg	gtcagttatt	tnattaaaaa	ggcaaacct	gaaccacctt	480
ctgcacttaa	agaagtctaa	cagtacaaat	acctatctat	cttagatgga	tntatttntt	540
tntattttta	aatattgtac	tatttatggt	nggtggggct	ttcttactaa	tacacaaatn	600
aatttatcat	ttcaanggca	ttctatttgg	gtttagaagt	tgattccaag	nantgcatat	660
ttcgctactg	tnt					673

<210> 34
 <211> 684
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(684)
 <223> n = A,T,C or G

<400> 34

actagtttat	tcaagaaaag	aacttactga	ttcctctgtt	cctaaagcaa	gagtggcagg	60
tgatcagggc	tggtgtagca	tccggttcct	ttagtgcagc	taactgcatt	tgctactgat	120
gaccaaggag	gaaatcacta	agacatttga	gaagcagtgg	tatgaacgtt	cttggacaag	180
ccacagttct	gagccttaac	cctgtagttt	gcacacaaga	acgagctcca	cctccccttc	240
ttcaggagga	atctgtgcgg	atagattggc	tggaactttc	aatgggtctg	ggttgcaagt	300
gggcactggt	atggctgggt	atggagcgga	cagccccagg	aatcagagcc	tcagcccggc	360
tgcttggttg	gaaggtacag	gtgttcagca	ccttcggaaa	aagggcataa	agtngtgggg	420
gacaattctc	agtccaagaa	gaatgcattg	accattgctg	gctatttgc	tncttagtan	480
gaattggatn	catttttgac	cangatnntt	ctnctatgct	ttnttgcaat	gaaatcaaat	540
ccgcatttat	ctacaagtgg	tatgaagtcc	tgcncccccc	agagaggetg	ttcaggcnat	600
gtcttccaag	ggcaggggtg	gttacaccat	ttacctccc	ctctcccccc	agattatgna	660
cncagaagga	atttntttcc	tccc				684

<210> 35
 <211> 614
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(614)
 <223> n = A,T,C or G

<400> 35

actagtccaa	cgcgttngcn	aatattcccc	tggtagccta	cttccttacc	cccgaatatt	60
------------	------------	------------	------------	------------	------------	----

ggtaagatcg	agcaatggct	tcaggacatg	ggttctcttc	tcctgtgac	attcaagtgc	120
tcactgcatg	aagactggct	tgtctcagtg	tntcaacctc	accagggctg	tctcttggtc	180
cacacctcgc	tcctgttag	tgccgtatga	cagcccccat	canatgacct	tggccaagtc	240
acggttttctc	tgtggtcaat	gttggtnggc	tgattggtgg	aaagtanggt	ggaccaaagg	300
aagncncgtg	agcagncanc	nccagttctg	caccagcagc	gcctccgtcc	tactnggggtg	360
ttccngtttc	tcctggccct	gngtgggcta	nggcctgatt	cggggaanatg	cctttgcanig	420
gaaggganga	taantgggat	ctaccaattg	attctggcaa	aacnatntct	aagattnttn	480
tgctttatgt	ggganacana	tctanctctc	attnntgtct	gnanatnaca	ccctactcgt	540
gntcgancnc	gtcttcgatt	ttcgganaca	cnccantnaa	tactggcggt	ctgttggttaa	600
aaaaaaaaaa	aaaa					614

<210> 36

<211> 686

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (686)

<223> n = A,T,C or G

<400> 36

gtggctggcc	cggttctcgc	cttctcccca	tcccctactt	tcctccctcc	ctccctttcc	60
ctccctcgtc	gactgttgct	tgctggctgc	agactccctg	accctccct	caccctcccc	120
taacctcgtg	gccaccgat	tgccttctt	ttcctgttgc	ccagcccagc	cctagtgtca	180
gggogggggc	ctggagcagc	ccgaggcact	gcagcagaag	ananaaaaga	cacgacnaac	240
ctcagctcgc	cagtcgggtc	gctngcttcc	cgccgcagtg	caatnagaca	gacgcccgtc	300
acctgctctg	ggcacacgcg	accogtgggt	gatttggcct	tcagtggcat	cacccttatg	360
ggtatttctt	aatcagcgt	tgcaaagatg	gttaacctat	gctacgccag	ggagatacag	420
gagactggat	tggaacattt	ttgggttcta	aaggtctgtt	tggggtgcaa	cactgaataa	480
ggatgccacc	aaagcagcta	cagcagctgc	agatttcaca	gcccagtggt	gggatgctgt	540
ctcagganac	naattgataa	cctggctcat	aacacattgt	caagaatgtg	gatttcccca	600
ggatattatt	atttgtttac	cggggganag	gataactgtt	tcnctatttt	taattgaaca	660
aactnaaaca	aaanctaagg	aatccc				686

<210> 37

<211> 681

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (681)

<223> n = A,T,C or G

<400> 37

gagacanacn	naacgtcang	agaanaaaaag	angcatggaa	cacaanccag	gncgatggc	60
caccttccca	ccagcancca	gcgcccccca	gcncccccca	ngnccggang	accangactc	120
cancctgnat	caatctganc	tctattctctg	gcccattncct	acctcggagg	tggangccgn	180
aaaggtcgca	cnncagaga	agctgctgcc	ancaccancc	gcccnnccc	tgncgggctn	240
nataggaaac	tggtgaccnn	gctgcanaat	tcatacagga	gcacgcgang	ggcacnnnct	300
cacactgagt	tnnngatgan	gcctnaccan	ggacctnccc	cagcnnattg	annacnggac	360
tgoggaggaa	ggaagacccc	gnacnggatc	ctggccggcn	tgccaccccc	ccacccctag	420
gattatnccc	cttgactgag	tctctgaggg	gctaccogaa	cccgctccca	ttccctacca	480
natnntgctc	natcgggact	gacangctgg	ggatngggag	ggctatcccc	cancatcccc	540

tnanaccaac	agcnacngan	natnggggct	ccccngggtc	gnggcaacnc	tectncaccc	600
cggcgcnggc	cttegggtnt	gtcctccttc	aacnaattcc	naaangggcg	gccccccngt	660
ggactcctcn	ttgttccttc	c				681

<210> 38
 <211> 687
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(687)
 <223> n = A,T,C or G

<400> 38						
canaaaaaaaa	aaaacatggc	cgaaaccagn	aagctgcgcg	atggcgccac	ggccccctctt	60
ctcccggcct	gtgtccggaa	ggtttccttc	cgaggcgccc	cggtcccgcc	aagcggaggga	120
gagggcggga	cntgcggggg	cggagctca	naggccctgg	ggcgctctg	ctctcccgcc	180
atcgcaaggg	cggcgctaac	ctnaggcctc	cccgcaaagg	tcccnangc	gngggcggcg	240
gggggctgtg	anaaccgcaa	aaanaacgct	gggcgcgcng	cgaaccgcgc	cacccccgcg	300
aaggananac	ttccacagan	gcagcgtttc	cacagcccan	agccacnttt	ctagggtgat	360
gcacccagct	aagttcctgn	cggggaagct	cacgcgtgtc	aaaaaanctc	ttcgctccac	420
cggcgcacna	agggggangan	ggcangangc	tgcgcgccgc	acaggtcatc	tgatcacgtc	480
gcccgcctta	ntctgctttt	gtgaatctcc	actttgttca	acccaccccg	ccgttctctc	540
ctccttgccg	cttctctna	ccttaanaac	cagcttcttc	taccnatng	tanttntctt	600
gcncnngtng	aaattaattc	ggtcncccgg	aacctcttnc	ctgtggcaac	tgctnaaaga	660
aactgctgtt	ctgnttactg	cngtccc				687

<210> 39
 <211> 695
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(695)
 <223> n = A,T,C or G

<400> 39						
actagtctgg	cctacaatag	tgtgattcat	gtaggacttc	tttcatcaat	tcaaaacccc	60
tagaaaaacg	tatacagatt	atataagtag	ggataagatt	tctaacattt	ctgggctctc	120
tgaccctgc	gctagactgt	ggaaaggag	tattattata	gtatacaaca	ctgctgttgc	180
cttattagtt	ataacatgat	aggtgctgaa	ttgtgattca	caatttaaaa	acactgtaat	240
ccaaactttt	ttttttaact	gtagatcatg	catgtgaatg	ttaatgttaa	tttgttcaan	300
gttggttatg	gtagaaaaaa	ccacatgcct	taaaatttta	aaaagcaggg	cccaaactta	360
ttagtttaaa	attaggggta	tgtttccagt	ttgttattaa	ntggttatag	ctctgtttag	420
aaaaaatcna	ngaacangat	ttngaaantt	aagntgacat	tatttnccag	tgacttgtta	480
atttgaaatc	anacacggca	ccttccggtt	tggtntctatt	ggnntttgaa	tccaancngg	540
ntccaaatct	tnttggaac	ngtcnnttta	acttttttac	nanatcttat	ttttttattt	600
tggaaatggc	ctatttaang	ttaaaagggg	ggggnnccac	naccattcnt	gaataaaaact	660
naatatatat	ccttggtccc	ccaaaattta	aggng			695

<210> 40
 <211> 674
 <212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)... (674)

<223> n = A,T,C or G

<400> 40

actagtagtc	agttgggagt	ggttgctata	cttgacttc	atztatatga	atttccactt	60
tattaaataa	tagaaaagaa	aatccoggtg	cttgtagtag	agttatagga	cattctatgc	120
ttacagaaaa	tatagccatg	attgaaatca	aatagtaaag	gctgttctgg	ctttttatct	180
tcttagctca	tcttaaataa	gtagtacact	tgggatgcag	tgogtctgaa	gtgctaataca	240
gttgtaacaa	tagcacaaat	cgaacttagg	atgtgtttct	tctcttctgt	gtttcgattt	300
tgatcaatcc	tttaattttg	ggaacctata	atacagtttt	cctattcttg	gagataaaaa	360
ttaaatggat	cactgatatt	taagtcattc	tgcttctcat	ctnaatattc	catattctgt	420
attagganaa	antacctccc	agcacagccc	cctctcaaac	cccacccaaa	accaagcatt	480
tggatgagt	ctcctttatt	tccgaantgt	ggatggtata	acccatattc	ctccaatttc	540
tgnttgggtt	gggtattaat	ttgaactgtg	catgaaaagn	ggnaatcttt	nctttgggtc	600
aaantttnc	ggttaatttg	nctngncaaa	tcgaatttnc	tttaagggtg	tctttataaa	660
atttgcatt	cngg					674

<210> 41

<211> 657

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)... (657)

<223> n = A,T,C or G

<400> 41

gaaacatgca	agtaccacac	actgtttgaa	ttttgcacaa	aaagtgactg	tagggatcag	60
gtgatagccc	cggaaatgtac	agtgtcttgg	tgacccaaga	tgcccttctaa	aggctgacat	120
accttgggag	cctaattggg	cagagagtat	agccctagcc	cagtgggtgac	atgaccactc	180
cctttgggag	gctgaagtta	aagggaatgg	tatgtgtttt	ctcatggaag	cagcacatga	240
atnggtnaca	ngatgtttaa	ntaaggntct	antttgggtg	tcttgtcatt	tgaaaaantg	300
acacactcct	ancanctgg	aaaggggtgc	tggaagccat	ggaagaactc	taaaaacatt	360
agcatgggct	gatctgatta	cttcttgcca	tcccgctcac	ttttatggga	agtcttatta	420
naaggatggg	ananttttcc	atatccttgc	tgttgggaact	ctggaacact	ctctaaattt	480
ccctctatta	aaaatcactg	nccttactac	acttctctct	tganggaata	gaaatggacc	540
tttctctgac	ttagttcttg	gcattggganc	cagcccaaat	taaaatctga	cttntccggt	600
ttctcngaa	ctcacctact	tgaattggta	aaacctcctt	tgaattagn	aaaaacc	657

<210> 42

<211> 389

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)... (389)

<223> n = A,T,C or G

<400> 42

actagtgtctg	aggaatgtaa	acaagtttgc	tgggccttgc	gagacttcac	caggttgttt	60
cgatagctca	cactcctgca	ctgtgcctgt	caoccaggaa	tgtctttttt	aattagaaga	120
caggaagaaa	acaaaaacca	gactgtgtcc	cacaatcaga	aacctccgtt	gtggcagang	180
ggccttcacc	gccaccaggg	tgtcccgcca	gacagggaga	gactccagcc	ttctgaggcc	240
atcctgaaga	attcctgttt	gggggttgtg	aaggaaaatc	acccggattt	aaaaagatgc	300
tgttgccctgc	ccgcgtngtn	gggaaggagc	tggtttcctg	gtgaatttct	taaaagaaaa	360
atattttaag	ttaagaaaaa	aaaaaaaaaa				389

<210> 43

<211> 279

<212> DNA

<213> Homo sapien

<400> 43

actagtgaca	agtccttggt	cttgagatgt	cttctcgta	aggagatggg	ccttttggag	60
gtaaaggata	aatgaatga	gttctgtcat	gattcactat	tctagaactt	gcatgacctt	120
tactgtgtta	gctctttgaa	tgttcttgaa	atttttagact	ttctttgtaa	acaaataata	180
tgtccttata	attgtataaa	agctgttatg	tgcaacagtg	tggagatcct	tgtctgattt	240
aataaaatac	ttaaactctg	aaaaaaaaaa	aaaaaaaaaa			279

<210> 44

<211> 449

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(449)

<223> n = A,T,C or G

<400> 44

actagtagca	tcttttctac	aacgttaaaa	ttgcagaagt	agcttatcat	taaaaaacia	60
caacaacaac	aataacaata	aatcctaagt	gtaaatcagt	tattctaccc	cctaccaagg	120
atatcagcct	gttttttccc	ttttttctcc	tgggaataat	tgtgggcttc	ttcccaaatt	180
tctacagcct	ctttcctctt	ctcatgcttg	agcttccttg	tttgcaogca	tgcgttgtgc	240
aagantgggc	tgtttngctt	ggantncggt	ccnagtggaa	ncatgctttc	ccttggtact	300
gttggaagaa	actcaaactt	tcnanccta	ggtgttncca	ttttgtcaag	tcatactgt	360
atttttgtac	tggcattaac	aaaaaaagaa	atnaaatatt	gttccattaa	actttaataa	420
aactttaaaa	gggaaaaaaa	aaaaaaaaaa				449

<210> 45

<211> 559

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(559)

<223> n = A,T,C or G

<400> 45

actagtgtgg	gggaatcacg	gacacttaaa	gtcaatctgc	gaaataattc	ttttattaca	60
cactcactga	agtttttgag	tcccagagag	ccattctatg	tcaaacattc	caagtactct	120
ttgagagccc	agcattacat	caacatgcc	gtgcagttca	aaccgaagtc	cgcaggcaaa	180
tttgaagctt	tgcttgctcat	tcaaacagat	gaaggcaaga	gtattgctat	tcgactaatt	240

```

ggtgaagctc ttggaaaaaa ttnactagaa tactttttgt gttaagttaa ttacataagt 300
tgtattttgt taactttatc tttctacact acaattatgc ttttgatat atattttgta 360
tgatggatat ctataattgt agattttgtt tttacaagct aatactgaag actcgactga 420
aatattatgt atctagccca tagtattgta ctttaactttt acagggtgaa aaaaaaatc 480
tgtgtttgca ttgattatga tattctgaat aaatatggga atatatttta atgtgggtaa 540
aaaaaaaaaa aaaaaggaa 559

```

```

<210> 46
<211> 731
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(731)
<223> n = A,T,C or G

```

```

<400> 46
actagttcta gtaccatggc tgtcatagat gcaaccatta tattccattt agtttcttcc 60
tcaggttccc taacaattgt ttgaaactga atatatatgt ttatgtatgt gtgtgtgttc 120
actgtcatgt atatggtgta tatgggatgt gtgcagtttt cagttatata tatattcata 180
tatacatatg catatatatg tataatatac atatatacat gcatacactt gtataatata 240
catatatata cacatatatg cacacatatn atcactgagt tccaaagtga gtctttattt 300
ggggcaattg tattctctcc ctctgtctgc tcaactgggc tttgcaagac atagcaattg 360
cttgatttcc tttggataag agtcttatct tcggcaactc tgactctagc ctttaacttta 420
gatttctatt ccagaatacc tctcatatct atcttaaaac ctaaganggg taaagangtc 480
ataagattgt agtatgaaag antttgctta gttaaattat atctcaggaa actcattcat 540
ctacaaatta aattgtaaaa tgatggtttg ttgtatctga aaaaatgttt agaacaagaa 600
atgtaactgg gtacctgtta tatcaaagaa cctcnattta ttaagtctcc tcatagccan 660
atccttatat ngccctctct gacctgantt aatananact tgaataatga atagttaatt 720
taggnttggg c 731

```

```

<210> 47
<211> 640
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(640)
<223> n = A,T,C or G

```

```

<400> 47
tgcgngccgg tttggccctt ctttgtanga cactttcacc cgccttgaaa tcttcccgat 60
cgtaataaac tcttcaggtc cctgctgca cagggttttt tcttantttg ttgcctaaca 120
gtacaccaa tgtgacatcc tttaccaat atngattnct tcataccaca tcntcnatgg 180
anacgactnc aacaattttt tgatnaccn aaanactggg ggctnnaana agtacantct 240
ggagcagcat ggacctgtcn gcnactaang gaacaanagt nntgaacatt tacacaacct 300
ttggtatgtc ttactgaaag anagaaacat gcttctnncc ctagaccacg aggncaaccg 360
caganattgc caatgccaag tccgagcggg tagatcaggg aatacattcc atggatgcat 420
tacatacntt gtccccgaaa nanaagatgc cctaanggct tcttcanact ggccngaaa 480
acantacac ctggtgcttg ganaacanac tctttggaag atcatctggc acaagttccc 540
cccagtgggt tttnccttgg cacctanctt accanatcna ttcggaance attctttgcc 600
ntggcnttnt nttgggacca ntcttctcac aactgnaccc 640

```

<210> 48
 <211> 257
 <212> DNA
 <213> Homo sapien

<400> 48
 actagtatat gaaaatgtaa atatcacttg tgtactcaaa caaaagttgg tcttaagctt 60
 ccaccttgag cagccttgga aacctaacct gcctctttta gcataatcac attttctaaa 120
 tgattttctt tgttcctgaa aaagtgattt gtattagttt tacatttggt ttttgggaaga 180
 ttatatttgt atatgtatca tcataaaata tttaaataaa aagtatcttt agagtgaaga 240
 aaaaaaaaaa aaaaaaa 257

<210> 49
 <211> 652
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (652)
 <223> n = A,T,C or G

<400> 49
 actagttcag atgagtggct gctgaagggg ccccttctgc attttcatta taaccaatt 60
 tccacttatt tgaactctta agtcataaat gtataatgac ttatgaatta gcacagttaa 120
 gttgacacta gaaactgcc atttctgtat tacactatca aataggaaac attggaaaga 180
 tggggaaaaa aatcttattt taaaatggct tagaaagttt tcagattact ttgaaaattc 240
 taaacttctt tctgtttcca aaacttgaaa atatgtagat ggactcatgc attaagactg 300
 ttttcaaagc tttcctcaca tttttaaagt gtgattttcc ttttaataata catatttatt 360
 ttctttaaag cagctatata ccaacccatg actttggaga tatacctatn aaaccaatat 420
 aacagcangg ttattgaagc agctttctca aatgttgctt cagatgtgca agttgcaaat 480
 tttattgtat ttgtanaata caatttttgt tttaaactgt atttcaatct atttctccaa 540
 gatgcttttc atatagagtg aaatatccca ngataactgc ttctgtgtcg tcgcatttga 600
 cgcataactg cacaaatgaa cagtgtatac ctcttggttg tgcattnacc cc 652

<210> 50
 <211> 650
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (650)
 <223> n = A,T,C or G

<400> 50
 ttgcgctttg attttttttag ggcttgtgcc ctgtttcact tatagggctt agaatgcttg 60
 tgttgagtaa aaaggagatg cccaatattc aaagctgcta aatgttctct ttgccataaa 120
 gactccgtgt aactgtgtga acacttggga tttttctcct ctgtcccgag gtcgtcgtct 180
 gcttttcttt ttgggttctt tctagaagat tgagaaatgc atatgacagg ctgagancac 240
 ctcccaaac acacaagctc tcagccacan gcagcttctc cacagcccca gcttcgcaca 300
 ggctcctgga ngctgcctg ggggaggcag acatgggagt gccaaagggt ccagatgggt 360
 ccaggactac aatgtcttta tttttaactg tttgccactg ctgccctcac cctgcccgg 420
 ctctggagta ccgtctgcc canacaagtg ggantgaaat ggggggtggg ggggaactg 480
 attcccantt aggggtgcc taactgaaca gtagggatan aagggtgtgaa cctgngaant 540

gctttttataa attatnttcc ttgttanatt ttttttttaa tttaatctct gttnaactgc 600
ccngggaaaaa ggggaaaaaa aaaaaaaat tctnttttaa cacatgaaca 650

<210> 51
<211> 545
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(545)
<223> n = A,T,C or G

<400> 51
tggcgtgcaa ccagggtagc tgaagtttgg gtctgggact ggagattggc cattaggcct 60
cctganattc cagctccctt ccaccaagcc cagtcttgct acgtggcaca gggcaaacct 120
gactcccttt gggcctcagt tccccctccc ctccatgana tgaaaagaat actacttttt 180
cttggttggtc taacnttgct ggacncaaag tgtngtcatt attggtgtat tgggtgatgt 240
gtncaaaaact gcagaagctc actgcctatg agaggaanta agagagatag tggatganag 300
ggacanaagg agtcattatt tggtagatag ccaccntcc caacctttct ctcctcagtc 360
cctgcncctc atgtntctgg tntggtagt cctttgtgcc accanccatc atgctttgca 420
ttgctgccat cctgggaagg ggggtgnatcg tctcacaact tgttgcacgc gtttganatg 480
catgctttct tnatnaaaca aanaaamaa tgtttgacag ngtttaaaat aaaaaanaaa 540
caaaa 545

<210> 52
<211> 678
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(678)
<223> n = A,T,C or G

<400> 52
actagtagaa gaactttgcc gcttttggc ctctcacagg cgcctaaagt cattgccatg 60
ggaggaagac gatttggggg gggagggggg gggggcangg tccgtggggc ttccctant 120
ntatctccat ntccantggn cmtgtcgcc tctcccteg tcnattnga anttantccc 180
tggncceenn neectctcn neetnecct cccccctcg nencctcnn cttttntan 240
netttcccat ctcntcccc cctnanngtc ccaacnccgn cagcaatnc ncaettntc 300
netcncnc ctcnncggtt cttctnttct cnaentntc ncnntnccn tgcnnntnaa 360
annctctccc cnetgcaanc gattctctc ctcnncnnan ctntccactc cntncttctc 420
nncgctcct nttctcnc ccaactctc ccttegncce cantacnctc ncncccttn 480
cgnntcnttn nntcctcnn accnccncc tcccttncce cctcttctcc cgggtntntc 540
tctctccnc nncnncncc cncnccntcc nngcgnccnt ttcgccccn cncnccntt 600
ccttctcnc cantccatc cntntnccat nctnccncc nctcacnccc gctnccccn 660
ntctctttca cacngtcc 678

<210> 53
<211> 502
<212> DNA
<213> Homo sapien

<220>

<221> misc_feature
 <222> (1)... (502)
 <223> n = A,T,C or G

<400> 53
 tgaagatcct ggtgtcgcca tgggcccgcg ccccgcccgt tgttaccggt attgtaagaa 60
 caagecgtac ccaaagtctc gcttctgccg aggtgtccct gatgccaaaa ttcgcatttt 120
 tgacctgggg cggaaaaang caaaantgga tgagtctccg ctttgtggcc acatggtgtc 180
 agatcaatat gagcagctgt cctctgaagc cctgnangct gccogaattt gtgccaataa 240
 gtacatggta aaaagtngtg gcnaagatgc ttccatatcc ggggtgcggnt ccaccccttc 300
 caogtcatcc gcatcaacaa gatgttgccc tgtgctgggg ctgacaggct cccaacaggc 360
 atgcgaagtg cctttggaaa acccanggca ctgtggccag ggttcacatt gggccaattn 420
 atcatgttca tccgcaccaa ctgcagaaca angaantgt naattnaagc cctgcccagg 480
 gncaanttca aatttcccgg cc 502

<210> 54
 <211> 494
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (494)
 <223> n = A,T,C or G

<400> 54
 actagtccaa gaaaaatatg cttaatgtat attacaaagg ctttgtatat gttaacctgt 60
 tttaatgccca aaagtttgct ttgtccacaa ttctcttaag acctcttcag aaagggattt 120
 gtttgcccta atgaatactg ttgggaaaaa acacagtata atgagtgaag agggcagaag 180
 caagaaattt ctacatctta gcgactccaa gaagaatgag tatccacatt tagatggcac 240
 attatgagga ctttaattctt tccttaaaca caataatgtt ttcttttttc ttttattcac 300
 atgatttcta agtatatttt tcatgcagga cagtttttca accttgatgt acagtgactg 360
 tgttaaattt ttctttcagt ggcaacctct ataacttcta aaatatgggt agcatcttgt 420
 ctgttttgaa ngggatatga cnatnaatct atcagatggg aaatcctgtt tccaagttag 480
 aaaaaaaaaa aaaa 494

<210> 55
 <211> 606
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (606)
 <223> n = A,T,C or G

<400> 55
 actagtaaaa agcagcattg ccaaataatc cctaattttc cactaaaaat ataatgaaat 60
 gatgttaagc tttttgaaaa gtttaggtta aacctactgt tgttagatta atgtatttgt 120
 tgcttccctt tatctggaat gtggcattag cttttttatt ttaacctctt ttaattctta 180
 ttcaattcca tgacttaagg ttggagagct aaacactggg atttttggat aacagactga 240
 cagttttgca taattataat cggcattgta catagaaagg atatggctac cttttgttaa 300
 atctgcactt tctaaatata aaaaaaggga aatgaagtat aaatcaattt ttgtataatc 360
 tgtttgaaac atgantttta tttgcttaat attanggett tgcccttttc tgttagtctc 420
 ttgggatcct gtgtaaaact gttctcatta aacaccaaac agttaagtcc attctctggt 480

```

actagctaca aattccgttt catattctac ntaacaatth aaattaactg aaatatttct 540
anatggctca cttctgtcnt ataaaaacna aacttgantt nccaaaaaaa aaaaaaaaaa 600
aaaaaa 606

```

```

<210> 56
<211> 183
<212> DNA
<213> Homo sapien

```

```

<400> 56
actagtatat ttaaacttac aggcttattt gtaatgtaaa ccaccatttt aatgtactgt 60
aattaacatg gttataatac gtacaatcct tccctcatcc catcacacaa ctttttttgt 120
gtgtgataaa ctgattttgg tttgcaataa aaccttgaaa aataaaaaaa aaaaaaaaaa 180
aaa 183

```

```

<210> 57
<211> 622
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (622)
<223> n = A,T,C or G

```

```

<400> 57
actagtcact actgtcttct ccttgtagct aatcaatcaa tattcttccc ttgcctgtgg 60
gcagtggaga gtgctgtctg gtgtacgctg cacctgccc a ctgagttggg gaaagaggat 120
aatcagtgag cactgttctg ctcagagctc ctgatctacc ccaccccta ggatccagga 180
ctgggtcaaa gctgcatgaa accaggccct ggcagcaacc tgggaatggc tggaggtggg 240
agagaacctg acttctcttt cctctccct cctccaacat tactggaact ctatcctgtt 300
agggatcttc tgagcttggt tccctgctgg gtgggacaga agacaaagga gaagggangg 360
tctacaanaa gcagcccttc tttgtcctct ggggttaatg agcttgacct ananttcag 420
gaganaccan aagcctctga tttttaattt ccntnaaatg tttgaagtnt atatntacat 480
atatatattt ctttnaatnt ttgagtcctt gatatgtctt aaaatccant ccctctgccn 540
gaaacctgaa ttaaaacat gaanaaaaat gtttncccta aagatgttan taattaattg 600
aaacttgaaa aaaaaaaaaa aa 622

```

```

<210> 58
<211> 433
<212> DNA
<213> Homo sapien

```

```

<400> 58
gaacaaattc tgattgggta tgtaccgtca aaagacttga agaaatttca tgattttgca 60
gtgtggaagc gttgaaaatt gaaagttact gcttttccac ttgctcatat agtaaagggg 120
tcctttcagc tgccagtgtt gaataatgta tcatccagag tgatgttatc tgtgacagtc 180
accagcttta agctgaacca ttttatgaat accaaataaa tagacctctt gtactgaaaa 240
catattttgtg actttaatcg tgctgcttgg atagaaatat ttttactggg tcttctgaat 300
tgacagtaaa cctgtccatt atgaatggc tactgttcta ttatttgttt tgacttgaat 360
ttatccacca aagacttcat ttgtgtatca tcaataaagt tgtatgtttc aactgaaaaa 420
aaaaaaaaa aaa 433

```

```

<210> 59
<211> 649

```

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (649)

<223> n = A,T,C or G

<400> 59

actagttatt	atctgacttt	cnggttataa	tcattcta	at	gagtgtgaag	tagcctctgg	60
tgatcatttg	atttgcattt	ctctgatgag	tgatgctatc	aagcaccttt	gctgggtgctg		120
ttggccatat	gtgtatgttc	cctggagaag	tgtctgtgct	gagccttggc	ccacttttta		180
attaggcgtn	tgtcttttta	ttactgagtt	gtaaganttc	tttatatatt	ctggattcta		240
gacccttate	agatacatgg	tttgcaaata	ttttctccca	ttctgtgggt	tgtgttttca		300
ctttatcgat	aatgtcctta	gacatataat	aaatttgtat	tttaaaagtg	acttgatttg		360
ggctgtgcaa	ggtgggtcca	cgcttgtaat	cccagcactt	tgggagactg	aggtgggtgg		420
atcatatgan	gangctagga	gttcgaggtc	agcctggcca	gcatagcgaa	aacttgtctc		480
tacnaaaaat	acaaaaatta	gtcaggcatg	gtgggtgcacg	tctgtaatac	cagcttctca		540
ggangctgan	gcacaaggat	cacttgaacc	ccagaangaa	gangttgcag	tganctgaag		600
atcatgccag	ggcaacaaaa	atgagaactt	gtttaaaaaa	aaaaaaaaaa			649

<210> 60

<211> 423

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (423)

<223> n = A,T,C or G

<400> 60

actagttcag	gccttccagt	tcactgacaa	acatggggaa	gtgtgcccag	ctggctggaa	60
acctggcagt	gataccatca	agcctgatgt	ccaaaagagc	aaagaatatt	tctccaagca	120
gaagtgagcg	ctgggtggtt	ttagtgccag	gctgcggtgg	gcagccatga	gaacaaaacc	180
tcttctgtat	tttttttttc	cattagtana	acacaagact	cngatttcagc	cgaattgtgg	240
tgtcttacaa	ggcagggctt	tcctacaggg	ggtgganaaa	acagcctttc	ttcctttggt	300
aggaatggcc	tgagttggcg	ttgtgggcag	gctactgggt	tgtatgatgt	attagtagag	360
caaccatta	atcttttgta	gtttgtatna	aacttgantc	gagaccttaa	acaaaaaaa	420
aaa						423

<210> 61

<211> 423

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (423)

<223> n = A,T,C or G

<400> 61

cgggactgga	atgtaaagtg	aagttcggag	ctctgagcac	gggctcttcc	cgccgggtcc	60
tccttcccca	gacccagag	ggagaggccc	accccgccca	gcccgcgcc	agccctgct	120
caggtctgag	tatggctggg	agtcgggggc	cacaggcctc	tagctgtgct	gctcaagaag	180


```

actggatcag ggtanctaca agtggcggg ccttgccctt gggattctac cctgttccta 240
atttggtgtt ggggtgcggg gtccctggcc cccttttcca cactnccctc ctcngacag 300
caacctccct tggggcaatt gggcctggnt ctcnccccgn tgttgcnaacc ctttgttgg 360
ttaaggnctt taaaaatgtt annttttccc ntgcncgggt taaaaaagga aaaaactnaa 420
aaa 423

```

```

<210> 62
<211> 683
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(683)
<223> n = A,T,C or G

```

```

<400> 62
gctggagagg ggtacggact ttcttggagt tgtcccagggt tggaaatgaga ctgaactcaa 60
gaagagaccc taagagactg ggggaatgggt cctgccttca ggaaagtga agacgcttag 120
gctgtcaaca cttaaaggaa gtcccccttga agcccagagt ggacagacta gacccattga 180
tggggccact ggccatggtc cgtggacaag acattccngt gggccatggc acaccggggg 240
ggatcaaaat gtgtacttgt ggggtctcgc cccttgccaa aaccaaacca ntcccactcc 300
tgtcnttggga ctttcttccc attccctcct ccccaaatgc acttcccctc ctccctctgc 360
ccctcctgtg tttttggaat tctgtttccc tcaaaattgt taatttttta nttttngacc 420
atgaacttat gtttggggtc nangttcccc ttaccaatgc atactaatat attaattggt 480
atttattttt gaaatathtt ttaatgaact tggaaaaaat tnntggaatt tccttncttc 540
cntttntttt ggggggggtg gggggntggg ttaaaatttt tttggaancc cnatnggaaa 600
ttnttacttg gggccccctt naaaaaantn anttccaatt cttnnatngc ccctnttccn 660
ctaaaaaaa ananannaaa aan 683

```

```

<210> 63
<211> 731
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(731)
<223> n = A,T,C or G

```

```

<400> 63
actagtcata aagggtgtgc gcgtcttoga cgtggcggtc ttggcgccac tgctgcgaga 60
cccggccctg gacctcaagg tcatccactt ggtgcgtgat cccgcgcggg tggcgagttc 120
acggatccgc tcgcgccacg gcctcatcog tgagagccta cagggtggtg gcagccgaga 180
ccgcgagctc accgcctgcc cttcttggag gccgcgggac acaagcttgg cgcctcaaaa 240
gaaggcgtng gggggccgca aantaccacg ctctgggcgc tatggaangt cctcttgcaa 300
taatattggt tnaaaanctg canaanagcc cctgcancec cctgaactgg gntgcagggc 360
cncttacctn gtttggntgc gggtacaaag aacctgtttn ggaaaaccct nccnaaaacc 420
ttccgggaaa attntncaaa ttttnttggg ggaattnttg ggtaaaccct ccnaaaatgg 480
gaaacntttt tgccctnnaa antaaaccat tnggttccgg gggccccccc ncaaaaccct 540
ttttnttttt tttntgcccc cantmcccc ccggggcccc ttttttngg ggaaaanccc 600
ccccctncc nanantttta aaagggnggg anaatttttn nttccccccc gggnecccn 660
gngntaaaaa nggtttcncc ccccgagggg gnggggnnnc ctcnnaaacc cntntcnna 720
ccncttttn n 731

```

<210> 64
 <211> 313
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (313)
 <223> n = A,T,C or G

<400> 64
 actagttgtg caaaccacga ctgaagaaag acgaaaagtg ggaaataact tgcaacgtct 60
 gttagagatg gttgctacac atgttgggtc tgtagagaaa catcttgagg agcagattgc 120
 taaagttgat agagaatatg aagaatgcat gtcagaagat ctctcggaag atattaaaga 180
 gattagagat aagtatgaga agaaagctac tctaattaag tcttctgaag aatgaagatn 240
 aaatgttgat catgtatata tatccatagt gaataaaatt gtctcagtaa agttgtaaaa 300
 aaaaaaaaaaaa aaa 313

<210> 65
 <211> 420
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (420)
 <223> n = A,T,C or G

<400> 65
 actagttccc tggcaggcaa gggcttcctaa ctgaggcagt gcatgtgtgg cagagagagg 60
 caggaagctg gcagtggcag cttctgtgtc tagggagggg tgtggctccc tccttccctg 120
 tctgggaggt tggagggag aatctaggcc ttagcttgcc ctctgccac ccttcccctt 180
 gtagatactg ccttaacact cctcctctc tcagctgtgg ctgccacca agccagggtt 240
 ctccgtgctc actaatttat ttccaggaaa ggtgtgtgga agacatgagc cgtgtataat 300
 atttgtttta acattttcat tgcaagtatt gaccatcatc cttgggtgtg tatcgttgta 360
 acacaaatta atgatattaa aaagcatcca aacaaagccn annnnnaana nnannngaaa 420

<210> 66
 <211> 676
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (676)
 <223> n = A,T,C or G

<400> 66
 actagtttcc tatgatcatt aaactcattc tcagggttaa gaaaggaatg taaatttctg 60
 cctcaatttg tacttcatca ataagttttt gaagagtgcg gatttttagt cagggtctta 120
 aaataaactc acaaactctg atgcatttct aaattctgca aatgtttcct ggggtgactt 180
 aacaaggaat aatcccacaa tatacctagc tacctaatac atggagctgg ggtcaaccc 240
 actgttttta aggatttgcg cttacttgtg gctgaggaaa aataagtagt tccgagggaa 300
 gtagttttta aatgtgagct tatagatngg aaacagaata tcaacttaat tatggaaatt 360
 gttagaaacc tgttctcttg ttatctgaat cttgattgca attactattg tactggatag 420

```

actccagccc attgcaaagt ctcagatata ttanctgtgt agttgaattc cttggaaatt 480
ctttttaaga aaaaattgga gtttnaaaga aataaacccc tttgttaaat gaagcttggc 540
tttttggtag aaaanaatca tccgcaggg cttattgttt aaaaanggaa ttttaagcct 600
ccctggaaaa anttgттаат taaatgggga aaatgntggg naaaaattat ccgttagggt 660
ttaaagggaa aactta 676

```

```

<210> 67
<211> 620
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (620)
<223> n = A,T,C or G

```

```

<400> 67
caccattaaa gctgcttacc aagaacttcc ccagcatttt gacttccttg tttgatagct 60
gaattgtgag caggtgatag aagagccttt ctagttgaac atacagataa tttgctgaat 120
acattccatt taatgaagg gttacatctg ttacgaagct actaagaagg agcaagagca 180
taggggaaaa aaatctgac agaacgcac aaactcacat gtgccccctc tactacaaac 240
agattgtagt gctgtggtg tttattccgt tgtgcagaac ttgcaagctg agtactaaa 300
cccaaagaga ggaaattata ggtagttaa acattgtaat cccaggaact aagtttaatt 360
cacttttgaa gtgttttgt ttttattttt ggtttgtctg atttactttg ggggaaaang 420
ctaaaaaaa agggatatca atctctaatt cagtgccac taaaagttgt ccctaaaag 480
tctttactgg aanttattgg actttttaag ctccaggtn tttggtcctc caaattaacc 540
ttgcatgggc cccttaaaat tgttgaangg cattcctgcc tctaagtttg gggaaaattc 600
ccccnttttn aaaatttgg 620

```

```

<210> 68
<211> 551
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (551)
<223> n = A,T,C or G

```

```

<400> 68
actagtagct ggtacataat cactgaggag ctattttctta acatgctttt atagaccatg 60
ctaagtctag accagtattt aagggtctaat ctcacacctc cttagctgta agagtctggc 120
ttagaacaga cctctctgtg caataacttg tggccactgg aaatccctgg gccggcattt 180
gtattgggtg tgcaatgact cccaagggcc aaaagagtta aaggcacgac tgggatttct 240
tctgagactg tggtgaaact ccttccaagg ctgagggggt cagtangtgc tctgggaggg 300
actcggcacc actttgatat tcaacaagcc acttgaagcc caattataaa attgttattt 360
tacagctgat ggaactcaat ttgaaccttc aaaactttgt tagtttatcc tattatattg 420
ttaaacctaa ttacatttgt ctagcattgg atttggttcc tgtngcatat gtttttttcm 480
cctatgtgct cccctcccc nnatcttaat ttaaaccnca attttgcnat tcncnnnnnn 540
nannnannna a 551

```

```

<210> 69
<211> 396
<212> DNA
<213> Homo sapien

```

<220>
 <221> misc_feature
 <222> (1) ... (396)
 <223> n = A,T,C or G

<400> 69
 cagaaatgga aagcagagtt ttcatttctg tttataaacg tctccaaaca aaaatggaaa 60
 gcagagtttt cattaaatcc ttttaccttt tttttttctt ggtaatcccc tcaaataaca 120
 gtatgtggga tattgaatgt taaagggata tttttttcta ttatttttat aattgtacaa 180
 aattaagcaa atgttaaaag ttttatatgc tttattaatg ttttcaaaag gtatnataca 240
 tgtgatacat tttttaagct tcagttgctt gtcttctggt actttctggt atgggctttt 300
 ggggagccan aaaccaatct acnatctctt tttgtttgcc aggacatgca ataaaattta 360
 aaaaataaat aaaaactatt nagaaattga aaaaaa 396

<210> 70
 <211> 536
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (536)
 <223> n = A,T,C or G

<400> 70
 actagtgcaa aagcaaatat aaacatcgaa aaggcggtcc tcacgttagc tgaagatata 60
 cttcgaaaga cccctgtaaa agagcccaac agtgaaaatg tagatatcag cagtggagga 120
 ggcgtagacag gctggaagag caaatgctgc tgagcattct cctgttccat cagttgccat 180
 ccactacccc gttttctctt cttgctgcaa aataaaccac tctgtccatt ttaactcta 240
 aacagatatt tttgtttctc atcttaacta tccaagccac ctattttatt tgttctttca 300
 tctgtgactg cttgctgact ttatcataat tttcttcaaa caaaaaaatg tatagaaaaa 360
 tcatgtctgt gacttcattt ttaaagtnta cttgctcagc tcaactgcat ttcagttggt 420
 ttatagtcca gttcttatca acattnaaac ctatngcaat catttcaaat ctattctgca 480
 aattgtataa gaataaaagt tagaatttaa caattaaaaa aaaaaaaaaa aaaaaa 536

<210> 71
 <211> 865
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (865)
 <223> n = A,T,C or G

<400> 71
 gacaaagcgt taggagaaga anagaggcag ggaanactnc ccaggcacga tggecnccct 60
 cccaccagca accagcgccc cccaccagcc cccaggeccg gacgacgaag actccatcct 120
 ggattaatct nacctctntc gcctgnccca ttctacctc ggaggtggag gccggaaagg 180
 tcncaccaag aganaanctg ctgccaacac caaccgcccc agccctggcg ggcacganag 240
 gaaactggtg accaatctgc agaattctna gaggaanaag cnaggggccc cgcgctnaga 300
 cagagctgga tatgangcca gaccatggac nctacnccn ncaatncana cgggactgcg 360
 gaagatggan gaccncgac nngatcaggc cngctnncca nccccccacc cctatgaatt 420
 attcccgcgt aangaatctc tgannggctt ccannaaagc gcctcccnc cnaacgnaan 480

tncaacatng	ggattanang	ctgggaactg	naaggggcaa	ancctnnaat	atccccagaa	540
acaanctctc	ccnaanaaac	tggggcncct	catnggtggn	accaactatt	aactaaacgg	600
cacgccagn	aantataaaa	ggggggcccc	tcnccggng	accccccttt	gtcccttaat	660
ganggttatc	cnccttgct	accatggtnc	ccmcttctgt	ntgnatgttt	ccnctcccc	720
ccnctatnt	cnagccgaac	tcnnatttnc	ccgggggtgc	nacnntang	tncnctttt	780
ttngttgncc	cngcccttc	cngcgggaacn	cgtttccccg	ttantaacgg	caccgggggn	840
aagggtgntt	ggccccctcc	ctccc				865

<210> 72

<211> 560

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (560)

<223> n = A,T,C or G

<400> 72

cctggacttg	tcttggttcc	agaacctgac	gaccggcgga	cgggcagctc	tcttttgact	60
aaaagacagt	gtccagtgt	ccngcctagg	agtctacggg	gaccgcctcc	cgcgcgccca	120
ccatgcccaa	cttctctggc	aactggaaaa	tcacccgac	ggaaaacttc	gangaattgc	180
tcnaantgct	gggggtgaat	gtgatgctna	ngaanattgc	tgtggctgca	gcgtccaagc	240
cagcagtga	gatcnaacag	gagggagaca	ctttctacat	caaaacctcc	accaccgtgc	300
gcaccacaaa	gattaacttc	nnngttgggg	aggantttga	ggancaaact	gtggatngga	360
ngcctgtnaa	aacctggtga	aatgggagaa	tganaataaa	atggtctgtg	ancanaaact	420
cctgaaagga	gaaggccccc	anaactcctg	gaccngaaaa	actgaccnc	cnatggggga	480
actgatnctt	gaacctgaa	cgggcgggat	ganccttttt	tnttgcnc	naanggggtc	540
tttccttttc	cccaaaaaaa					560

<210> 73

<211> 379

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (379)

<223> n = A,T,C or G

<400> 73

ctggggancc	ggcggtnngc	ncatntcnn	gncgcgaagg	tggcaataaa	aancnctga	60
aacgcncnaa	naaacatgcc	naagatatgg	acgaggaaga	tnngctttc	nngnacaanc	120
gnannagga	acanaacaaa	ctcnangagc	tctcaagcta	atgccggggg	gaagggggcc	180
ttggccacnn	gtggaattaa	gaaatctggc	aaanngtann	tggtcctgtg	gcctnangag	240
ataagngacc	ctttatttca	tctgtattta	aacctctctn	ttccctgnca	taactttctt	300
tnccacgtan	agntggaant	antgtgtgtc	ttggactgtt	gtncatttta	gannaaactt	360
ttgttcaaaa	aaaaaataa					379

<210> 74

<211> 437

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature
 <222> (1)...(437)
 <223> n = A,T,C or G

<400> 74

actagttcag	actgccacgc	caaccccaga	aaatacccca	catgccagaa	aagtgaagtc	60
ctaggtgttt	ccatctatgt	ttcaatctgt	ccatctacca	ggcctcgga	taaaaacaaa	120
acaaaaaac	gctgccaggt	tttanaagca	gttctgggtct	caaaaccatc	aggatcctgc	180
caccagggtt	cttttgaaat	agtaccacat	gtaaaaggga	atttggcttt	cacttcatct	240
aatcactgaa	ttgtcaggct	ttgattgata	attgtagaaa	taagtagcct	tctgtttgtg	300
gaataagtta	taatcagtat	tcattctctt	gtttttgtc	actcttttct	ctctnattgt	360
gtcatttgta	ctgtttgaaa	aatatttctt	ctataaaatt	aaactaacct	gccttaaaaa	420
aaaaaaaaa	aaaaaaa					437

<210> 75
 <211> 579
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(579)
 <223> n = A,T,C or G

<400> 75

ctcogtcgcc	gccaagatga	tgtgcggggc	gccctccgcc	acgcagccgg	ccaccgcga	60
gaccagcac	atcgccgacc	aggtgaggtc	ccagcttgaa	gagaaagaaa	acaagaagtt	120
ccctgtgttt	aaggccgtgt	cattcaagag	ccaggtgggc	gcggggacaa	actacttcat	180
caaggtgcac	gtcggogaag	aggacttcgt	acacctgoga	gtgttccaat	ctctccctca	240
tgaaaacaag	cccttgacct	tatctaacta	ccagaccaac	aaagccaagc	atgatgagct	300
gacctatttc	tgatcctgac	tttggacaag	gcccttcagc	cagaagactg	acaaagtcac	360
cctcogtcta	ccagagcggtg	cacttgat	cctaaaataa	gcttcatctc	cggtgtgtgc	420
ccttgggggtg	gaagggggcan	gatctgcact	gcttttgcac	ttctcttcc	aaatttcatt	480
gtgttgattc	tttccttcca	ataggtgatc	ttnattactt	tcagaatatt	ttccaaatna	540
gatataattt	naaaatcctt	aaaaaaaaaa	aaaaaaaaaa			579

<210> 76
 <211> 666
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(666)
 <223> n = A,T,C or G

<400> 76

gtttatccta	tctctccaac	cagattgtca	gtccttgag	ggcaagagcc	acagtatatt	60
tcctgtttc	ttccacagt	cctaataata	ctgtggaact	aggtttta	aatttttta	120
ttgatgttgt	tatggcagg	atggcaacca	gaccattgtc	tcagagcagg	tgctggctct	180
ttcctggcta	ctccatgttg	gctagcctct	ggtaacctct	tacttattat	cttcaggaca	240
ctcactacag	ggaccaggga	tgatgcaaca	tccttgtctt	tttatgacag	gatgtttgct	300
cagcttctcc	aacaataaaa	agcagtggt	aaaacacttg	cggtatattc	ggactgtttt	360
taaaaaatat	acagtttacc	gaaaatcata	ttatcttaca	atgaaaagga	ntttatagat	420
cagccagtga	acaacctttt	cccaccatac	aaaaattcct	tttcccgaa	gaaaanggct	480

```

ttctcaataa ncctcacttt cttaanatct tacaagatag ccccganac ttatcgaaac 540
tcatttttagg caaatatgan ttttattgtt cgttacttgt ttcaaaattt ggtattgtga 600
atatcaatta ccaccccat ctcccatgaa anaaanggga aanggtgaan ttcntaanccg 660
cttaaa 666

```

```

<210> 77
<211> 396
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (396)
<223> n = A,T,C or G

```

```

<400> 77
ctgcagcccg ggggatccac taatctacca nggttatttg gcagctaatt ctanatttgg 60
atcattgccc aaagttgcac ttgtgtgtct cttgggattt ggccttgga aggtatcata 120
catanganta tgccanaata aattccattt ttttgaaaat canctccttg gggctgggtt 180
tggtccacag cataacangc actgctcct tacctgtgag gaatgcaaaa taaagcatgg 240
attaagtgg aaggagact ctcagccttc agcttcctaa attctgtgtc tgtgactttc 300
gaagtttttt aaacctctga atttgtacac atttaaaatt tcaagtgtac tttaaaataa 360
aatacttcta atgggaacaa aaaaaaaaaa aaaaaa 396

```

```

<210> 78
<211> 793
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (793)
<223> n = A,T,C or G

```

```

<400> 78
gcacccctagc cgcgcactca cacaaggcag gtgggtgagg aaatccagag ttgccatgga 60
gaaaattcca gtgtcagcat tcttgtcct tgtggccctc tctacactc tggccagaga 120
taccacagtc aaacctggag ccaaaaagga cacaaggac tctcgacca aactgcccc 180
gacctctcc agaggttggg gtgaccaact catctggact cagacatgtg aagaagctct 240
atataaatcc aagacaagca acaaaccctt gatgattatt catcacttgg atgagtgcc 300
acacagtcna gctttaaaga aagtgtttgc tgaaaataaa gaaatccaga aattggcaga 360
gcagtttgtc ctctcaatc tggtttatga acaactgac aaacacctt ctctgatgg 420
ccagttgtc ccaggattat gttgttgac ccatctctga cagttgaagc cgatatcctg 480
ggaagatatt cnaaccgtct ctatgcttac aaactgcaga tacgtctgt tgcctgacac 540
atgaaaaagc tctcaagttg ctnaaaatga attgtaagaa aaaaaatctc cagccttctg 600
tctgtcggct tgaaaattga aaccagaaaa atgtgaaaaa tggctattgt ggaacanatn 660
gacacctgat taggttttgg ttatgttcac cactattttt aanaaaanan nttttaaat 720
ttggttcaat tntctttttn aaacaatntg tttctacntt gnganctgat ttctaaaaaa 780
aataatntt gcc 793

```

```

<210> 79
<211> 456
<212> DNA
<213> Homo sapien

```

<220>
 <221> misc_feature
 <222> (1)...(456)
 <223> n = A,T,C or G

<400> 79

actagtatgg ggtgggaggc cccacccttc tcccctaggc gctgttcttg ctccaaaggg	60
ctccgtggag agggactggc agagctgang ccacctgggg ctggggatcc cactcttctt	120
gcagctgttg agcgaccta accactgggc atgccccac ccctgctctc cgcaccgct	180
tctcccgac cccangacca ggctacttct cccctctct tgcctccctc ctgcccctgc	240
tgcctctgat cgtangaatt gangantgtc ccgccttggt gctganaatg gacagtggca	300
ggggctggaa atgggtgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt gcnccccccc	360
tgcaagaccg agattgaggg aaancatgtc tgctgggtgt gaccatgttt cctctccata	420
aantnccct gtgacnctca naaaaaaaaa aaaaaa	456

<210> 80
 <211> 284
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(284)
 <223> n = A,T,C or G

<400> 80

ctttgtacct ctagaaaaga taggtattgt gtcataaac ttgagtttaa attttatata	60
taaaactaaa agtaatgtc actttagcaa cacatactaa aattggaacc atactgagaa	120
gaatagcatg acctcogtgc aaacaggaca agcaaatttg tgatgtgttg attaaaaaga	180
aataaataaa tgtgtatatg tgtaacttgt atgtttatgt ggaatacaga ttgggaaata	240
aaatgtattt ctactgtga aaaaaaaaaa aaaaaaaaaa aana	284

<210> 81
 <211> 671
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(671)
 <223> n = A,T,C or G

<400> 81

gccaccaaca ttccaagcta ccctgggtac ctttgtgcag tagaagctag tgagcatgtg	60
agcaagogggt gtgcacacgg agactcatcg ttataattta ctatctgcca agagtagaaa	120
gaaaggctgg ggatatttgg gttggcttgg ttttgatttt ttgcttgttt gtttgttttg	180
tactaaaaca gtattatctt ttgaatatcg tagggacata agtatataca tgttatccaa	240
tcaagatggc tagaatggtg cttttctgag tgtctaaaac ttgacacccc tggtaaattct	300
ttcaacacac ttccactgcc tgcgtaatga agttttgatt catttttaac cactggaatt	360
tttcaatgcc gtcattttca gttagatnat tttgcacttt gagattaaaa tgccatgtct	420
atttgattag tcttattttt ttatttttac aggcattatca gtctcactgt tggctgtcat	480
tgtgacaaaag tcaaataaac ccccnaggac aacacacagt atgggatcac atattgtttg	540
acattaagct ttggccaaaa aatggtgcat gtgttttacc tcgacttgct aaatcaatan	600
canaaaggct ggctnataat gttggtggtg aaataattaa tnantaacca aaaaaaaaaa	660
aaaaaaaaa a	671

<210> 82
 <211> 217
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (217)
 <223> n = A,T,C or G

<400> 82
 ctgcagatgt ttcttgaatg ctttgtcaaa ttaanaaagt taaagtgcaa taatgtttga 60
 agacaataag tgggtggtgta tcttgtttct aataagataa acttttttgt ctttgcttta 120
 tcttattagg gagttgtatg tcagtgtata aaacatactg tgtggtataa caggcttaat 180
 aaattccttta aaaggaaaaa aaaaaaaaaa aaaaaaa 217

<210> 83
 <211> 460
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (460)
 <223> n = A,T,C or G

<400> 83
 cgcgagtggg agcaccagga tctcgggctc ggaacgagac tgcacggatt gttttaagaa 60
 aatggcagac aaaccagaca tgggggaaat cgccagcttc gatnaggcca agctgaanaa 120
 aacggagacg caggagaaga acaccctgcc gaccaaagag accatttgagc angagaagcg 180
 gagtgaaatt tcctaagatc ctggaggatt tcctaccccc gtcctcttcg agacccccagt 240
 cgtgatgtgg aggaagagcc acctgcaaga tggacacgag ccacaagctg cactgtgaac 300
 ctgggcactc cgcgcgatg ccaccggcct gtgggtctct gaagggaccc cccccaatcg 360
 gactgccaaa ttctccggtt tgccccggga tattatacaa nattatttgt atgaataatg 420
 annataaaac acacctcgtg gcancaana aaaaaaaaaa 460

<210> 84
 <211> 323
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (323)
 <223> n = A,T,C or G

<400> 84
 tgggtgatct tggctctgtg gagctgctgg gacgggatct aaaagactat tctggaagct 60
 gtgggtccaan gcattttgct ggcttaacgg gtcccggaac aaaggacacc agctctctaa 120
 aattgaagtt taccoganat aacaatcttt tgggcagaga tgcctatttt aacaaacncc 180
 gtccctgcgc aacaacnaac aatctctggg aaatacggc catgaacntg ctgtctcaat 240
 cnancatctc tctagctgac cgatcatatc gtcccgagatt actacanatc ataataattg 300
 atttcctgta naaaaaaaaa aaa 323

<210> 85
 <211> 771
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (771)
 <223> n = A,T,C or G

<400> 85

aaactgggta	ctcaacactg	agcagatctg	ttctttgagc	taaaaacccat	gtgctgtacc	60
aanagtttgc	tcctggctgc	tttgatgtca	gtgctgctac	tccacctctg	cggcgaatca	120
gaagcaagca	actttgactg	ctgtcttgga	tacacagacc	gtattcttca	tcctaaaattt	180
attgtgggct	tcacacggca	gctggccaat	gaaggtctgt	acatcaatgc	tatcatcttt	240
cacacaaaga	aaaagttgtc	tgtgtgogca	aatccaaaac	agacttgggt	gaaatatatt	300
gtgogtctcc	tcagtaaaaa	agtcaagaac	atgtaaaaac	tgtggccttt	ctggaatgga	360
attggacata	gcccaagaac	agaaagaact	tgctgggggt	ggaggtttca	cttgcacatc	420
atgganggtt	tagtgcttat	cttatttgtg	cctcctggac	ttgtccaatt	natgaagtta	480
atcatattgc	atcatanttt	gctttgttta	acatcacatt	naaattaaac	tgtattttat	540
gttattttata	gctntaggtt	ttctgtgttt	aactttttat	acnaantttc	ctaaactatt	600
ttggntnant	gcaanttaaa	aattatat	ggggggggaa	taaatattgg	antttctgca	660
gccacaagct	ttttttaaaa	aaccantaca	nccnngttaa	atggtnngtc	ccnaatgggt	720
tttgcttttn	antagaaaat	ttnttagaac	natttgaaaa	aaaaaaaaa	a	771

<210> 86
 <211> 628
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (628)
 <223> n = A,T,C or G

<400> 86

actagtttgc	tttacatttt	tgaaaagtat	tatttttgtc	caagtgtcta	tcaactaaac	60
cttggttag	gtaagaatgg	aatttattaa	gtgaatcagt	gtgacccttc	ttgtcataag	120
attatcttaa	agctgaagcc	aaaatatgct	tcaaaaagaa	angactttat	tgttcattgt	180
agttcataca	ttcaaagcat	ctgaactgta	gtttctatag	caagccaatt	acatccataa	240
gtggagaang	aaatagatta	atgtcnaagt	atgattgggt	gagggagcaa	ggttgaagat	300
aatctggggg	tgaaattttc	tagttttcat	tctgtacatt	tttagttnga	catcagattt	360
gaaatattaa	tgtttacctt	tcaatgtgtg	gtatcagctg	gactcantaa	cacccttttc	420
ttccctnngg	gatggggaat	ggattattgg	aaaatggaaa	gaaaaaagta	cttaaagcct	480
tcctttcnca	gtttctggct	cctaccctac	tgatttance	agaataagaa	aacattttat	540
catcntctgc	tttattccca	ttaatnaant	tttgatgaat	aaatctgctt	ttatgcnnac	600
ccaaggaatt	nagtggnntc	ntcnttgt				628

<210> 87
 <211> 518
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature

<222> (1) ... (518)

<223> n = A, T, C or G

<400> 87

ttttttattt	tttttagaga	gtagttcagc	ttttatttat	aaattttattg	cctgtttttat	60
tataacaaca	ttatactgtt	tatggtttaa	tacatatggg	tcaaaatgta	taatacatca	120
agtagtacag	ttttaaaatt	ttatgcttaa	aacaagtttt	gtgtaaaaaa	tgagatata	180
ttttacatgg	caaatcaatt	tttaagtcac	cctaaaaatt	gatttttttt	tgaaatttaa	240
aaacacattt	aattttcaatt	tctctcttat	ataaccttta	ttactatagc	atggttttcca	300
ctacagttta	acaatgcagc	aaaattccca	tttcacggta	aattgggttt	taagcggcaa	360
ggttaaaatg	ctttgaggat	cctnaatacc	ctttgaactt	caaatgaagg	ttatggttgt	420
naatttaacc	ctcatgccat	aagcagaagc	acaagtttag	ctgcattttg	ctctaaactg	480
taaaancgag	cccccggtg	aaaaagcaaa	agggaccc			518

<210> 88

<211> 1844

<212> DNA

<213> Homo sapien

<400> 88

gagacagtga	atcctagtat	caaaggattt	ttggcctcag	aaaaagttgt	tgattatttt	60
tattttattt	tatttttcga	gactcogtct	caaaaaaaaa	aaaaaaaaaa	agaatcacia	120
ggtatttgct	aaagcatttt	gagctgcttg	gaaaaaggga	agtagttgca	gtagagtttc	180
ttccatcttc	ttggtgctgg	gaagccatat	atgtgtcttt	tactcaagct	aaggggtata	240
agcttatgtg	ttgaatttgc	tacatctata	tttcacatat	tctcacaata	agagaatttt	300
gaaatagaaa	tatcatagaa	catttaagaa	agtttagtat	aaataatatt	ttgtgtgttt	360
taatcccttt	gaagggatct	atccaaagaa	aatattttac	actgagctcc	ttcctacacg	420
tctcagtaac	agatcctgtg	tgtgtctttg	aaaatagctc	atttttttaa	tgctcagtga	480
tagatgtagc	atcacataga	tgtataatga	cgtgtattat	gttaacaatg	tctgcagatt	540
ttgtagggaat	acaaaacatg	gcctttttta	taagcaaaac	gggccaatga	ctagaataac	600
acatagggca	atctgtgaat	atgtattata	agcagcattc	cagaaaagta	gttggtgaaa	660
taattttcaa	gtcaaaaagg	gatattgaaa	gggaattatg	agtaacctct	attttttaag	720
ccttgctttt	aaattaaacg	ctacagccat	ttaagccttg	aggataataa	agcttgagag	780
taataatggt	aggttagcaa	aggtttagat	gtatcacttc	atgcatgcta	ccatgatagt	840
aatgcagctc	ttcgagtcac	ttctgggtcat	tcaagatatt	cacccttttg	cccatagaaa	900
gcaccctacc	tcacctgctt	actgacattg	tcttagctga	tcacaagatc	attatcagcc	960
tccattattc	cttactgtat	ataaaataca	gagttttata	ttttcctttc	ttcgtttttc	1020
accatattca	aaacctaaat	ttgtttttgc	agatggaatg	caaagtaatc	aagtgttcgt	1080
gctttcacct	agaagggtgt	ggctcctgaag	gaaagagggtc	cctaaatata	ccccaccctg	1140
ggtgctcctc	cttccttggt	accctgacta	ccagaagtca	ggtgctagag	cagctggaga	1200
agtgcagcag	cctgtgcttc	cacagatggg	ggtgctgctg	caacaagggt	ttcaatgtgc	1260
ccatcttagg	gggagaagct	agatcctgtg	cagcagcctg	gtaagtcttg	aggaggttcc	1320
attgctcttc	ctgctgctgt	cctttgcttc	tcaacggggc	tcgctctaca	gtctagagca	1380
catgcagcta	acttgtgctt	ctgcttatgc	atgaggggta	aattaacaac	cataaccttc	1440
atttgaagtt	caaagggtga	ttcaggatcc	tcaaagcatt	ttaaccttgc	cgcttaaaac	1500
ccaatttacc	gtgaaatggg	aattttgctg	cattgtttaa	ctgtagtggg	aaccatgcta	1560
tagtaataaa	ggttatataa	gagagaaatt	gaaattaaat	gtgtttttta	atttcaaaaa	1620
aaaatcaatc	tttaggatga	cttaaaaatt	gatttggcat	gtaaaatgta	tctgcatttt	1680
ttacacaaaa	cttgttttaa	gcataaaaatt	ttaaaactgt	actacttgat	gtattatata	1740
ttttgaacca	tatgtattaa	accataaaca	gtataatgtt	gttataataa	aacaggcaat	1800
aaattttataa	ataaaagctg	aaaaaaaaaa	aaaaaaaaaa	aaaa		1844

<210> 89

<211> 523

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(523)

<223> n = A,T,C or G

<400> 89

tttttttttt	tttttttagt	caatccacat	ttattgatca	cttattatgt	accaggcact	60
gggataaaga	tgactgtagt	tcactcacag	taaggaagaa	aactagcaaa	taagacgatt	120
acaatatgat	gtagaaaatg	ctaagccaga	gatatagaaa	ggtcctattg	ggtccttctg	180
tcacctgtgc	tttccacatc	cctacccttc	acaggccttc	cctccagctt	cctgcccccg	240
ctccccactg	cagatcccc	gggattttgc	ctagagctaa	acgagganat	gggccccctg	300
gccctggcat	gacttgaacc	caaccacaga	ctgggaaagg	gagcctttcg	anagtggatc	360
actttgatna	gaaaacacat	agggaattga	agagaaantc	cccaaattgc	caccctgtgt	420
gggtgtcaag	aaaagtgtgc	agaatggata	aatgaaggat	caagggaatt	aatanaatgaa	480
taattgaatg	gtggtcfaat	aagaatgact	ncnttgaatg	acc		523

<210> 90

<211> 604

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(604)

<223> n = A,T,C or G

<400> 90

ccagtgtggt	ggaatgcaaa	gattaccccc	gaagctttcg	agaagctggg	attccctgca	60
gcaaaggaaa	tagcaatat	gtgtcgtttc	tatgaaatga	agccagaccg	agatgtcaat	120
ctcaccacc	aactaaatcc	caaagtcaaa	agcttcagcc	agtttatctc	agagaaccag	180
gggagccttc	aagggtcatg	agaaaatcag	ctgttcagat	aggcctctgc	accacacagc	240
ctctttctct	tctgatcctt	ttctctttta	cggcacaaca	ttcatgtttg	acagaacatg	300
ctggaatgca	attgtttgca	acaccgaagg	atttcctgcg	gtcgcctctt	cagtaggaag	360
cactgcattg	gtgataggac	acggtaattt	gattcacatt	taacttgcta	gttagtgata	420
aggggtggta	cacctgtttg	gtaaaatgag	aagcctcgga	aacttgggag	cttctctcct	480
accactaatg	gggagggcag	attattactg	ggattttctc	tgggggtgaat	taatttcaag	540
ccctaattgc	tgaaattccc	ctnggcaggc	tccagttttc	tcaactgcat	tgcaaaattc	600
cccc						604

<210> 91

<211> 858

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(858)

<223> n = A,T,C or G

<400> 91

tttttttttt	ttttttttta	tgattattat	tttttttatt	gatctttaca	tcctcagtgt	60
tggcagagtt	tctgatgctt	aataaacatt	tgttctgata	agataagtgg	aaaaaattgt	120
catttcttta	ttcaagccat	gcttttctgt	gatattctga	tcctagttag	acatacagaa	180

ataaatgtct	aaaacagcac	ctcgattctc	gtctataaca	ggactaagtt	cactgtgatc	240
ttaaataagc	ttggctaaaa	tgggacatga	gtggaggtag	tcacacttca	gcgaagaaag	300
agaatctcct	gtataatctc	accaggagat	tcaacgaatt	ccaccacact	ggactagtgg	360
atcccccggg	ctgcaggaat	tcgatatcaa	gcttatcgat	accgtcgacc	tcgagggggg	420
gcccggtacc	caattcgccc	tatagtgagt	cgtattacgc	gcgctcactg	gccgtcgttt	480
tacaaogtgc	tgactgggaa	aaccctggcg	ttaccaact	taatcgctt	gcagcacatc	540
cccctttcgc	cagctggcgt	aatagcgaan	agcccgacc	gatcgccctt	ncaacagtgc	600
cgcagcctga	atggcgaatg	ggacgcgccc	tgtagcggcg	cattaaagcg	cggcnggggtg	660
tgnggntcc	cccacgtgac	cgntacactt	ggcagcgctt	tacgcgggtc	nttcgctttc	720
ttcccttcct	ttctcgacc	gttcgcgggg	tttccccggn	agctnttaat	cgggggnctc	780
cctttanggg	tncaattaa	nggnttacng	gaccttngan	ccccaaaact	ttgattaggg	840
ggaaggtccc	cgaagggg					858

<210> 92

<211> 585

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (585)

<223> n = A,T,C or G

<400> 92

gttgaatctc	ctggtgagat	tatacaggag	attctctttc	ttcgtgaag	tgtgactacc	60
tccactcatg	tccatttta	gccaaagctta	tttaagatca	cagtgaactt	agtctgttta	120
tagacgagaa	tcgaggtgct	gttttagaca	tttatttctg	tatgttcaac	taggatcaga	180
atatcacaga	aaagcatggc	ttgaataagg	aatgacaat	tttttccact	tatctgatca	240
gaacaaatgt	ttattaagca	tcagaaactc	tgccaacact	gaggatgtaa	agatcaataa	300
aaaaaataat	aatcatnann	naaanannan	nngaagggcg	gccgccaccg	cggaggagct	360
ccagcttttg	ttcccttttag	tgaggggttaa	ttgcgcgctt	ggcggttaatc	atggtcatag	420
ctgtttcctg	tgtgaaattg	ttatccggct	cacaattccn	cncaacatac	gagccgggaa	480
gcntnangtg	taaaagcctg	ggggtgccta	attgagtgcg	ctnaactcaca	ttaattgngt	540
tgcgtccac	ttgccgcgtt	ttccantccg	ggaaacctgt	tcgnc		585

<210> 93

<211> 567

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (567)

<223> n = A,T,C or G

<400> 93

cggcagtgtt	gctgtctgcg	tgtccacctt	ggaatctggc	tgaactggct	gggaggacca	60
agactgcggc	tggggtgggc	anggaaggga	accgggggct	gctgtgaagg	atcttggaac	120
ttccctgtac	ccaccttccc	cttgcttcat	gtttgtanag	gaaccttggtg	cggccaagc	180
ccagtttcc	tgtgtgatac	actaatgtat	ttgctttttt	tgggaaatan	anaaaatca	240
attaaattgc	tantgtttct	ttgaannnnn	nnnnnnnnnn	nnnnnnnggg	gggngcgccc	300
ccnccggnga	aacnccccct	ttgttccct	ttaattgaaa	ggttaattng	cncncntggc	360
gttaancnt	gggccaanc	tngttncccg	tgntgaaatt	gttnatcccc	tcccaaattc	420
ccccccncc	ttccaaaccc	ggaaancctn	annntgttna	anccggggg	gttgccctaan	480
ngnaattnaa	ccnaaccccc	ntttaaatng	ntttgcn	ccacnngccc	cnccttccca	540

nttcgggggaa aaccctntcc gtgccca

567

<210> 94
 <211> 620
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (620)
 <223> n = A,T,C or G

<400> 94

actagtcaaa aatgctaaaa taatttgga gaaaatattt tttaagtagt gttatagttt	60
catgtttatc ttttattatg ttttgtgaag ttgtgtcttt tcactaatta cctatactat	120
gccaatattt ccttatatct atccataaca tttatactac atttgtaana naatatgcac	180
gtgaaactta acactttata aggtaaaaat gaggtttcca anatttaata atctgatcaa	240
gttcttgtaa tttccaaata gaatggactt ggtctgttaa gggctaagga gaagaggaag	300
ataaggttaa aagttgttaa tgaccaaaca ttctaaaaga aatgcaaaaa aaaagtttat	360
tttcaagcct tcgaactatt taaggaaagc aaaatcattt cctaaatgca tatcatttgt	420
gagaatttct cattaatata ctgaatcatt catttcacta aggetcatgt tnactccgat	480
atgtctctaa gaaagtacta tttcatggtc caaacctggt tgccatantt gggtaaaggc	540
tttcccttaa gtgtgaaant atttaaaatg aaattttcct ctttttaaaa attctttana	600
agggttaagg gtgttgggga	620

<210> 95
 <211> 470
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (470)
 <223> n = A,T,C or G

<400> 95

ctcgaccttc tctgcacagc ggatgaaccc tgagcagctg aagaccagaa aagccactat	60
nactttntgc ttaattcang agcttacang attcttcaaa gagtgngtcc agcatecttt	120
gaaacatgag ttcttaccag cagaagcaga cctttacccc accacctcag cttcaacagc	180
agcaggtgaa acaacccatc cagcctccac ctnaggaaat atttgttccc acaaccaagg	240
agccatgcca ctcaaagggt ccacaacctg naaacacaaa nattccagag ccaggctgta	300
ccaagggtccc tgagccaggg ctgtaccaan gtccttgagc cagggtgtac caangtcctt	360
gagccaggat gtaccaaggc cctgancca ggttgtccaa ggtccctgag ccaggctaca	420
ccaagggcct gngccaggca gcatcaangt cctgaccaa ggcttatcaa	470

<210> 96
 <211> 660
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (660)
 <223> n = A,T,C or G

<400> 96

tttttttttt	tttttttttt	ggaattaaaa	gcaatttaaat	gagggcagag	caggaaacat	60
gcatttcctt	tcattcgaat	cttcagatga	accctgagca	gccgaagacc	agaaaagcca	120
tgaagacttt	ctgcttaatt	caggggctta	caggattcct	cagagtgtgt	gtgaacaaaa	180
gctttatagt	acgtattttt	aggatacaaa	taagagagag	actatggctt	ggggtgagaa	240
tgtactgatt	acaaggctta	cagacaatta	agacacagaa	acagatggga	agagggtgnc	300
cagcatctgg	nggttggtt	ctcaagggct	tgtctgtgca	ccaaattact	tctgcttggn	360
cttctgctga	gctgggcctg	gagtgaccgt	tgaaggacat	ggctctggta	cctttgtgta	420
gcctgncaca	ggaactttgg	tgtatccttg	ctcaggaact	ttgatggcac	ctggctcagg	480
aaacttgatg	aagccttgg	caagggacct	tgatgcttgc	tggctcaggg	accttggnng	540
ancctgggct	canggacctt	tgncncaacc	ttggcttcaa	gggaccttg	gnacatcctg	600
gcnnagggac	ccttgggncc	aacctggggc	tnaggggacc	ccttggntnc	nanccttggc	660

<210> 97

<211> 441

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(441)

<223> n = A,T,C or G

<400> 97

gggaccatac	anagtattcc	tctcttcaca	ccaggaccag	ccactgttgc	agcatgagtt	60
cccagcagca	gaagcagccc	tgcacccac	cccctcagct	tcagcagcag	cagggtgaaac	120
agccttgcca	gcctccacct	caggaaccat	gcaccccaa	aaccaaggag	ccctgccacc	180
ccaaggtgcc	tgagccctgc	caccccaaag	tgcttgagcc	ctgccagccc	aaggttccag	240
agccatgcca	ccccaaagtg	cctgagccct	gcccttcaat	agtcactcca	gcaccagccc	300
agcagaanac	caagcagaag	taatgtggtc	cacagccatg	cccttgagga	gccggccacc	360
agatgctgaa	tcccctatcc	cattctgtgt	atgagtccca	tttgccctgc	aattagcatt	420
ctgtctcccc	caaaaaaaaa	a				441

<210> 98

<211> 600

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(600)

<223> n = A,T,C or G

<400> 98

gtattcctct	cttcacacca	ggaccagcca	ctgttgagc	atgagttccc	agcagcagaa	60
gcagccctgc	atcccacccc	ctcagcttca	gcagcagcag	gtgaaacagc	cttgccagcc	120
tccacctcag	gaaccatgca	tccccaaaac	caaggagccc	tgccacccca	aggtgectga	180
gccttgccac	cccaaagtgc	ctgagccctg	ccagcccaa	gttccagagc	catgccaccc	240
caaggtgctt	gagccctgcc	cttcaatagt	cactccagca	ccagccagc	agaanaccaa	300
gcagaagtaa	tgtgtgccac	agccatgccc	ttgaggagcc	ggccaccana	tgtgaaatcc	360
cctatcccat	tctgtgtatg	agtcccattt	gccttgcaat	tagcattctg	tctcccccaa	420
aaaagaatgt	gctatgaagc	tttctttcct	acacactctg	agtctctgaa	tgaagctgaa	480
ggtcttaant	acaganctag	ttttcagctg	ctcagaattc	tctgaagaaa	agattttaaga	540
tgaaaggcaa	atgattcagc	tccttattac	cccattaaat	tcnctttcaa	ttccaaaaaa	600

<210> 99
 <211> 667
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (667)
 <223> n = A,T,C or G

<400> 99
 actagtgact gagttcctgg caaagaaatt tgacctggac cagttgataa ctcatgtttt 60
 accattttaa aaaatcagtg aaggatttga gctgctcaat tcaggacaaa gcattcgaac 120
 ggtcctgacg ttttgagatc caaagtggca ggaggtctgt gttgtcatgg tgaactggag 180
 tttctcttgt gagagttccc tcatctgaaa tcatgtatct gtctcacaaa tacaagcata 240
 agtagaagat ttgttgaaga catagaaccc ttataaagaa ttattaacct ttataaacat 300
 ttaaagtcct gtgagcacct gggaattagt ataataacaa tgtnnatatt tttgatttac 360
 attttgaag gctataattg tatcttttaa gaaaacatac cttggatttc tatgttgaaa 420
 tggagatttt taagagtttt aaccagctgc tgcagatata ttactcaaaa cagatatagc 480
 gtataaagat atagtaaag catctcctag agtaatatc acttaacaca ttggaaacta 540
 ttatttttta gatttgaata tnaatgttat tttttaaaca cttgttatga gttacttggg 600
 attacatttt gaaatcagtt cattccatga tgcantattac tgggattaga ttaagaaaga 660
 cggaataa 667

<210> 100
 <211> 583
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (583)
 <223> n = A,T,C or G

<400> 100
 gttttgtttg taagatgac acagtcagt tacactgac taaaggacat atatataacc 60
 ctttaaaaaa aaaatcactg cctcattctt atttcaagat gaatttctat acagactaga 120
 tgtttttctg aagatcaatt agacattttg aaaatgattt aaagtgtttt ccttaatgtt 180
 ctctgaaaac aagtttcttt tgtagtttta accaaaaaag tgcccttttt gtcactggat 240
 tctcctagca ttcattgattt ttttttcata caatgaaatt aaaattgcta aaatcatgga 300
 ctggctttct ggttgattt caggtaagat gtgtttaagg ccagagcttt tctcagtatt 360
 tgattttttt ccccaatatt tgatttttta aaaatataca catnggtgct gcatttatat 420
 ctgctgggtt aaaattctgt catatttcac ttctagcctt ttagttatgg caaatcatat 480
 tttactttta cttaaagcat ttggttattt ggantatctg gttctannct aaaaaaanta 540
 attctatnaa ttgaantttt ggtactcnnc catatttggg tcc 583

<210> 101
 <211> 592
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (592)
 <223> n = A,T,C or G

<400> 101

gtggagacgt	acaaagagca	gccgctcaag	acacctggga	agaaaaagaa	aggcaagccc	60
gggaaacgca	aggagcagga	aaagaaaaaa	cggcgaactc	gctctgcctg	gttagactct	120
ygagtgactg	ggagtgggct	agaaggggac	cacctgtctg	acacctccac	aacgtcgctg	180
gagctcgatt	cacggaggca	ttgaaatfff	cagcaganac	cttccaagga	catattgcag	240
gattctgtaa	tagtgaacat	atggaaagta	ttagaaatat	ttattgtctg	taaatactgt	300
aaatgcattg	gaataaaact	gtctccccc	ttgctctatg	aaactgcaca	ttggtcattg	360
tgaatatttt	tttttttgc	aaggctaata	caattattat	tatcacattt	accataattt	420
attttgtcca	ttgatgtatt	tattttgtaa	atgtatcttg	gtgctgctga	atttctatat	480
tttttgtaca	taatgcnttt	anatatacct	atcaagtttg	ttgataaatg	acncaatgaa	540
gtgncncnan	ttgngggtg	aatttaatga	atgcctaatt	ttattatccc	aa	592

<210> 102

<211> 587

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (587)

<223> n = A,T,C or G

<400> 102

cgctctaagc	acttagacta	catcagggaa	gaacacagac	cacatccctg	tcctcatgcg	60
gcttatgttt	tctggaagaa	agtggagacc	nagtccttgg	ctttagggct	cccgggctgg	120
gggctgtgca	ntccggtcag	ggcgggaagg	gaaatgcacc	gctgcatgtg	aacttacagc	180
ccaggcggat	gccccttccc	ttagcactac	ctggcctcct	gcateccctc	gcctcatgtt	240
cctcccacct	tcaaanaatg	aanaacccca	tgggccccagc	cccttgccct	ggggaaccaa	300
ggcagccttc	caaaactcag	gggctgaagc	anactattag	ggcaggggct	gactttgggt	360
gacactgccc	attccctctc	agggcagctc	angtcaccn	gguctcttga	accagcctg	420
ttcctttgaa	aaagggcaaa	actgaaaagg	gcttttctta	naaaaagaaa	aaccagggaa	480
ctttgccagg	gcttcnntnt	tacccaaaacn	ncttctcnng	gatttttaat	tccccattng	540
gcctccactt	accnggggcn	atgccccaaa	attaanaatt	tcccate		587

<210> 103

<211> 496

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (496)

<223> n = A,T,C or G

<400> 103

anaggactgg	ccctacntgc	tctctctcgt	cctacctatc	aatgcccaac	atggcagaac	60
ctgcanccct	tggncactgc	anatggaaac	ctctcagtgt	cttgacatca	ccctaccnt	120
goggtgggtc	tccaccacaa	ccactttgac	tctgtgggtc	ctgnanggtg	gnttctcctg	180
actggcagga	tggaccttan	ccnacatata	cctctgttcc	ctctgctnag	anaaagaatt	240
cccttaacat	gatataatcc	acccatgcaa	ntngctactg	gccagctac	catttaccat	300
ttgcctacag	aatttcattc	agtctacact	ttggcattct	ctctggcgat	agagtgtggc	360
tgggctgacc	gcaaaagggtg	ccttacacac	tggcccccac	cctcaaccgt	tgacncatca	420
gangcttgcc	tcctccttct	gattnncccc	catgttggat	atcaggggtc	tcnagggatt	480
ggaaaagaaa	caaaac					496

<210> 104
 <211> 575
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1) ... (575)
 <223> n = A,T,C or G

<400> 104
 gcacctgctc tcaatccnnc tctcaccatg atcctccgcc tgcanaaaact cctctgccaa 60
 ctatggangt ggtttcnggg gtggctcttg ccaactggga agaagccgtg gtgtctctac 120
 ctgtttcaact cngttttgtgt ctgggggatc aactnngggc tatggaagcg gctnaactgt 180
 tgttttgggtg gaagggctgg taattggctt tgggaagtng cttatngaag ttggcctngg 240
 gaagttgcta ttgaaagtng ccntggaagt ngntttgggtg gggggttttg ctggtggcct 300
 ttgttnaatt tgggtgcttt gtnaatggcg gccccctcnc ctgggcaatg aaaaaaatca 360
 ccnatgcngn aaacctcnac nnaacagcct gggcttccct cacctcgaaa aaagttgctc 420
 ccccccaaaa aaaggncaan cccctcaann tggaangttg aaaaaatcct cgaatgggga 480
 ncccnaaaac aaaaancccc ccntttcccn gnaanggggg aaataccncc cccccactta 540
 cnaaaaccct tntaaaaaac ccccgggaa aaaaa 575

<210> 105
 <211> 619
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1) ... (619)
 <223> n = A,T,C or G

<400> 105
 cactagtagg atagaaacac tgtgtcccga gagtaaggag agaagctact attgattaga 60
 gcctaaccga ggtaactgc aagaagaggc gggatacttt cagctttcca tgtaactgta 120
 tgcataaagc caatgtagtc cagtttctaa gatcatgttc caagctaact gaatccact 180
 tcaatacaca ctcatgaact cctgatggaa caataacagg cccaagcctg tggatgatg 240
 tgcacacttg ctgactcan aaaaaatact actctcataa atgggtggga gtattttggt 300
 gacaacctac tttgcttggc tgagtgaagg aatgatattc atatattcat ttattccatg 360
 gacatttagt tagtgctttt tatataccag gcatgatgct gaggacact cttgtgtata 420
 tttccaaatt tttgtacagt cgctgcacat atttgaaatc atatattaag acttccaaaa 480
 aatgaagtcc ctggtttttc atggcaactt gatcagtaaa ggattcncct ctggttggtg 540
 cttaaaacat ctactatatn gttanatatg aattcctttt cccnccctcc cgaaaaaana 600
 aagtggtggg gaaaaaaa 619

<210> 106
 <211> 506
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1) ... (506)
 <223> n = A,T,C or G

<400> 106
 cattggtncct ttcatTTtTgct ntggaagtgt nnatctctaa cagtggacaa agttcccngt 60
 gccttaaaact ctgtnacact tttgggaant gaaaantTng tantatgata ggTtattctg 120
 angTanagat gTtctggata ccattanatn tgcccccnTg gTcagaggct catattgtgt 180
 tatgtaaatg gtatntcatt cgctactatn antcaattng aaatanggtc tttgggttat 240
 gaatantng cagcncanct nanangctgt ctgtngtatt cattgtggtc atagcaCctc 300
 acancattgt aacctcnatc nagtgagaca nactagnaAn tTcctagtga tggctcanga 360
 ttccaaatgg nctcatntcn aatgtttaaa agttanttaa gtgtaagaaa tacagactgg 420
 atgttccacc aactagtacc tgtaatgacn ggctgtccc aacacatctc ccttttccat 480
 gactgtggtgta ncccgcacTg gaaaaa 506

<210> 107
 <211> 452
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (452)
 <223> n = A,T,C or G

<400> 107
 gttgagtctg tactaaacag taagatatct caatgaacca taaattcaac tttgtaaaaa 60
 tcttttgaag catagataat attgtttggt aaatgtttct tttgtttggt aaatgtttct 120
 tttaaagacc ctctattct ataaaactct gcatgtagag gcttgtttac ctttctctct 180
 ctaaggTTta caataggagt ggtgatttga aaaatataaa attatgagat tggttttcct 240
 gtggcataaa ttgcatcact gtatcatttt cttttttaac cggtaagant ttcagtttgt 300
 tggaaagtaa ctgtganaac ccagtttccc gtccatctcc cttagggact acccatagaa 360
 catgaaaagg tccccacnga agcaagaaga taagtcttTc atggctgctg gttgcttaaa 420
 ccactttaaa accaaaaaat tccccttTga aa 452

<210> 108
 <211> 502
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (502)
 <223> n = A,T,C or G

<400> 108
 atcttcttcc cttaattagt tnttatttat ntattaaatt ttattgcatg tcttggcaaa 60
 caaaaagaga ttgtagattg gcttctggct ccccaaaagc ccataacaga aagtaccaca 120
 agaccncaac tgaagcttaa aaaatctatc acatgtataa tacctttnga agaacattaa 180
 tanagcatat aaaactttta acatntgctt aatgttgtnc aattataaaa ntaatngaaa 240
 aaaatgtccc tttaacatnc aatatccac atagtgttat ttnaggggat taccnngnaa 300
 naaaaaaagg gtagaaggga tttaatgaaa actctgcttn ccatttctgt ttanaaacgt 360
 ctccagaaca aaaacttntc aantcttTca gctaaccgca tttgagctna ggccactcaa 420
 aaactccatt agnccactt tctaanggtc tctanagctt actaancctt ttgaccctt 480
 accctggnta ctctgcct ca 502

<210> 109
 <211> 1308

<212> DNA

<213> Homo sapien

<400> 109

```

accgaggtc tcgctaaaat catcatggat tcacttggcg ccgtcagcac tcgacttggg      60
tttgatcttt tcaaagagct gaagaaaaca aatgatggca acatcttctt ttccctctgt      120
ggcatcttga ctgcaattgg catggtcttc ctggggaccc gaggagccac cgcttcccag      180
ttggaggagg tgtttctact tgaaaaagag acgaagagct caagaataaa ggctgaagaa      240
aaagaggtga ttgagaacac agaagcagta catcaacaat tccaaaagtt tttgactgaa      300
ataagcaaac tcactaatga ttatgaactg aacataacca acaggctgtt tggagaaaaa      360
acatacctct tccttcaaaa atacttagat tatgttgaaa aatattatca tgcattctctg      420
gaacctgttg attttgtaaa tgcagccgat gaaagtcgaa agaagattaa ttcctgggtt      480
gaaagcaaaa caaatgaaaa aatcaaggac ttgttcccag atggctctat tagtagctct      540
accaagctgg tgctgggtgaa catggtttat tttaaagggc aatgggacag ggagtttaag      600
aaagaaaata ctaaggaaga gaaatttttg atgaataaga gcacaagtaa atctgtacag      660
atgatgacac agagccattc cttagcttcc actttcctgg aggacttgca ggccaaaatt      720
ctagggattc catataaaaa caacgacctc agcatgtttg tgcttctgcc caacgacatc      780
gatggcctgg agaagataat agataaaaata agtcctgaga aattggtaga gtggactagt      840
ccagggcata tggaagaaag aaaggtgaat ctgcacttgc cccggtttga ggtggaggac      900
agttacgac tagaggcggg cctggctgcc atggggatgg gogatgcctt cagtgaagcac      960
aaagccgact actcggaat gtcgtcaggc tccgggttgt acgcccagaa gtccctgcac      1020
agttcctttg tggcagtaac tgaggaaggc accgaggctg cagctgccac tggcataggc      1080
tttactgtca catcgcccc aggtcatgaa aatgttctact gcaatcatcc ctctctgttc      1140
ttcatcaggc acaatgaatc caacagcatc ctcttcttcg gcagattttc ttctccttaa      1200
gatgatcggt gccatggcat tgctgctttt agcaaaaaac aactaccagt gttactcata      1260
tgattatgaa aatcgcccat tcttttaaat ggtggctcac ttgcattt      1308

```

<210> 110

<211> 391

<212> PRT

<213> Homo sapien

<400> 110

```

Met Asp Ser Leu Gly Ala Val Ser Thr Arg Leu Gly Phe Asp Leu Phe
 1           5           10           15
Lys Glu Leu Lys Lys Thr Asn Asp Gly Asn Ile Phe Phe Ser Pro Val
 20           25           30
Gly Ile Leu Thr Ala Ile Gly Met Val Leu Leu Gly Thr Arg Gly Ala
 35           40           45
Thr Ala Ser Gln Leu Glu Glu Val Phe His Ser Glu Lys Glu Thr Lys
 50           55           60
Ser Ser Arg Ile Lys Ala Glu Glu Lys Glu Val Ile Glu Asn Thr Glu
 65           70           75           80
Ala Val His Gln Gln Phe Gln Lys Phe Leu Thr Glu Ile Ser Lys Leu
 85           90           95
Thr Asn Asp Tyr Glu Leu Asn Ile Thr Asn Arg Leu Phe Gly Glu Lys
100           105           110
Thr Tyr Leu Phe Leu Gln Lys Tyr Leu Asp Tyr Val Glu Lys Tyr Tyr
115           120           125
His Ala Ser Leu Glu Pro Val Asp Phe Val Asn Ala Ala Asp Glu Ser
130           135           140
Arg Lys Lys Ile Asn Ser Trp Val Glu Ser Lys Thr Asn Glu Lys Ile
145           150           155           160
Lys Asp Leu Phe Pro Asp Gly Ser Ile Ser Ser Ser Thr Lys Leu Val
165           170           175

```

Leu Val Asn Met Val Tyr Phe Lys Gly Gln Trp Asp Arg Glu Phe Lys
 180 185 190
 Lys Glu Asn Thr Lys Glu Glu Lys Phe Trp Met Asn Lys Ser Thr Ser
 195 200 205
 Lys Ser Val Gln Met Met Thr Gln Ser His Ser Phe Ser Phe Thr Phe
 210 215 220
 Leu Glu Asp Leu Gln Ala Lys Ile Leu Gly Ile Pro Tyr Lys Asn Asn
 225 230 235 240
 Asp Leu Ser Met Phe Val Leu Leu Pro Asn Asp Ile Asp Gly Leu Glu
 245 250 255
 Lys Ile Ile Asp Lys Ile Ser Pro Glu Lys Leu Val Glu Trp Thr Ser
 260 265 270
 Pro Gly His Met Glu Glu Arg Lys Val Asn Leu His Leu Pro Arg Phe
 275 280 285
 Glu Val Glu Asp Ser Tyr Asp Leu Glu Ala Val Leu Ala Ala Met Gly
 290 295 300
 Met Gly Asp Ala Phe Ser Glu His Lys Ala Asp Tyr Ser Gly Met Ser
 305 310 315 320
 Ser Gly Ser Gly Leu Tyr Ala Gln Lys Phe Leu His Ser Ser Phe Val
 325 330 335
 Ala Val Thr Glu Glu Gly Thr Glu Ala Ala Ala Ala Thr Gly Ile Gly
 340 345 350
 Phe Thr Val Thr Ser Ala Pro Gly His Glu Asn Val His Cys Asn His
 355 360 365
 Pro Phe Leu Phe Phe Ile Arg His Asn Glu Ser Asn Ser Ile Leu Phe
 370 375 380
 Phe Gly Arg Phe Ser Ser Pro
 385 390

<210> 111

<211> 1419

<212> DNA

<213> Homo sapien

<400> 111

ggagaactat aaattaagga tcccagctac ttaattgact tatgcttctt agttcgttgc 60
 ccagccacca cgtctctcc aaaaaccoga ggtctcgcta aaatcatcat ggattcactt 120
 ggcgcogtca gcactogact tgggtttgat cttttcaaag agctgaagaa aacaaatgat 180
 ggcaacatct tcttttccc tgtgggcac ttagctgcaa ttggcatggt cctcctgggg 240
 acccgaggag ccaccgcttc ccagttggag gaggtgtttc actctgaaaa agagacgaag 300
 agctcaagaa taaaggctga agaaaaagag gtggttaagaa taaaggctga aggaaaagag 360
 attgagaaca cagaagcagt acatcaacaa ttccaaaagt ttttgactga aataagcaaa 420
 ctactaatg attatgaact gaacataacc aacaggctgt ttggagaaaa aacatacctc 480
 ttccctcaaa aatacttaga ttatgttgaa aaatattatc atgcatctct ggaacctgtt 540
 gattttgtaa atgcagcoga tgaaagtcga aagaagatta attcctgggt tgaaagcaaa 600
 acaaatgaaa aaatcaagga cttgttccca gatggctcta ttagtagctc taccaagctg 660
 gtgctggtga acatggttta ttttaaaggg caatgggaca gggagttaa gaaagaaaat 720
 actaaggaag agaaattttg gatgaataag agcacaagta aatctgtaca gatgatgaca 780
 cagagccatt cctttagctt cactttcctg gaggacttgc aggccaaaat tctagggatt 840
 ccatataaaa acaacgacct aagcatgttt gtgcttctgc ccaacgacat cgatggcctg 900
 gagaagataa tagataaaat aagtcctgag aaattggtag agtggactag tccagggcat 960
 atggaagaaa gaaaggtgaa cctgcacttg ccccggtttg aggtggagga cagttacgat 1020
 cttagggcgg tcttggtctgc cctggggatg ggcgatgcct tcagtgaaga caaagccgac 1080
 tactcgggaa tgtcgtcagg ctccgggttg tacgcccaga agttcctgca cagttccttt 1140
 gtggcagtaa ctgaggaagg caccgaggct gcagctgcca ctggcatagg ctttactgtc 1200

acatccgccc caggtcatga aaatgttcac tgcaatcatc ccttcctgtt cttcatcagg 1260
 cacaatgaat ccaacagcat cctcttcttc ggcagatttt cttctcctta agatgatcgt 1320
 tgccatggca ttgctgcttt tagcaaaaaa chaactaccag tggttactcat atgattatga 1380
 aaatcgcca ttcttttaaa tgggtggtca cttgcattt 1419

<210> 112

<211> 400

<212> PRT

<213> Homo sapien

<400> 112

Met Asp Ser Leu Gly Ala Val Ser Thr Arg Leu Gly Phe Asp Leu Phe
 1 5 10 15
 Lys Glu Leu Lys Lys Thr Asn Asp Gly Asn Ile Phe Phe Ser Pro Val
 20 25 30
 Gly Ile Leu Thr Ala Ile Gly Met Val Leu Leu Gly Thr Arg Gly Ala
 35 40 45
 Thr Ala Ser Gln Leu Glu Glu Val Phe His Ser Glu Lys Glu Thr Lys
 50 55 60
 Ser Ser Arg Ile Lys Ala Glu Glu Lys Glu Val Val Arg Ile Lys Ala
 65 70 75 80
 Glu Gly Lys Glu Ile Glu Asn Thr Glu Ala Val His Gln Gln Phe Gln
 85 90 95
 Lys Phe Leu Thr Glu Ile Ser Lys Leu Thr Asn Asp Tyr Glu Leu Asn
 100 105 110
 Ile Thr Asn Arg Leu Phe Gly Glu Lys Thr Tyr Leu Phe Leu Gln Lys
 115 120 125
 Tyr Leu Asp Tyr Val Glu Lys Tyr Tyr His Ala Ser Leu Glu Pro Val
 130 135 140
 Asp Phe Val Asn Ala Ala Asp Glu Ser Arg Lys Lys Ile Asn Ser Trp
 145 150 155 160
 Val Glu Ser Lys Thr Asn Glu Lys Ile Lys Asp Leu Phe Pro Asp Gly
 165 170 175
 Ser Ile Ser Ser Thr Lys Leu Val Leu Val Asn Met Val Tyr Phe
 180 185 190
 Lys Gly Gln Trp Asp Arg Glu Phe Lys Lys Glu Asn Thr Lys Glu Glu
 195 200 205
 Lys Phe Trp Met Asn Lys Ser Thr Ser Lys Ser Val Gln Met Met Thr
 210 215 220
 Gln Ser His Ser Phe Ser Phe Thr Phe Leu Glu Asp Leu Gln Ala Lys
 225 230 235 240
 Ile Leu Gly Ile Pro Tyr Lys Asn Asn Asp Leu Ser Met Phe Val Leu
 245 250 255
 Leu Pro Asn Asp Ile Asp Gly Leu Glu Lys Ile Ile Asp Lys Ile Ser
 260 265 270
 Pro Glu Lys Leu Val Glu Trp Thr Ser Pro Gly His Met Glu Glu Arg
 275 280 285
 Lys Val Asn Leu His Leu Pro Arg Phe Glu Val Glu Asp Ser Tyr Asp
 290 295 300
 Leu Glu Ala Val Leu Ala Ala Met Gly Met Gly Asp Ala Phe Ser Glu
 305 310 315 320
 His Lys Ala Asp Tyr Ser Gly Met Ser Ser Gly Ser Gly Leu Tyr Ala
 325 330 335
 Gln Lys Phe Leu His Ser Ser Phe Val Ala Val Thr Glu Glu Gly Thr
 340 345 350

Glu Ala Ala Ala Ala Thr Gly Ile Gly Phe Thr Val Thr Ser Ala Pro
 355 360 365
 Gly His Glu Asn Val His Cys Asn His Pro Phe Leu Phe Phe Ile Arg
 370 375 380
 His Asn Glu Ser Asn Ser Ile Leu Phe Phe Gly Arg Phe Ser Ser Pro
 385 390 395 400

<210> 113
 <211> 957
 <212> DNA
 <213> Homo sapien

<400> 113
 ctgcaccttc tctgcacagc ggatgaaccc tgagcagctg aagaccagaa aagccactat 60
 gactttctgc ttaattcagg agcttacagg attcttcaaa gagtgtgtcc agcatccttt 120
 gaaacatgag ttcttaccag cagaagcaga cttttacccc accacctcag cttcaacagc 180
 agcaggtgaa acaacccagc cagcctccac ctgaggaaat atttgttccc acaaccaagg 240
 agccatgcca ctcaaagggt ccacaacctg gaaacacaaa gattccagag ccaggctgta 300
 ccaagggtccc tgagccaggc tgtaccaagg tccctgagcc aggttgtacc aagggtccctg 360
 agccaggatg taccaagggt cctgagccag gttgtaccaaa ggtccctgag ccaggctaca 420
 ccaagggtccc tgagccaggc agcatcaagg tccctgacca aggtttcatc aagtttccctg 480
 agccagggtgc catcaaagtt cctgagcaag gatacaccaa agttcctgtg ccaggctaca 540
 caaagggtacc agagccatgt ccttcaacgg tcactccagg ccagctcag cagaagacca 600
 agcagaagta atttggtgca cagacaagcc cttgagaagc caaccaccag atgctggaca 660
 ccctcttccc atctgtttct gtgtcttaat tgtctgtaga ccttgtaatc agtacattct 720
 caccccaagc catagtctct ctcttatttg tatcctaaaa atacggtact ataaagcttt 780
 tgttcacaca cactctgaag aatcctgtaa gccctgaat taagcagaaa gtcttcatgg 840
 cttttctggg cttegggtgc tcagggttca tctgaagatt cgaatgaaaa gaaatgcatg 900
 tttcctgctc tgccctcatt aaattgcttt taattccaaa aaaaaaaaaa aaaaaaa 957

<210> 114
 <211> 161
 <212> PRT
 <213> Homo sapien

<400> 114
 Met Ser Ser Tyr Gln Gln Lys Gln Thr Phe Thr Pro Pro Pro Gln Leu
 1 5 10 15
 Gln Gln Gln Gln Val Lys Gln Pro Ser Gln Pro Pro Pro Gln Glu Ile
 20 25 30
 Phe Val Pro Thr Thr Lys Glu Pro Cys His Ser Lys Val Pro Gln Pro
 35 40 45
 Gly Asn Thr Lys Ile Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro
 50 55 60
 Gly Cys Thr Lys Val Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro
 65 70 75 80
 Gly Cys Thr Lys Val Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro
 85 90 95
 Gly Tyr Thr Lys Val Pro Glu Pro Gly Ser Ile Lys Val Pro Asp Gln
 100 105 110
 Gly Phe Ile Lys Phe Pro Glu Pro Gly Ala Ile Lys Val Pro Glu Gln
 115 120 125
 Gly Tyr Thr Lys Val Pro Val Pro Gly Tyr Thr Lys Val Pro Glu Pro
 130 135 140
 Cys Pro Ser Thr Val Thr Pro Gly Pro Ala Gln Gln Lys Thr Lys Gln

145

150

155

160

Lys

<210> 115

<211> 506

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (506)

<223> n = A,T,C or G

<400> 115

cattggtnct	ttcatttgct	ntggaagtgt	nnatctctaa	cagtggacaa	agttcccngt	60
gccttaaaact	ctgtnacact	tttgggaant	gaaaanttng	tantatgata	ggttattctg	120
angtanagat	gttctggata	ccattanatn	tgccccngt	gtcagaggct	catattgtgt	180
tatgtaaagt	gtatntcatt	cgctaactatn	antcaattng	aaatanggtc	tttgggttat	240
gaatantnng	cagcncanct	nanangctgt	ctgtngtatt	cattgtgggc	atagcacctc	300
acancattgt	aacctcnatc	nagtggagaca	nactagnaana	ttcctagtga	tggctcanga	360
ttccaaatgg	nctcatntcn	aatgtttaaa	agttanttaa	gtgtaagaaa	tacagactgg	420
atgttccacc	aactagtacc	tgtaatgacn	ggcctgtccc	aacacatctc	ccttttccat	480
gactgtggta	ncccgcatcg	gaaaaa				506

<210> 116

<211> 3079

<212> DNA

<213> Homo sapien

<400> 116

ggatccccgg	gtttcctaaa	ccccccacag	agtcctgccc	aggccaaaga	gcaaggaaaa	60
ggtcaaagg	cagaaaaaat	gctgagttag	gaggagctat	ggaaggataa	acctggcctt	120
aaagaggtca	aagtgggtta	tagggggcgc	tgagggtctc	ccacattctc	tggcctaaac	180
cttgaggca	gatctgcca	gtgggtctcg	ggatagctgt	gccttcctta	acaaaaaat	240
tgtgcacaaa	aggatgaaac	tctattttcc	ctctagcaca	taaccaagaa	tataaggcta	300
cagattgcct	ttcccagagg	gaaaaccctg	cagcaacctg	ctgcctggaa	aagtgtgaaga	360
gcagatcact	ggggaatcgt	ttgccccccg	ctgatggaca	gcttccccaa	gctccaaggg	420
cagggtgctca	gcatgtaccg	tactgggatg	gttgtcaata	ctcctgggtc	tgtaagagtc	480
ccaggacact	gccatgccaa	tgccccctca	gttcttgcca	tccttttttg	gctgctcaca	540
gccccagcct	ctatggtgaa	gacatacttg	ctagcagcgt	caccaacttg	ttgccaagag	600
atcagtgtc	gaaggcaagg	ttattttctaa	ctgagcagag	cctgccagga	agaaagcgtt	660
tgacccccac	accactgtgc	aggtgtgacc	ggtgagctca	cagctgcccc	ccaggcatgc	720
ccagcccact	taatcatcac	agctogacag	ctctctcgcc	cagcccagtt	ctggaagggga	780
taaaaagggg	catcacogtt	cctgggtaac	agagccacct	tctggtcctc	gctgagctct	840
gttctctcca	gcacctccca	accactagt	gcctggttct	cttgctccac	caggaacaag	900
ccaccatgtc	tcgccagtca	agtgtgtctt	ccggagcggg	gggcagtcgt	agcttcagca	960
cgcctctg	catcaccctg	tctgtctccc	gcaccagctt	cacctccgtg	tcccgggtccg	1020
ggggtggcgg	tggtggtggc	ttcggcaggg	tcagccttgc	gggtgcttgt	ggagtgggtg	1080
gctatggcag	ccggagcctc	tacaacctgg	ggggctccaa	gaggatatcc	atcagcacta	1140
gtggtggcag	cttcaggaa	cggtttggtg	ctggtgctgg	aggcggctat	ggctttggag	1200
gtggtgccgg	tagtggattt	ggtttcggcg	gtggagctgg	tggtggcttt	gggctcgggtg	1260
goggagctgg	ctttggaggt	ggcttcgggtg	gcctggctt	tcctgtctgc	cctcctggag	1320
gtatccaaga	ggtcactgtc	aaccagagtc	tcctgactcc	cctcaacctg	caaatcgacc	1380
ccagcatcca	gagggtgagg	accgaggagc	gcgagcagat	caagaccctc	aacaataagt	1440

ttgcctcctt	catcgacaag	gtgcggttcc	tggagcagca	gaacaaggtt	ctggaaacaa	1500
agtggaccct	gctgcaggag	cagggcacca	agactgtgag	gcagaacctg	gagccgttgt	1560
tcgagcagta	catcaacaac	ctcaggaggc	agctggacag	catcgtgggg	gaacggggcc	1620
gcctggactc	agagctgaga	aacatgcagg	acctggtgga	agacttcaag	aacaagtatg	1680
aggatgaaat	caacaagcgt	accactgctg	agaatgagtt	tgtgatgctg	aagaaggatg	1740
tagatgctgc	ctacatgaac	aagggtggagc	tggaggccaa	ggttgatgca	ctgatggatg	1800
agattaactt	catgaagatg	ttctttgatg	cggagctgtc	ccagatgcag	acgcagtgtc	1860
ctgacacctc	agtggctctc	tccatggaca	acaaccgcaa	cctggacctg	gatagcatca	1920
tcgctgaggt	caaggcccag	tatgaggaga	ttgccaacgg	cagccggaca	gaagccgagt	1980
cctggtatca	gaccaagtat	gaggagctgc	agcagacagc	tggccggcat	ggcgatgacc	2040
tccgcaacac	caagcatgag	atctctgaga	tgaaccggat	gatccagagg	ctgagagccg	2100
agattgacaa	tgtcaagaaa	cagtgcgcca	atctgcagaa	cgccattgcg	gatgccgagc	2160
agcgtgggga	gctggccctc	aaggatgcca	ggaacaagct	ggccgagctg	gaggaggccc	2220
tgcagaaggc	caagcaggac	atggcccggc	tgctgcgtga	gtaccaggag	ctcatgaaca	2280
ccaagctggc	cctggacgtg	gagatcgcca	cttaccgcaa	gctgctggag	ggcgaggaat	2340
gcagactcag	tggagaagga	ggtggaccag	tcaacatctc	tgttgtcaca	agcagtgttt	2400
cctctggata	tggcagtggc	agtggctatg	gcggtggcct	cggtggaggt	cttggcggcg	2460
gcctcggtgg	aggtccttgc	ggaggtagca	gtggaagcta	ctactccagc	agcagtgggg	2520
gtgtcgccct	aggtggtggg	ctcagtgtgg	ggggctctgg	cttcagtgca	agcagtagcc	2580
gagggctggg	ggtgggcttt	ggcagtggcg	ggggtagcag	ctccagcgtc	aaatttgtct	2640
ccaccacctc	ctctcccggg	aagagcttca	agagctaaga	acctgctgca	agtcactgcc	2700
ttccaagtgc	agcaaccagc	cccatggaga	ttgcctcttc	taggcagtgt	ctcaagccat	2760
gttttatcct	tttctggaga	gtagtctaga	ccaagccaat	tgcagaacca	cattcttttg	2820
ttcccaggag	agccccattc	ccagcccctg	gtctcccgtg	cgcagttctc	atattctgct	2880
tcaaatcagc	cttcaggttt	cccacagcat	ggcccctgct	gacacgagaa	cccaaagtgt	2940
tcccaaatct	aatcatcaa	aacagaatcc	ccaccccaat	cccaaatttt	gttttggttc	3000
taactacctc	cagaatgtgt	tcaataaaat	gtttttataat	ataagctggt	gtgcagaatt	3060
gttttttttt	tctacccaa					3079

<210> 117

<211> 6921

<212> DNA

<213> Homo sapien

<400> 117

gaattctgac	tgtccactca	aaacttctat	tccgatcaaa	gctatctgtg	actacagaca	60
aattgagata	accatttaca	aagacgatga	atgtgttttg	gcgaataact	ctcatcgtgc	120
taaatggaag	gtcattagtc	ctactgggaa	tgaggctatg	gtcccatctg	tgtgcttcac	180
cgttctctca	caaacaaag	aagcgggtga	ccttgccaac	agaattgagc	aacagtatca	240
gaatgtcctg	actctttggc	atgagtctca	cataaacatg	aagagtgtag	tatcctggca	300
ttatctcatc	aatgaaattg	atagaattcg	agctagcaat	gtggcttcaa	taaagacaat	360
gctacctggt	gaacatcagc	aagttctaag	taatctacaa	tctcgttttg	aagattttct	420
ggaagatagc	caggaatccc	aagtcttttc	aggctcagat	ataacacaa	tggaaaagga	480
ggttaatgta	tgtaaagcag	attatcaaga	acttcttaaa	tctgcagaaa	gagaggagca	540
agaggaatca	gtttataatc	tctacatctc	tgaagttcga	aacatttagac	ttcgggttaga	600
gaactgtgaa	gatcggctga	ttagacagat	tccaactccc	ctggaaagag	atgatttgca	660
tgaagtggtg	ttcagaatca	cagaacagga	gaaactaaag	aaagagctgg	aacgacttaa	720
agatgatttg	ggaacaatca	caaataagtg	tgaggagttt	ttcagtcaag	cagcagcctc	780
ttcatcagtc	cctaccctac	gatcagagct	taatgtggtc	cttcagaaca	tgaaccaagt	840
ctattctatg	tcttcactt	acatagataa	gttgaaaact	gttaacttgg	tgttaaaaaa	900
cactcaagct	gcagaagccc	togtaaaact	ctatgaaact	aaactgtgtg	aagaagaagc	960
agttatagct	gacaagaata	atattgagaa	tctaataagt	actttaaaagc	aatggagatc	1020
tgaagtagat	gaaaagagac	aggtattcca	tgccttagag	gatgagttgc	agaaagctaa	1080
agccatcagt	gatgaaatgt	ttaaaacgta	taaagaacgg	gaccttgatt	ttgactggca	1140
caaagaaaaa	gcagatcaat	tagttgaaag	gtggcaaaat	gttcatgtgc	agattgacaa	1200

caggttacgg	gacttagagg	gcattggcaa	atcactgaag	tactacagag	acacttacca	1260
tccttttagat	gattggatcc	agcagggtga	aaqtactcag	agaaagattc	aggaaaatca	1320
gcctgaaaat	agtaaaaccc	tagccacaca	gttgaatcaa	cagaagatgc	tgggtgtccga	1380
aatagaaatg	aaacagagca	aaatggacga	gtgtcaaaaa	tatgcagaac	agtactcagc	1440
tacagtgaag	gactatgaat	tacaaacaat	gacctaccgg	gccatggtag	attcacaaca	1500
aaaatctcca	gtgaaacgcc	gaagaatgca	gagttcagca	gatctcatta	ttcaagagtt	1560
catggaccta	aggactcgat	atactgccct	ggtcactctc	atgacacaat	atattaaatt	1620
tgctgggtgat	tcattgaaga	ggctggaaga	ggaggagatt	aaaagggtga	aggagacttc	1680
tgaacatggg	gcatattcag	atctgcttca	gcgtcagaag	gcaacagtg	ttgagaatag	1740
caaaacttaca	ggaaaagataa	gtgagttgga	aagaatggta	gctgaactaa	agaaacaaaa	1800
gtcccgagta	gaggaagaac	ttcogaaggt	cagggaggct	gcagaaaatg	aattgagaaa	1860
gcagcagaga	aatgtagaag	atatctctct	gcagaagata	agggctgaaa	gtgaagccaa	1920
gcagtaccgc	agggaaactg	aaaccattgt	gagagagaag	gaagccgctg	aaagagaact	1980
ggagcgggtg	aggcagctca	ccatagaggc	cgaggctaaa	agagctgccg	tggaagagaa	2040
cctcctgaat	tttcgcaatc	agttggagga	aaacaccttt	accagaacga	caactggaaga	2100
tcactctaaa	agaaaagatt	taagtctcaa	tgattttggag	caacaaaaaa	ataaattaat	2160
ggaagaatta	agaagaaaga	gagacaatga	ggaagaactc	ttgaagctga	taaagcagat	2220
ggaaaaagac	cttgcatthc	agaaacaggt	agcagagaaa	cagttgaaag	aaaagcagaa	2280
aattgaattg	gaagcaagaa	gaaaaataac	tgaaattcag	tatacatgta	gagaaaatgc	2340
attgccagtg	tgtccgatca	cacaggctac	atcatgcagg	gcagtaacgg	gtctccagca	2400
agaacatgac	aagcagaaaag	cagaagaact	caaacagcag	gtagatgaac	taacagctgc	2460
caatagaaaag	gctgaacaag	acatgagaga	gctgacatat	gaacttaatg	ccctccagct	2520
tgaaaaaacg	tcacttgagg	aaaaggctcg	tttgctaaaa	gataaactag	atgaaacaaa	2580
taatacactc	agatgcctta	agttggagct	ggaagggaag	gatcaggcgg	agaaagggtga	2640
ttctcaacaa	ctcagagagc	ttggtaggca	attgaaatcaa	accacaggta	aagctgaaga	2700
agccatgcaa	gaagctagt	atctcaagaa	aataaagcgc	aattatcagt	tagaattaga	2760
atctcttaat	catgaaaaag	ggaaactaca	aagagaagta	gacagaatca	caagggcaca	2820
tgctgtagct	gagaagaata	ttcagcattt	aaattcacaa	attcattctt	ttcgagatga	2880
gaaagaatta	gaaagactac	aaatctgcc	gagaaaatca	gatcatctaa	aagaacaatt	2940
tgagaaaagc	catgagcagt	tgcttcaaaa	tatcaaagct	gaaaaagaaa	ataatgataa	3000
aatccaaagg	ctcaatgaag	aattggagaa	aagtaatgag	tgtgcagaga	tgctaaaaca	3060
aaaagtagag	gagcttacta	ggcagaataa	tgaaaccaa	ttaatgatgc	agagaattca	3120
ggcagaatca	gagaatatag	ttttagagaa	acaaactatc	cagcaaagat	gtgaagcact	3180
gaaaattcag	gcagatggtt	ttaaagatca	gctacgcagc	acaaatgaac	acttgcataa	3240
acagacaaaa	acagagcagg	atthttcaag	aaaaattaaa	tgcttagaag	aagacctggc	3300
gaaaagtcaa	aatttggtta	gtgaatttaa	gcaaaagtgt	gaccaacaga	acattatcat	3360
ccagaatacc	aagaaagaag	ttagaaatct	gaatgcggaa	ctgaatgctt	caaagaaga	3420
gaagcgacgc	ggggagcaga	aagttcagct	acaacaagct	caggtgcaag	agttaaataa	3480
caggttgaaa	aaagtacaag	acgaattaca	cttaaagacc	atagaggagc	agatgacca	3540
cagaaagatg	gttctgtttc	aggaagaatc	tggtaaattc	aaacaatcag	cagaggagtt	3600
tcggaagaag	atggaaaaat	taatggagtc	caaagtcac	actgaaaatg	atatttcagg	3660
cattaggctt	gactttgtgt	ctcttcaaca	agaaaactct	agagcccaag	aaaatgctaa	3720
gctttgtgaa	acaaacatta	aagaacttga	aagacagctt	caacagtatc	gtgaacaaat	3780
gcagcaaggg	cagcacatgg	aagcaaatca	ttaccaaaaa	tgctcagaaac	ttgaggatga	3840
gctgatagcc	cagaagcgtg	aggttgaaaa	cctgaagcaa	aaaatggacc	aacagatcaa	3900
agagcatgaa	catcaattag	ttttgctcca	gtgtgaaatt	caaaaaaaga	gcacagccaa	3960
agactgtacc	ttcaaaccag	atthttgagat	gacagtgaag	gagtgccagc	actctggaga	4020
gctgtcctct	agaaacactg	gacaccttca	cccaacaccc	agatcccttc	tgthgagatg	4080
gactcaagaa	ccacagccat	tggaagagaa	gtggcagcat	cgggttggtg	aacagatacc	4140
caaagaagtc	caattccagc	caccaggggc	tccactcgag	aaagagaaaa	gccagcagtg	4200
ttactctgag	tacttttctc	agacaagcac	cgagttacag	ataacttttg	atgagacaaa	4260
ccccattaca	agactgtctg	aaattgagaa	gataagagac	caagccctga	acaattctag	4320
accacctgtt	aggtatcaag	ataacgcag	tgaaatggaa	ctggtgaagg	ttttgacacc	4380
cttagagata	gctaagaaca	agcagtatga	tatgcataca	gaagtcacaa	cattaaaaca	4440
agaaaagaac	ccagttccca	gtgctgaaga	atggatgctt	gaagggtgca	gagcatctgg	4500

tggactcaag	aaaggggatt	tccttaagaa	gggcttagaa	ccagagacct	tccagaactt	4560
tgatggatgat	catgcatgtt	cagtcaggga	tgatgaattt	aaattccaag	ggcttaggca	4620
cactgtgact	gccaggcagt	tggtggaagc	taagcttctg	gacatgagaa	caattgagca	4680
gctgcgactc	ggtcttaaga	ctggtgaaga	agttcagaaa	actcttaaca	agtttctgac	4740
gaaagccacc	tcaattgcag	ggctttacct	agaatctaca	aaagaaaaga	tttcatttgc	4800
ctcagcggcc	gagagaatca	taatagacaa	aatgggtggc	ttggcatttt	tagaagctca	4860
ggctgcaaca	ggttttataa	ttgatcccat	ttcagggtcag	acatattctg	ttgaagatgc	4920
agttcttaaa	ggagttgttg	accccgaaat	cagaattagg	cttcttgagg	cagagaaggc	4980
agctgtggga	tattcttatt	cttctaagac	attgtcagtg	tttcaagcta	tggaaaatag	5040
aatgcttgac	agacaaaaag	gtaaacatat	cttggaagcc	cagattgcca	gtgggggtgt	5100
cattgaccct	gtgagaggca	ttcgtgttcc	tccagaaatt	gctctgcagc	aggggttgtt	5160
gaataatgcc	atcttacagt	ttttacatga	gccatccagc	aacacaagag	ttttccctaa	5220
tccaataaac	aagcaagctc	tgtattactc	agaattactg	cgaatgtgtg	tatttgatgt	5280
agagtcccaa	tgctttctgt	ttccatttgg	ggagaggaaac	atttccaatc	tcaatgtcaa	5340
gaaaacacat	agaatttctg	tagtagatag	taaaacagga	tcagaattga	ccgtgtatga	5400
ggctttccag	agaaacctga	ttgagaaaag	tatatatctt	gaactttcag	ggcagcaata	5460
tcagtgggaag	gaagctatgt	tttttgaatc	ctatgggcat	tcttctcata	tgctgactga	5520
tactaaaaca	ggattacact	tcaatattaa	tgaggctata	gagcaggga	caattgacaa	5580
agccttggtc	aaaaagtatc	aggaaggcct	catcacactt	acagaacttg	ctgattcttt	5640
gctgagccgg	ttagtcccca	agaaagattt	gcacagtcct	ggtgcagggt	attggctgac	5700
tgctagtggg	gaaaggatct	ctgtactaaa	agcctccogt	agaaatttgg	ttgatcggat	5760
tactgccctc	cgatgccttg	aagcccaagt	cagtacaggg	ggcataattg	atcctcttac	5820
tggcaaaaag	taccgggttg	ccgaagcttt	gcatagaggc	ctgggttgatg	aggggtttgc	5880
ccagcagctg	cgacagtggt	aattagtaat	cacagggtat	ggccatccca	tcactaacaa	5940
aatgatgtca	gtggtggaag	ctgtgaatgc	aatattata	aataaggaaa	tgggaatccg	6000
atgtttgga	tttcagtact	tgacaggagg	gttgatagag	ccacagggtc	actctcgggt	6060
atcaatagaa	gaggctctcc	aagtaggtat	tatagatgtc	ctcattgcca	caaaactcaa	6120
agatcaaaaag	tcatatgtca	gaaatataat	atgccctcag	acaaaaagaa	agttgacata	6180
taaagaagcc	ttagaaaaag	ctgattttga	tttccacaca	ggacttaaac	tgtagaagt	6240
atctgagccc	ctgatgacag	gaattttctag	cctctactat	tcttccta	gggacatgtt	6300
taaataactg	tgcaagggtg	gatgcaggct	ggttcatgcc	actttttcag	agtatgatga	6360
tatcggctac	atatgcagtc	tgtgaattat	gtaacatact	ctatttcttg	agggctgcaa	6420
attgctaagt	gctcaaaata	gagtaagttt	taaattgaaa	attacataag	atttaatgcc	6480
cttcaaatgg	tttcatttag	ccttgagaat	ggttttttga	aacttgcca	cactaaaatg	6540
tttttttttt	tttacgtaga	atgtgggata	aacttgatga	actccaagtt	cacagtgtca	6600
tttcttcaga	actccccttc	attgaatagt	gatcatttat	taaatgataa	attgcaactg	6660
ctgaaagagc	acgtcatgaa	gcaccatgga	atcaaagaga	aagatataaa	ttcgttccca	6720
cagccttcaa	gctgcagtg	tttagattgc	ttcaaaaaat	gaaaaagttt	tgcccttttc	6780
gatatagtga	ccttctttgc	atattaaaat	gtttaccaca	atgtcccatt	tctagttaag	6840
tcttcgcact	tgaaagctaa	cattatgaat	attatgtgtt	ggaggagggg	aaggattttc	6900
ttcattctgt	gtattttccg	g				6921

<210> 118

<211> 946

<212> DNA

<213> Homo sapien

<400> 118

cttctgactg	ggctcaggct	gacaggtaga	gctcaccatg	gcttcttgtg	tccttgtccc	60
ctccccatca	cagctgtggt	gcagtcacc	gtctccagtg	gctatggcgg	tgccagtggt	120
gtcggcagtg	gcttaggcct	gggtggagga	agcagctact	cctatggcag	tggtcttggc	180
gttgagggtg	gcttcagttc	cagcagtggc	agagccattg	gggtggcct	cagctctgtt	240
ggaggcggca	gttccaccat	caagtacacc	accacctcct	cctccagcag	gaagagctat	300
aagcactaaa	gtgcgtctgc	tagctctcgg	tcccacagtc	ctcaggcccc	tctctggctg	360
cagagccctc	tcctcagggt	gcctgtcctc	tcctggcctc	cagtcctccc	tgctgtccca	420

ggtagagctg	gggatgaatg	cttagtgccc	tcacttcttc	tctctctctc	tataccatct	480
gagcaccat	tgctcaccat	cagatcaacc	tctgatttta	catcatgatg	taatcaccac	540
tggagcttca	ctgttactaa	attattaatt	tcttgccctc	agtgttctat	ctctgaggct	600
gagcattata	agaaaatgac	ctctgctcct	tttcattgca	gaaaattgcc	aggggcttat	660
ttcagaacaa	cttcactta	ctttccactg	gctctcaaac	tctctaactt	ataagtgttg	720
tgaaccccca	cccaggcagt	atccatgaaa	gcacaagtga	ctagtcctat	gatgtacaaa	780
gctgtatct	ctgtgatgat	ttctgtgctc	ttcactgttt	gcaattgcta	aataaagcag	840
atttataata	catatattct	tttactttgc	cttgctttgg	ggccaaagtt	ttgggcttaa	900
acttttttat	ctgataagtg	aatagttggt	tttaaaagat	aatcta		946

<210> 119

<211> 8948

<212> DNA

<213> Homo sapien

<400> 119

tcaacagccc	ctgctccttg	ggcccccca	tgccatgccg	taatctctcc	caccgcacca	60
acaccaaac	ccagctccga	cgagctcct	ctgogccctt	gcgcctcc	gagccacagc	120
tttctcccg	ctcctgcccc	cgcccgctcg	ccgtctccgc	gctcgagcg	gcctcgggag	180
ggcccaggta	gogagcagcg	acctcgcgag	ccttcgcac	tcccgccgg	ttccccggc	240
gtccgctat	ccttgcccc	ctcgcctt	tcogcgccg	cccgccctcg	ttatgcctcg	300
gcgctgagcc	gctctccga	ttgcccgcg	acatgagctg	caacggaggc	tcccaccgc	360
ggatcaaac	tctgggcgc	atgatccgcg	ccgagcttg	ccgggacctg	cgctacgagg	420
tgaccagcg	cgccggggc	accagcagga	tgtactattc	tcggcgccgc	gtgatcaccg	480
accagaactc	ggacggctac	tgtcaaaccg	gcacgatgtc	caggcaccag	aaccagaaca	540
ccatccagga	gctgctgcag	aactgctccg	actgcttgat	gcgagcagag	ctcatcgctc	600
agcctgaatt	gaagtatgga	gatggaatac	aactgactcg	gagtcgagaa	ttggatgagt	660
gttttgccca	ggccaatgac	caaattgaaa	tcctcgacag	cttgatcaga	gagatgcggc	720
agatgggcca	gcccgtgat	gcttaccaga	aaaggcttct	tcagctccaa	gagcaaatgc	780
gagcccttta	taaagccatc	agtgtccctc	gagtcgcgag	ggccagctcc	aagggtggtg	840
gaggctacac	ttgtcagagt	ggctctggct	gggatgagtt	caccaaacat	gtcaccagtg	900
aatgtttggg	gtggatgagg	cagcaaaggg	cgagatgga	catggtggcc	tggggtgtgg	960
acctggcctc	agtggagcag	cacattaaca	gccaccgggg	catccacaac	tccatcggcg	1020
actatcgctg	gcagctggac	aaaatcaaag	cogacctgcg	cgagaaatct	gcgatctacc	1080
agttggaggga	ggagtatgaa	aacctgctga	aagcgtcctt	tgagaggatg	gatcacctgc	1140
gacagctgca	gaacatcatt	caggccacgt	ccaggagat	catgtggatc	aatgactgcg	1200
aggaggaggga	gctgctgtac	gactggagcg	acaagaacac	caacatcgct	cagaaacagg	1260
aggccttctc	catacgcatg	agtcaactgg	aagttaaaga	aaaagagctc	aataagctga	1320
aacaagaaag	tgaccaactt	gtcctcaatc	agcatccagc	ttcagacaaa	attgaggcct	1380
atatggacac	tctgcagacg	cagtggagtt	ggattcttca	gatcaccaag	tgcatgtatg	1440
ttcatctgaa	agaaaatgct	gcctactttc	agttttttga	agaggcgag	tctactgaag	1500
catacctgaa	ggggctccag	gactccatca	ggaagaagta	cccctgcgac	aagaacatgc	1560
ccctgcagca	cctgctggaa	cagatcaagg	agctggagaa	agaacgagag	aaaatccttg	1620
aatacaagcg	tcaggtgcag	aacttggtaa	acaagtctaa	gaagattgta	cagctgaagc	1680
ctcgtaaacc	agactacaga	agcaataaac	ccattattct	cagagctctc	tgtgactaca	1740
aacaagatca	gaaaatcgtg	cataaggggg	atgagtgtat	cctgaaggac	aacaacgagc	1800
gcagcaagtg	gtacgtgacg	ggccggggag	gcgttgacat	gcttggtccc	tctgtggggc	1860
tgatcatccc	tcctcogaac	ccactggccg	tggacctctc	ttgcaagatt	gagcagtact	1920
acgaagccat	cctggctctg	tggaaaccagc	tctacatcaa	catgaagagc	ctgggtgctc	1980
ggcactactg	catgattgac	atagagaaga	tcaggggccat	gacaatcgcc	aagctgaaaa	2040
caatgcggca	ggaagattac	atgaagacga	tagccgacct	tgagttacat	taccaagagt	2100
tcacagaaa	tagccaaggc	tcagagatgt	ttggagatga	tgacaagcgg	aaaatacagt	2160
ctcagttcac	ogatgcccg	aagcattacc	agacctgggt	cattcagctc	cctggctatc	2220
cccagcacca	gacagtgacc	acaactgaaa	tcactcatca	tggaaacctgc	caagatgtca	2280
accataataa	agtaattgaa	accaacagag	aaaatgacaa	gcaagaaaca	tggatgctga	2340

tggagctgca	gaagattcgc	aggcagatag	agcactgcga	gggcaggatg	actctcaaaa	2400
acctccctct	agcagaccag	gggtcttctc	accacatcac	agtgaaaatt	aacgagctta	2460
agagtgtgca	gaatgattca	caagcaattg	ctgaggttct	caaccagctt	aaagatatgc	2520
ttgccaactt	cagaggttct	gaaaagtact	gctattttaca	gaatgaagta	tttggactat	2580
ttcagaaaact	ggaaaaatc	aatggtgtta	cagatggcta	cttaaatagc	ttatgcacag	2640
taagggcact	gctccaggct	attctccaaa	cagaagacat	gttaaagggt	tatgaagcca	2700
ggctcactga	ggaggaaact	gtctgcctgg	acctggataa	agtggaaagt	taccgctgtg	2760
gactgaagaa	aataaaaaat	gacttgaact	tgaagaagtc	gttggtggcc	actatgaaga	2820
cagaactaca	gaaagccag	cagatccact	ctcagacttc	acagcagtat	ccactttatg	2880
atctggactt	gggcaagttc	ggtgaaaaag	tcacacagct	gacagaccgc	tggcaaagga	2940
tagataaaca	gatcgacttt	agattatggg	acctggagaa	acaaatcaag	caattgagga	3000
attatcgtga	taactatcag	gctttctgca	agtggctcta	tgatcgtaaa	cgccgccagg	3060
attccttaga	atccatgaaa	tttgagatt	ccaacacagt	catgcggttt	ttgaatgagc	3120
agaagaactt	gcacagtga	atatctggca	aacgagacaa	atcagaggaa	gtacaaaaaa	3180
ttgctgaact	ttgcgccaat	tcaattaagg	attatgagct	ccagctggcc	tcatacacct	3240
caggactgga	aactctgctg	aacataccta	tcaagaggac	catgattcag	tcccttctctg	3300
gggtgattct	gcaagaggct	gcagatgttc	atgctcggta	cattgaacta	cttacaagat	3360
ctggagacta	ttacagggttc	ttaagtgaga	tgctgaagag	tttggaaagt	ctgaagctga	3420
aaaataccaa	gatcgaagtt	ttggaagagg	agctcagact	ggcccgagat	gccaaactcgg	3480
aaaactgtaa	taagaacaaa	ttcctggatc	agaacctgca	gaaataccag	gcagagtgtt	3540
ccaggttcaa	agcgaagctt	gcgagcctgg	aggagctgaa	gagacaggct	gagctggatg	3600
ggaagtccgg	taagcaaaat	ctagacaagt	gctacggcca	aataaaaaga	ctcaatgaga	3660
agatcacccg	actgacttat	gagattgaa	atgaaaagag	aagaagaaaa	tctgtggaag	3720
acagatttga	ccaacagaag	aatgactatg	accaactgca	gaaagcaagg	caatgtgaaa	3780
aggagaacct	tggttggcag	aaattagagt	ctgagaaagc	catcaaggag	aaggagtacg	3840
agattgaaag	gttgagggtt	ctactgcagg	aagaaggcac	ccggaagaga	gaatatgaaa	3900
atgagctggc	aaaggtaaga	aaccactata	atgaggagat	gagtaattta	aggaacaagt	3960
atgaaacaga	gattaacatt	acgaagacca	ccatcaagga	gatatccatg	caaaaagagg	4020
atgattccaa	aaatcttaga	aaccagcttg	atagactttc	aagggaaaaat	cgagatctga	4080
aggatgaaat	tgtcaggctc	aatgacagca	tcttgccaggc	cactgagcag	cgaaggcgag	4140
ctgaagaaaa	cgcccttcag	caaaaggcct	gtggctctga	gataatgcag	aagaagcagc	4200
atctggagat	agaactgaag	caggctcatgc	agcagcgctc	tgaggacaat	gcccggcaca	4260
agcagtcctt	ggaggaggct	gccaaagacca	ttcaggacaa	aaataaggag	atcgagagac	4320
tcaaagctga	gtttcaggag	gaggccaagc	gccgctggga	atatgaaaat	gaactgagta	4380
aggtaagaaa	caattatgat	gaggagatca	ttagcttaaa	aaatcagttt	gagaccgaga	4440
tcaacatcac	caagaccacc	atccaccagc	tcaccatgca	gaagggaagag	gataccagtg	4500
gtaaccgggc	tcagatagac	aatctcacc	gagaaaacag	gagcttatct	gaagaaataa	4560
agaggctgaa	gaacactcta	accagacca	cagagaatct	caggagggtg	gaagaagaca	4620
tccaacagca	aaaggccact	ggctctgagg	tgtctcagag	gaaacagcag	ctggaggttg	4680
agctgagaca	agtcactcag	atgcgaacag	aggagagcgt	aagatataag	caatctcttg	4740
atgatgctgc	caaaaccatc	caggataaaa	acaaggagat	agaaagggtta	aaacaactga	4800
tcgacaaaaga	aacaaatgac	cggaaatgcc	tggaagatga	aaacgcgaga	ttacaaaggg	4860
tccagtatga	cctgcagaaa	gcaaacagta	gtgcgacgga	gacaataaac	aaactgaagg	4920
ttcaggagca	agaactgaca	cgcttgagga	tcgactatga	aagggtttcc	caggagagga	4980
ctgtgaagga	ccaggatctc	acgctgttcc	agaactctct	gaaagagctg	cagctgcaga	5040
agcagaaggt	ggaagaggag	ctgaatcggc	tgaagaggac	cgctcagaa	gactcctgca	5100
agaggaagaa	gctggaggaa	gagctggaag	gcatgaggag	gtcgctgaag	gagcaagcca	5160
tcaaaatcac	caacctgacc	cagcagctgg	agcaggcatc	cattgttaag	aagaggagtg	5220
aggatgacct	ccggcagcag	agggaogtgc	tggatggcca	cctgagggaa	aagcagagga	5280
cccaggaaga	gctgaggagg	ctctcttctg	aggctgaggc	cctgaggcgg	cagtactctc	5340
aggaacagga	aagtgtaaaa	caagctcact	tgaggaatga	gcatttccag	aaggcgatag	5400
aagataaaaag	cagaagctta	aatgaaagca	aaatagaaat	tgagaggctg	cagtctctca	5460
cagagaacct	gaccaaggag	cacttgatgt	tagaagaaga	actgcggaac	ctgaggctgg	5520
agtacgatga	cctgaggaga	ggacgaagcg	aagcggacag	tgataaaaaat	gcaaccatct	5580
tggaactaag	gagccagctg	cagatcagca	acaaccggac	cctggaactg	caggggctga	5640

ttaatgattt	acagagagag	agggaaaatt	tgagacagga	aattgagaaa	ttccaaaagc	5700
aggctttaga	ggcatcta	aggattcagg	aatcaaagaa	tcagtgtact	caggtggtac	5760
aggaaagaga	gagccttctg	gtgaaaatca	aagtcctgga	gcaagacaag	gcaaggctgc	5820
agaggctgga	ggatgagctg	aatcgtgcaa	aatcaactct	agaggcagaa	accagggtga	5880
aacagcgcct	ggagtgtgag	aaacagcaaa	ttcagaatga	cctgaatcag	tggaaagactc	5940
aatattcccg	caaggaggag	gctatttagga	agatagaatc	ggaaagagaa	aagagtggaga	6000
gagagaagaa	cagtcttagg	agtgagatcg	aaagactcca	agcagagatc	aagagaattg	6060
aagagaggtg	caggcgtaag	ctggaggatt	ctaccaggga	gacacagtca	cagttagaaa	6120
cagaacgctc	ccgatatcag	agggagattg	ataaactcag	acagcgccca	tatgggtccc	6180
atcgagagac	ccagactgag	tgtgagtggg	ccgttgacac	ctccaagctg	gtgtttgatg	6240
ggctgaggaa	gaaggtgaca	gcaatgcagc	tctatgagtg	tcagctgac	gacaaaacaa	6300
ccttgagcaa	actattgaag	gggaagaagt	cagtggaaga	agttgcttct	gaaatccagc	6360
cattccttcg	gggtgcagga	tctatcgctg	gagcatctgc	ttctcctaag	gaaaaatact	6420
ctttggtaga	ggccaagaga	aagaaattaa	tcagcccaga	atccacagtc	atgcttctg	6480
aggcccaggc	agctacaggt	ggtataattg	atccccatcg	gaatgagaag	ctgactgtcg	6540
acagtgccat	agctcgggac	ctcattgact	tcgatgaccg	tcagcagata	tatgcagcag	6600
aaaaagctat	caactggttt	gatgatccat	tttcaggcaa	gacagtatct	gtttcagaag	6660
ccatcaagaa	aaatttgatt	gatagagaaa	coggaatgcg	cctgctggaa	gcccagattg	6720
cttcaggggg	tgtagtagac	cctgtgaaca	gtgtcttttt	gccaaaagat	gtcgcttg	6780
ccogggggct	gattgataga	gatttgtatc	gatccctgaa	tgatccccga	gatagtcaga	6840
aaaactttgt	ggatccagtc	accaaaaaga	aggtcagtta	cgtgcagctg	aaggaaacggt	6900
gcagaatcga	accacatact	ggtctgctct	tgctttcagt	acagaagaga	agcatgtcct	6960
tccaaggaat	cagacaacct	gtgaccgtca	ctgagctagt	agattctggt	atattgagac	7020
cgtccactgt	caatgaactg	gaatctggtc	agatttctta	tgacgaggtt	ggtgagagaa	7080
ttaaggactt	cctccagggt	tcaagctgca	tagcaggcat	atacaatgag	accacaaaac	7140
agaagcttgg	catttatgag	gccatgaaaa	ttggcttagt	ccgacctggt	actgctctgg	7200
agttgctgga	agcccaagca	gctactggct	ttatagtggg	tctgttagc	aacttgaggt	7260
taccagtggg	ggaagcctac	aagagaggtc	tggtgggcat	tgagttcaaa	gagaagctcc	7320
tgtctgcaga	acgagctgtc	actgggtata	atgatcctga	aacaggaaac	atcatctctt	7380
tgttccaagc	catgaataag	gaactcatcg	aaaaggggcca	cggatttcgc	ttattagaag	7440
cacagatcgc	aaccgggggg	atcattgacc	caaaggagag	ccatcgttta	ccagttgaca	7500
tagcatataa	gaggggctat	ttcaatgagg	aactcagtga	gattctctca	gatccaagtg	7560
atgataccaa	aggatttttt	gacccaaca	ctgaagaaaa	tcttacctat	ctgcaactaa	7620
aagaaagatg	cattaaggat	gaggaaacag	ggctctgtct	tctgcctctg	aaagaaaaga	7680
agaaacaggt	gcagacatca	caaaagaata	ccctcaggaa	gcgtagagtg	gtcatagttg	7740
accagaaac	caataaagaa	atgtctgttc	aggaggccta	caagaagggc	ctaattgatt	7800
atgaaacctt	caaagaactg	tgtgagcagg	aatgtgaatg	ggaagaaata	accatcacgg	7860
gatcagatgg	ctccaccagg	gtggctcctg	tagatagaaa	gacaggcagt	cagtatgata	7920
ttcaagatgc	tattgacaag	ggccttggtg	acaggaaagt	ctttgatcag	taccgatccg	7980
gcagcctcag	cctcactcaa	tttgetgaca	tgatctcctt	gaaaaatggt	gtcggcacca	8040
gcagcagcat	gggcagtggg	gtcagcgatg	atgttttttag	cagctcccga	catgaatcag	8100
taagtaagat	ttccaccata	tccagcgtca	ggaatttaac	cataaggagc	agctcttttt	8160
cagacacctt	ggaagaatcg	agccccattg	cagccatctt	tgacacagaa	aacctggaga	8220
aaatctccat	tacagaaggt	atagagcggg	gcacgttgga	cagcatcacg	ggtcagaggc	8280
ttctggaggc	tcaggcctgc	acagggtggc	tcatccaccc	aaccacgggc	cagaagctgt	8340
cacttcagga	cgcagctctc	cagggtgtga	ttgaccaaga	catggccacc	agcgtgaagc	8400
ctgctcagaa	agccttcata	ggcttcgagg	gtgtgaaggg	aaagaagaag	atgtcagcag	8460
cagagtcaggt	gaaagaaaaa	tggctcccg	atgaggctgg	ccagcgcttc	ctggagttcc	8520
agtacctcac	gggaggtcct	gttgaccgg	aagtgcattg	gaggataagc	accgaagaag	8580
ccatccggaa	ggggttcata	gatggccgg	ccgcacagag	gctgcaagac	accagcagct	8640
atgccaaaat	cctgacctgc	cccaaaaacca	aattaaaaat	atcctataag	gatgccataa	8700
atcgctccat	ggtagaagat	atcactgggc	tgcgccttct	ggaagccggc	tccgtgtcgt	8760
ccaagggtct	accagccct	tacaacatgt	cttcggctcc	ggggtcccgc	tccggctccc	8820
gctcgggac	tcgctccgga	tctcgctccg	ggtcccgcag	tgggtcccgc	agaggaagct	8880
ttgacgccac	aggggaattct	tctactctt	attcctactc	atttagcagt	agttctattg	8940

ggcactag

8948

<210> 120
 <211> 587
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (587)
 <223> n = A,T,C or G

<400> 120

cgtcctaagc	acttagacta	catcagggaa	gaacacagac	cacatccctg	tcctcatgcg	60
gcttatgttt	tctggaagaa	agtggagacc	nagtccttgg	ctttagggct	ccccggctgg	120
gggctgtgca	ntccggtcag	ggcgggaagg	gaaatgcacc	gctgcatgtg	aacttacagc	180
ccaggcggat	gccccttccc	ttagcactac	ctggcctcct	gcctccctc	gcctcatgtt	240
cctccacact	tcaaanaatg	aanaacccca	tgggccccagc	cccttgccct	ggggaaccaa	300
ggcagccttc	caaaactcag	gggctgaagc	anactattag	ggcaggggct	gactttgggt	360
gacactgccc	attccctctc	agggcagctc	angtcaccen	ggnetcttga	acccagcctg	420
ttcctttgaa	aaagggcaaa	actgaaaagg	gcttttctta	naaaaagaaa	aaccagggaa	480
ctttgccagg	gcttcnntnt	taccaaaacn	ncttctcnng	gatttttaat	tccccattng	540
gcctccactt	accnggggcn	atgccccaaa	attaanaatt	tcccatc		587

<210> 121
 <211> 619
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (619)
 <223> n = A,T,C or G

<400> 121

cactagtagg	atagaaacac	tgtgtcccga	gagtaaggag	agaagctact	attgattaga	60
gcctaaccac	ggttaactgc	aagaagaggc	gggatacttt	cagctttcca	tgtaactgta	120
tgcataaagc	caatgtagtc	cagtttctaa	gatcatgttc	caagctaact	gaatcccact	180
tcaatacaca	ctcatgaact	cctgatggaa	caataacagg	cccaagcctg	tggtatgatg	240
tgcacacttg	ctagactcan	aaaaaatact	actctcataa	atgggtggga	gtatttttgg	300
gacaacctac	tttgcttggc	tgagtgaagg	aatgatattc	atatattcat	ttattccatg	360
gacatttagt	tagtgctttt	tatataccag	gcatgatgct	gagtgaact	cttggtgata	420
tttccaaatt	tttgtaagc	cgctgcacat	atttgaaatc	atatattaag	acttccaaaa	480
aatgaagtcc	ctggtttttc	atggcaactt	gatcagtaaa	ggattcncct	ctgttttggt	540
cttaaaacat	ctactatatn	gttnanatga	aattcctttt	ccccncctcc	cgaaaaaana	600
aagtgggtggg	gaaaaaaa					619

<210> 122
 <211> 1475
 <212> DNA
 <213> Homo sapien

<400> 122

tccacctgtc	cccgacgcgc	cggtcgcgc	cctcctgcgc	cagccaccga	gcgcgcgtct	60
agcgcccgga	cctcgccacc	atgagagccc	tgctggcgcg	cctgcttctc	tgctcctg	120

tctgtgagcga	ctccaaaggc	agcaatgaac	ttcatcaagt	tccatogaac	tgtgactgtc	180
taaatggagg	aacatgtgtg	tccaacaagt	acttctccaa	cattcactgg	tgcaactgcc	240
caaagaaatt	cgaggggcag	cactgtgaaa	tagataagtc	aaaaacctgc	tatgagggga	300
atggtcactt	ttaccgagga	aaggccagca	ctgacaccat	gggcgggccc	tgccctgccct	360
ggaactctgc	cactgtcctt	cagcaaacgt	accatgccc	cagatctgat	gctcttcage	420
tgggcctggg	gaaacataat	tactgcagga	accagacaa	ccggaggcga	ccctgggtgt	480
atgtgcagg	gggcctaaag	ccgcttgtcc	aagagtgc	ggtgcatgac	tgcgcatatg	540
gaaaaaagcc	ctcctctcct	ccagaagaat	taaaatttca	gtgtggccaa	aagactctga	600
ggccccgctt	taagattatt	ggggggagaat	tcaccacat	cgagaaccag	ccctgggttg	660
cgcccatcta	caggaggcac	cgggggggct	ctgtcaccta	cgtgtgtgga	ggcagcctca	720
tcagcccttg	ctgggtgatc	agcgccacac	actgcttcat	tgattacca	aagaaggagg	780
actacatcgt	ctacctgggt	cgctcaaggc	ttaactccaa	cacgcaagg	gagatgaagt	840
ttgaggtgga	aaacctcatc	ctacacaagg	actacagcgc	tgacacgctt	gctcaccaca	900
acgacattgc	cttgcctgaag	atccgttcca	aggaggcag	gtgtgocgag	ccatcccggg	960
ctatacagac	catctgcctg	ccctcgatgt	ataacgatcc	ccagtttggc	acaagctgtg	1020
agatcactgg	ctttggaaaa	gagaattcta	ccgactatct	ctatccggag	cagctgaaga	1080
tgactgttgt	gaagctgatt	tcccaccggg	agtgtcagca	gccccactac	tacggctctg	1140
aagtaccac	caaaatgctg	tgtgtgtgtg	accacagtg	gaaaacagat	tcctgccagg	1200
gagactcagg	gggacccctc	gtctgttccc	tccaaggccg	catgactttg	actggaattg	1260
tgagctgggg	ccgtggatgt	gccctgaagg	acaagccagg	cgtctacacg	agagtctcac	1320
acttcttacc	ctggatccgc	agtcacacca	aggaagagaa	tggcctggcc	ctctgagggg	1380
ccccagggag	gaaacgggca	ccaccgcgtt	tcttgcgtgt	tgtcattttt	gcagtagagt	1440
catctccatc	agctgtaaga	agagactggg	aagat			1475

<210> 123

<211> 2294

<212> DNA

<213> Homo sapien

<400> 123

cagcgccggc	tgcgcgccctc	ctgccgcagc	caccgagccg	ccgtctagcg	ccccgacctc	60
gccaccatga	gagccctgct	ggcgcgccctg	cttctctgcg	tcctgggtcgt	gagcgactcc	120
aaaggcagca	atgaacttca	tcaagttcca	tcgaactgtg	actgtctaaa	tggaggaaca	180
tgtgtgtcca	acaagtactt	ctccaacatt	cactggtgca	actgccccaa	gaaattccga	240
gggcagcact	gtgaaataga	taagtcaaaa	acctgctatg	aggggaatgg	tcacttttac	300
cgaggaaagg	ccagcactga	caccatgggc	cgccctgcc	tgccctggaa	ctctgccact	360
gtccttcagc	aaacgtacca	tgcccacaga	tctgatgtc	ttcagctggg	cctggggaaa	420
cataattact	gcaggaaccc	agacaaccgg	aggcgaccct	ggtgctatgt	gcaggtgggc	480
ctaacctccg	ttgtccaaga	gtgcatggtg	catgactgcg	cagatggaaa	aaagccctcc	540
tctcctccag	aagaattaaa	atttcagtgt	ggccaaaaga	ctctgaggcc	ccgctttaag	600
attattgggg	gagaattcac	caccatcgag	aaccagccct	ggtttgccg	catctacagg	660
aggcaccggg	ggggctctgt	cacctacgtg	tgtggaggca	gcctcatcag	cccttgctgg	720
gtgatcagcg	ccacacactg	cttcattgat	tacccaaaga	aggaggacta	catcgtctac	780
ctgggtcgct	caaggcttaa	ctccaacacg	caaggggaga	tgaagtttga	ggtggaaaac	840
ctaatectac	acaaggacta	cagcgctgac	acgcttgctc	accacaacga	cattgccttg	900
ctgaagatcc	gttccaagga	gggcaggtgt	gcgcagccat	ccgggactat	acagaccatc	960
tgccctgccct	cgatgtataa	cgatccccag	tttggcacia	gctgtgagat	cactggcttt	1020
ggaaaagaga	attctaccga	ctatctctat	ccggagcagc	tgaaaatgac	tgttgtgaag	1080
ctgatttccc	accgggagtg	tcagcagccc	cactactacg	gctctgaagt	caccacaaa	1140
atgctgtgtg	ctgctgaccc	acagtggaaa	acagattcct	gccagggaga	ctcaggggga	1200
cccctcgtct	gtccctcca	aggcgcgatg	actttgactg	gaattgtgag	ctggggccgt	1260
ggatgtgccc	tgaaggacaa	gccaggcgtc	tacacgagag	tctcacactt	cttacctgg	1320
atccgcagtc	acaccaagga	agagaatggc	ctggccctct	gaggggtccc	agggaggaaa	1380
cgggcaccac	ccgctttctt	gctggttget	atthtgcagt	agagtcactc	ccatcagctg	1440
taagaagagc	tgggaatata	ggctctgcac	agatggattt	gcctgtgcca	ccaccagggc	1500

gaacgacaat	agctttaccc	tcaggcatag	gcctgggtgc	tggctgcccc	gacccctctg	1560
gccaggatgg	aggggtgggc	ctgactcaac	atgttactga	ccagcaactt	gtctttttct	1620
ggactgaagc	ctgcaggagt	taaaaagggc	agggcatctc	ctgtgcatgg	gctogaaggg	1680
agagccagct	ccccgaccg	gtgggcattt	gtgaggccca	tggttgagaa	atgaataatt	1740
tcccaattag	gaagtgtgag	cagctgaggt	ctcttgaggg	agcttagcca	atgtgggagc	1800
agcggtttgg	ggagcagaga	cactaacgac	ttcagggcag	ggctctgata	ttccatgaat	1860
gtatcaggaa	atatatatgt	gtgtgtatgt	ttgcacactt	gtgtgtgggc	tgtgagtgtg	1920
agtgtgagta	agagctgggt	tctgattgtt	aagtctaaat	atttccttaa	actgtgtgga	1980
ctgtgatgcc	acacagagtg	gtctttctgg	agagggtata	ggctactcct	ggggcctctt	2040
gggtccccc	cgtgacagtg	cctgggaatg	tattattctg	cagcatgacc	tgtgaccagc	2100
actgtctcag	tttactttc	acatagatgt	ccctttcttg	gccagttatc	ccttcctttt	2160
agcctagttc	atccaatcct	cactgggtgg	ggtgaggacc	actcctgtac	actgaatatt	2220
tatatttcac	tatttttatt	tatatttttg	taattttaaa	taaaagtgat	caataaaatg	2280
tgatttttct	gatg					2294

<210> 124

<211> 956

<212> DNA

<213> Homo sapien

<400> 124

gatgagttcc	gcaccaagtt	tgagacagac	caggccctgc	gcctgagtgt	ggaggccgac	60
atcaatggcc	tgccagggg	gctggatgag	ctgaccctgg	ccagagccga	cctggagatg	120
cagattgaga	acctcaagga	ggagctggcc	tacctgaaga	agaaccacga	ggaggagatg	180
aacgccctgc	gaggccaggt	gggtgggtgag	atcaatgtgg	agatggacgc	tgcccaggc	240
gtggacctga	gccgcaccc	caacgagatg	cgtgaccagt	atgagaagat	ggcagagaag	300
aaccgcaagg	atgccgagga	ttggttcttc	agcaagacag	aggaactgaa	ccgcgaggtg	360
gccaccaaca	gtgagctggg	gcagagtggc	aagagtgaga	tctcggagct	ccggcgacc	420
atgcaggcct	tgagataga	gctgcagtcc	cagctcagca	tgaaagcatc	cctggagggc	480
aacctggcgg	agacagagaa	ccgctactgc	gtgcagctgt	cccagatcca	ggggctgatt	540
ggcagcgtgg	aggagcagct	ggcccagctt	cgtgcgaga	tggagcagca	gaaccaggaa	600
tacaaaatcc	tgctggatgt	gaagacgcgg	ctggagcagg	agattgccac	ctaccgcgc	660
ctgctggagg	gagaggatgc	ccacctgact	cagtacaaga	aagaacoggt	gaccaccogt	720
caggtgcgta	ccattgtgga	agaggtccag	gatggcaagg	tcatctctc	ccgcgagcag	780
gtccaccaga	ccaccgcgtg	aggactcagc	taccocggcc	ggccaccaca	gaggcagggg	840
cgcagccgcc	ccatctgccc	cacagtctcc	ggcctctcca	gcctcagccc	cctgcttcag	900
tcccttcccc	atgcttctct	gcctgatgac	aataaaagct	tgttgactca	gctatg	956

<210> 125

<211> 486

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(486)

<223> n = A,T,C or G

<400> 125

aaattatata	tagtgnttca	gtcctccattg	tgggtgttcat	agtcttctag	gaacagataa	60
acttaagtat	tcaattcact	cttggcattt	tttctttaat	ataggctttt	tagcctattt	120
ttggaaaact	gcttttcttc	tgagaacctt	attctgaatg	tcatcaactt	taccaaacct	180
tctaagtcca	gagctaactt	agtactgttt	aagttactat	tgactgaatt	ttcttcatth	240
tctgttttagc	cagtgttacc	aaggtaagct	ggggaatgaa	gtataccaac	ttctttcaga	300
gcatttttagg	acattatggc	agcttttagaa	ggctgtcttg	tttctagcca	aggagagacc	360

agcgcagggtt	ttggatacta	gagaaagtca	tttgcttgta	ctattgccat	tttagaaagc	420
tctgatgtga	attcaaattt	tacctctgtt	acttaaagcc	aacaatttta	aggcagtagt	480
tttact						486

<210> 126

<211> 3552

<212> DNA

<213> Homo sapien

<400> 126

cggcaggcag	gtctcgtctc	ggcaccctcc	cgggcgccgc	gttctcctgg	ccctgcccg	60
catcccgatg	gccgcgctg	ggccccggcg	ctcgtgctgc	ggagccgtct	gcctgcatct	120
gctgctgacc	ctcgtgatct	tcagtcgtgc	tggtgaagcc	tgcaaaaagg	tgatacttaa	180
tgtaccttct	aaactagagg	cagacaaaat	aattggcaga	gttaatttgg	aagagtgcct	240
caggctctgca	gacctcatcc	ggccaagtga	tcctgatttc	agagttctaa	atgatgggtc	300
agtgtacaca	gccagggctg	ttgcgctgtc	tgataagaaa	agatcattta	ccatattggc	360
ttctgacaaa	aggaaacaga	cacagaaaga	ggttactgtg	ctgctagaac	atcagaagaa	420
ggtatcgaa	acaagacaca	ctagagaaac	tgttctcagg	cgtgccaaga	ggagatgggc	480
acctattcct	tgctctatgc	aagagaattc	cttgggccct	ttccatttgt	ttcttcaaca	540
agttgaatct	gatgcagcac	agaactatac	tgtcttctac	tcaataagtg	gacgtggagt	600
tgataaagaa	cctttaaatt	tgttttatat	agaaagagac	actggaaatc	tattttgcac	660
tcggcctgtg	gatcgtgaag	aatatgatgt	ttttgatttg	attgcttatg	cgtcaactgc	720
agatggatat	tcagcagatc	tgccccctcc	actaccatc	agggtagagg	atgaaaatga	780
caaccaccct	gttttccacag	aagcaattta	taattttgaa	gttttggaac	gtagtagacc	840
tggtactaca	gtgggggtgg	tttggtgccac	agacagagat	gaaccggaca	caatgcatac	900
ggcgcctgaaa	tacagcattt	tgacgcagac	accaaggtca	cctgggctct	tttctgtgca	960
tcccagcaca	ggcgtaatca	ccacagtctc	tcattatttg	gacagagagg	ttgtagacaa	1020
gtactcattg	ataatgaaag	tacaagacat	ggatggccag	ttttttggat	tgataggcac	1080
atcaacttgt	atcataacag	taacagattc	aaatgataat	gcaccactt	tcagacaaaa	1140
tgcttatgaa	gcatttgtag	aggaaaatgc	attcaatgtg	gaaatcttac	gaatacctat	1200
agaagataag	gatttaatta	acactgccaa	ttggagagtc	aattttacca	ttttaaaggg	1260
aaatgaaaat	ggacatttca	aaatcagcac	agacaaagaa	actaatgaag	gtgttctttc	1320
tggttgtaaag	ccactgaatt	atgaagaaaa	cogtcaagtg	aacctggaaa	ttggagtaaa	1380
caatgaagcg	ccatttgcta	gagatattcc	cagagtgaac	gccttgaaca	gagccttggt	1440
tacagttcat	gtgagggatc	tggtatgagg	gcctgaatgc	actcctgcag	cccaatatgt	1500
goggattaaa	gaaaacttag	cagtggggtc	aaagatcaac	ggctataagg	catatgacct	1560
cgaaaataga	aatggcaatg	gtttaaggta	caaaaaattg	catgatccta	aaggttggtg	1620
caccattgat	gaaatttcag	ggtcaatcat	aacttccaaa	atcctggata	gggaggttga	1680
aactcccaa	aatgagttgt	ataatattac	agtcctggca	atagacaaag	atgatagatc	1740
atgtactgga	acacttgctg	tgaacattga	agatgtaaat	gataatccac	cagaaatact	1800
tcaagaatat	gtagtcattt	gcaaaccaaa	aatgggggat	accgacattt	tagctgttga	1860
tcctgatgaa	cctgtccatt	gagctccatt	ttatttcagt	ttgccaata	cttctccaga	1920
aatcagtaga	ctgtggagcc	tcaccaaagt	taatgataca	gctgcccgtc	tttcatatca	1980
gaaaaatgct	ggatttcaag	aatataccat	tcctattact	gtaaaagaca	gggcccggcca	2040
agctgcaaca	aaattattga	gagttaatct	gtgtgaatgt	actcatccaa	ctcagtgtcg	2100
tgcgacttca	aggagtacag	gagtaatact	tggaataatg	gcaatccttg	caatattact	2160
gggtatagca	ctgctctttt	ctgtattgct	aacttttagta	tgtggagttt	ttggtgcaac	2220
taaagggaaa	cgttttctcg	aagatttagc	acagcaaaac	ttaattatat	caaacacaga	2280
agcacctgga	gacgatagag	tgtgctctgc	caatggattt	atgacccaaa	ctaccaacaa	2340
ctctagccaa	ggtttttgtg	gtactatggg	atcaggaatg	aaaaatggag	ggcaggaaac	2400
cattgaaatg	atgaaaggag	gaaaccagac	cttggaatcc	tgccgggggg	ctgggcatca	2460
tcataccctg	gactcctgca	ggggaggaca	cacggagggtg	gacaactgca	gatacactta	2520
ctcggagtgg	cacagtttta	ctcaaccctg	tctcgggtgaa	aaattgcatc	gatgtaatca	2580
gaatgaagac	cgcatgccat	cccaagatta	tgctctcact	tataactatg	agggaagagg	2640
atctccagct	ggttctgtgg	gctgctgcag	tgaaaagcag	gaagaagatg	gccttgactt	2700

tttaaataat	ttggaaccca	aattttattac	attagcagaa	gcatgcacaa	agagataatg	2760
tcacagtgt	acaattaggt	ctttgtcaga	cattctggag	gtttccaaaa	ataatattgt	2820
aaagttcaat	ttcaacatgt	atgtatatga	tgattttttt	ctcaattttg	aattatgcta	2880
ctcaccaatt	tatatTTTTA	aagcaagttg	ttgcttatct	tttccaaaaa	gtgaaaaatg	2940
ttaaaacaga	caactggtaa	atctcaaaact	ccagcactgg	aattaaggtc	tctaaagcat	3000
ctgctctttt	ttttttttac	agatatTTTA	gtaataaata	tgctggataa	atattagtcc	3060
aacaatagct	aagttatgct	aatatcacat	tattatgtat	tcactttaag	tgatagtTTA	3120
aaaaataaac	aagaaatatt	gagtatcact	atgtgaagaa	agttttggaa	aagaaacaat	3180
gaagactgaa	ttaaattaaa	aatgttgcag	ctcataaaga	attggactca	cccctactgc	3240
actaccaaat	tcatttgact	ttggaggcaa	aatgtgttga	agtgccttat	gaagtagcaa	3300
ttttctatag	gaatatagtt	ggaaataaat	gtgtgtgtgt	atattattat	taatcaatgc	3360
aatattttaa	tgaaatgaga	acaaagagga	aaatggtaaa	aacttgaaat	gaggctgggg	3420
tatagtttgt	cctacaatag	aaaaaagaga	gagcttcccta	ggcctgggct	cttaaagtgt	3480
gcattataac	tgagtctatg	aggaaatagt	tcctgtccaa	tttgtgtaat	ttgtttaaaa	3540
ttgtaataaa	at					3552

<210> 127

<211> 754

<212> DNA

<213> Homo sapien

<400> 127

tttttttttt	ttgtcattgt	tcattgattt	taatgagaaa	gctaagagag	gaaataagta	60
gccttttcaa	ggtcacacag	aagtaagtga	cagatccagg	attcatatcc	aagcattctg	120
gctctagtgt	ccatgcttct	caaccattat	gacccaatat	tcaaccaa	caatactgaa	180
ggacacgtga	aatgtatccg	gtattttact	attacaaaca	aaaatccaat	gaacattctt	240
gaagacatac	acaaaaataa	tggttacaat	agaagttact	ggaattgaaa	ttttggttca	300
acctatatta	aaatgtaagg	cttttgatat	agctaataga	tttttgaaat	gatcagtcct	360
aacgttttga	ggggagcaca	ctcctgcatt	gggaaaagat	tcactgtgaa	gcacagagca	420
cctttatggg	tggatcatct	tgtcattaaa	gttcaggcgt	tatctatcct	gtaagtggca	480
gaatcaagac	tgcaatatcg	cctgcttttc	tttttaactc	atgttttccc	tgactacac	540
tggtcctcaa	agtaaaaccc	ctgtgtcagt	gtactattca	tggaatactc	tgcaattata	600
accaccttct	aatactttta	atacceaatc	aaaatttatt	atacatatgt	atcatagata	660
ctcacttgta	aagctgtgct	tcaaaatagt	gatctcttcc	caacattaca	atatatatta	720
atgatgtcga	acctgcccgg	gcggccgcgc	gaag			754

<210> 128

<211> 374

<212> DNA

<213> Homo sapien

<400> 128

agggttttgat	taaaaaggca	aatgatttta	ttgttcgata	atctttttaa	aaaataagag	60
gaaggagtaa	aattaaagat	gaaagatgat	ttttatttcc	ttgtgacctc	tatatcccc	120
ttcccctgcc	cttggttaagt	aactcttgat	ggagaaagga	ttaaagactc	ttatttaacc	180
aaaaaacaga	gccagcta	catttccaaa	ggtagtatc	tccctgctga	cctcttcttt	240
ggtttaattg	aataaaacta	tatgttcata	tatgtattaa	aacaactcag	aataacatct	300
tttcttccct	agttaaggca	ttataagggc	tatactatca	tccataataa	ccaaggcaat	360
aacttaaaaa	gctg					374

<210> 129

<211> 546

<212> DNA

<213> Homo sapien

<400> 129

agtgatgatg	atatctgcag	aattcgggct	aagcgtgggc	gcggcccgag	gtctggaact	60
tcccagcacy	tgaaaaggag	cctcctgagc	tgactcggct	aaagccccac	tttcgctcct	120
cctcatttct	gcctactgat	ttccttggag	cattcatctg	aatattaccg	tttgctgtgt	180
aacctgggtac	atacatagca	tgactccctg	gaatagagtg	ggctgggggtg	cttatgctgg	240
gagagtgtatt	gacatgcact	ttcaagctat	atctaccatt	tgacgcaaag	gagaaaaaat	300
acctcgagta	aattccatca	ttttttataa	catcagcacc	tgctccatca	tcaaggagtc	360
tcagcgtaac	aggatctcca	gtctctggct	caactgtggc	agtgacagtg	gcattaagaa	420
tgggataaaa	tccctgtttc	acattggcat	aatcatcac	aggatgagga	aaatggaggc	480
tgtctctttc	cacaaaggct	tccacagtgg	ctggggggcac	agacctgccc	gggcggccgc	540
tcgaaa						546

<210> 130

<211> 5156

<212> DNA

<213> Homo sapien

<400> 130

accaaccgag	gcgcggggca	gcgaccctg	cagcggagac	agagactgag	cggcccggca	60
cgcctatgcc	tgcgtctctg	ctgggctgct	gcctctgctt	gtcgtcctc	ctgcccgcag	120
cccggggccac	ctccaggagg	gaagtctgtg	attgcaatgg	gaagtccagg	cagtgtatct	180
ttgatcggga	acttcacaga	caaactggta	atggattccg	ctgcctcaac	tgcaatgaca	240
acactgatgg	cattcactgc	gagaagtgc	agaatggctt	ttaccggcac	agagaaaggg	300
accgtgtttt	gccttgcaat	tgtaactcca	aagggtctct	tagtgctcga	tgtgacaact	360
cggagcgggtg	cagctgtaaa	ccagggtgta	caggagccag	atgcgaccga	tgtctgccag	420
gcttccacat	gctcacggat	gcgggggtgca	cccaagacca	gagactgcta	gactccaagt	480
gtgactgtga	cccagctggc	atcgcagggc	cctgtgacgc	gggcccgtgt	gtctgcaagc	540
cagctgtcac	tggagaacgc	tgtgatagg	gtcgatcagg	ttactataat	ctggatgggg	600
ggaaccctga	gggctgtacc	cagtgtttct	gctatgggca	ttcagccagc	tgccgcagct	660
gtgcagaata	cagtgtccat	aagatcacct	ctacctttca	tcaagatgtt	gatggctgga	720
aggctgtcca	acgaaatggg	tctcctgcaa	agctccaatg	gtcacagcgc	catcaagatg	780
tgttttagctc	agcccaacga	ctagaccctg	tctattttgt	ggctcctgcc	aaatttcttg	840
ggaatcaaca	ggtgagctat	ggtcaaagcc	tgtcctttga	ctaccgtgtg	gacagaggag	900
gcagacaccc	atctgcccat	gatgtgattc	tgggaaggtgc	tgtgtacagg	atcacagctc	960
ccttgatgcc	acttggcaag	acactgcctt	gtgggctcac	caagacttac	acattcaggt	1020
taaattgagca	tccaagcaat	aattggagcc	cccagctgag	ttactttgag	tatcgaaggt	1080
tactgcggaa	tctcacagcc	ctccgcatcc	gagctacata	tggagaatac	agtactgggt	1140
acattgacaa	tgtgaccctg	atttcagccc	gccctgtctc	tggagcccca	gcaccctggg	1200
ttgaacagtg	tatatgtcct	gttgggtaca	agggggcaatt	ctgccaggat	tgtgcttctg	1260
gctacaagag	agattcagcg	agactggggc	cttttggcac	ctgtattcct	tgtaactgtc	1320
aagggggagg	ggcctgtgat	ccagacacag	gagattgtta	ttcaggggat	gagaatcctg	1380
acattgagtg	tgtgtactgc	ccaattgggt	tctacaacga	tccgcacgac	ccccgcagct	1440
gcaagccatg	tccctgtcat	aacgggttca	gctgctcagt	gatgccggag	acggaggagg	1500
tgggtgtgcaa	taactgcctt	ccgggggtca	cgggtgcccg	ctgtgagctc	tgtgtgtgat	1560
gctacttttg	ggaccccttt	ggtgaacatg	gcccagttag	gccttgtcag	ccttgtcaat	1620
gcaacaacaa	tgtggacccc	agtgcctctg	ggaattgtga	cgggtgaca	ggcaggtgtt	1680
tgaagtgtat	ccacaacaca	gcgggcatct	actgcgacca	gtgcaaagca	ggctacttcg	1740
gggacccatt	ggctcccaac	ccagcagaca	agtgtcgagc	ttgcaactgt	aaccccatgg	1800
gctcagagcc	tgtaggatgt	cgaagtgatg	gcacctgtgt	ttgcaagcca	ggatttgggtg	1860
gccccaaactg	tgagcatgga	gcattcagct	gtccagcttg	ctataatcaa	gtgaagattc	1920
agatggatca	gtttatgcag	cagcttcaga	gaatggaggc	cctgatttca	aaggctcagg	1980
gtgggtgatgg	agtagtacct	gatacagagc	tggaaaggcag	gatgcagcag	gctgagcagg	2040
cccttcagga	cattctgaga	gatgccccaga	tttcagaagg	tgttagcaga	tcccttggtc	2100
tccagttggc	caaggtgagg	agccaagaga	acagctacca	gagccgcctg	gatgacctca	2160
agatgactgt	ggaaagagtt	cgggctctgg	gaagtcagta	ccagaaccga	gttcgggata	2220

ctcacaggct	catcactcag	atgcagctga	gcctggcaga	aagtgaagct	tccttgggaa	2280
acactaacat	tcctgcctca	gaccactacg	tggggccaaa	tggttttaaa	agtctggctc	2340
aggaggccac	aagattagca	gaaagccacg	ttgagtcagc	cagtaacatg	gagcaactga	2400
caagggaaac	tgaggactat	tccaaacaag	ccctctcact	ggtgogcaag	gccctgcatg	2460
aaggagtcgg	aagcggaaag	ggtagcccg	acggtgctgt	ggtgcaaggg	cttgtggaaa	2520
aattggagaa	aaccaagtcc	ctggcccagc	agttgacaag	ggaggccact	caagcggaaa	2580
ttgaagcaga	taggtcttat	cagcacagtc	tccgcctcct	ggattcagtg	tctcggcttc	2640
agggagtcag	tgatcagtc	tttcaggtgg	aagaagcaaa	gaggatcaaa	caaaaagcgg	2700
attcactctc	aagcctggta	accaggcata	tggtatgagtt	caagcgtaca	cagaagaatc	2760
tgggaaactg	gaaagaagaa	gcacagcagc	tcttacagaa	tggaaaaagt	gggagagaga	2820
aatcagatca	gctgctttcc	cgtgccaatc	ttgctaaaag	cagagcacaa	gaagcactga	2880
gtatgggcaa	tgccactttt	tatgaagttg	agagcatcct	taaaaacctc	agagagtttg	2940
acctgcaggt	ggacaacaga	aaagcagaag	ctgaagaagc	catgaagaga	ctctcctaca	3000
tcagccagaa	ggtttcagat	gccagtga	agaccagca	agcagaaaga	gccctgggga	3060
gcgctgctgc	tgatgcacag	agggcaaaga	atggggccgg	ggaggccctg	gaaatctcca	3120
gtgagattga	acaggagatt	gggagtcga	acttggaaagc	caatgtgaca	gcagatggag	3180
ccttggccat	ggaaaaggga	ctggcctctc	tgaagagtga	gatgagggaa	gtggaaaggag	3240
agctggaaag	gaaggagctg	gagtttgaca	cgaatatgga	tgcagtacag	atggtgatta	3300
cagaagccca	gaaggttgat	accagagcca	agaacgctgg	ggttacaatc	caagacacac	3360
tcaacacatt	agacggcctc	ctgcatctga	tggaccagcc	tctcagtgtg	gatgaagagg	3420
ggctggtctt	actggagcag	aagctttccc	gagccaagac	ccagatcaac	agccaactgc	3480
ggcccatgat	gtcagagctg	gaagagaggg	cacgtcagca	gaggggccac	ctccatttgc	3540
tggagacaag	catagatggg	attctggctg	atgtgaagaa	cttgagaaac	attagggaca	3600
acctgcccc	aggctgctac	aatacccagg	ctcttgagca	acagtgaagc	tgccataaat	3660
atttctcaac	tgaggttctt	gggatacaga	tctcagggct	cgggagccat	gtcatgtgag	3720
tgggtgggat	ggggacattt	gaacatgttt	aatgggtatg	ctcaggtcaa	ctgacctgac	3780
ccattcctg	atcccatggc	caggtggttg	tcttattgca	ccatactcct	tgcttcctga	3840
tgctgggcaa	tgaggcagat	agcactgggt	gtgagaatga	tcaaggatct	ggaccccaa	3900
gaatagactg	gatggaaaga	caaactgcac	aggcagatgt	ttgcctcata	atagtcgtaa	3960
gtggagtcc	ggaatttga	caagtgtgt	tgggatata	tcaacttatt	ctttgagtaa	4020
tgtgactaaa	ggaaaaaact	ttgactttgc	ccaggcatga	aattcttct	aatgtcagaa	4080
cagagtgc	ccagtcaca	ctgtggccag	taaaatacta	ttgcctcata	ttgtcctctg	4140
caagcttctt	gctgatcaga	gttcctccta	cttacaaccc	aggggttgaa	catgttctcc	4200
attttcaagc	tggaaagagt	gagcagtggt	ggagtggaga	cctgtaaggc	aggcccattc	4260
agagctatgg	tgcttgctgg	tgccctgccac	cttcaagttc	tggacctggg	catgacatcc	4320
tttcttttaa	tgatgccatg	gcaacttaga	gattgcattt	ttattaaagc	atttcctacc	4380
agcaaagcaa	atgttgggaa	agtatttact	ttttcggttt	caaagtata	gaaaagtgtg	4440
gcttgggcat	tgaagaggt	aaaattctct	agatttatta	gtcctaattc	aatcctactt	4500
ttagaacacc	aaaaatgatg	cgcatcaatg	tattttatct	tattttctca	atctcctctc	4560
tctttcctcc	accataata	agagaatgtt	cctactcaca	cttcagctgg	gtcacatcca	4620
tccctccatt	catcctcca	tccatctttc	catccattac	ctccatccat	ccttccaaca	4680
tatattttatt	gagtacctac	tgtgtgccag	gggctggtgg	gacagtgggtg	acatagtctc	4740
tgccctcata	gagttgattg	tctagttagg	aagacaagca	tttttaaaaa	ataaatttaa	4800
acttacaac	tttgtttgtc	acaagtgggt	tttattgcaa	taaccgcttg	gtttgcaacc	4860
tctttgctca	acagaacata	tggttgcaaga	ccctcccatg	ggggcacttg	agttttggca	4920
aggctgacag	agctctgggt	tgtgcacatt	tctttgcatt	ccagctgtca	ctctgtgcct	4980
ttctacaact	gattgcaaca	gactgttgag	ttatgataac	accagtggga	attgctggag	5040
gaaccagagg	cacttccacc	ttggctggga	agactatggt	gctgccttgc	ttctgtattt	5100
ccttggattt	tcctgaaagt	gttttttaaat	aaagaacaat	tgtagaaaa	aaaaaa	5156

<210> 131

<211> 671

<212> DNA

<213> Homo sapien

<400> 131

aggtctggag	ggccacagc	cggatgtggg	acaccgggaa	aaagtgggtca	tagcacacat	60
ttttgcatcc	cggttgcagt	gtgttgacaga	cgaagtcctc	ttgctcgtca	ccccacactt	120
cctgggcagc	caycacgagg	atcatgactc	ggaaaataaa	gatgactgtg	atccacacct	180
tccogatgct	ggtggagtgt	ttgttgacac	cccogatgaa	agtgtgcagc	gtcccccaat	240
ccattgcgct	ggtttatccc	tgagtccgtg	ttccaacgac	tgccagtgtt	tcagacccaa	300
agaatgaggg	caagatccct	ctgogagggg	ttcagacctc	cttctcctac	cccactggag	360
tgcttagaag	ccaatgggtg	cacagtgtatg	atacgaatgt	caatctttgc	tcggtcagtg	420
aggatgtcgc	ctggaatatt	caaattgaat	tacagatgca	tgaagagggc	gtacaagtta	480
gaatttttct	ttcgccatac	agaaattgtt	tagccagatc	ttctgtactt	cttttccttc	540
cctgaccctt	cctgctcccc	aggaagggag	gtcagccccg	tttgcaaaac	acaggatgcc	600
cgtgacaccg	gagacaggtc	ttcttcaccg	acaggaagtg	ccttctgggtg	cctgcacgtt	660
ttaactgcta	t					671

<210> 132

<211> 590

<212> DNA

<213> Homo sapien

<400> 132

ctgaatggaa	aagcttatgg	ctctgtgatg	atattagtga	ccagcggaga	tgataagctt	60
cttggcaatt	gcttaccac	tgtgtcagc	agtggttcaa	caattcactc	cattgccctg	120
ggttcatctg	cagcccaaaa	tctggaggaa	ttatcacgtc	ttacaggagg	tttaaagttc	180
tttgttccag	atatatcaaa	ctccaatagc	atgattgatg	ctttcagtag	aatttcctct	240
ggaactggag	acattttcca	gcaacatatt	cagcttgaaa	gtacagggtga	aaatgtcaaa	300
cctcaccatc	aattgaaaaa	cacagtgtact	gtggataata	ctgtgggcaa	cgacactatg	360
tttctagtta	cgtggcaggc	cagtgggtcct	cctgagatta	tattatttga	tctgtatgga	420
cgaaaatact	acacaaataa	ttttatcacc	aatctaactt	ttcggacagc	tagtctttgg	480
attccaggaa	cagctaagcc	tgggcactgg	acttacaccc	tgaacaatac	ccatcattct	540
ctgcaagccc	tgaaagtgtg	agtgtacctt	cgcgcctcca	actcagacct		590

<210> 133

<211> 581

<212> DNA

<213> Homo sapien

<400> 133

aggtcctgtc	cgggggcact	gagaactccc	tctggaattc	ttgggggggtg	ttgggggagag	60
actgtgggcc	tggagataaa	acttgtctcc	tctaccacca	ccctgtaccc	tagcctgcac	120
ctgtcctcat	ctctgcaaag	ttcagcttcc	ttccccaggt	ctctgtgcac	tctgtcttgg	180
atgctctggg	gagctcatgg	gtggaggagt	ctccaccaga	gggagggtca	ggggactggt	240
tgggccaggg	atgaatattt	gagggataaa	aatttgttaa	gagccaaaga	attggtagta	300
gggggagAAC	agagaggagc	tgggctatgg	gaaatgattt	gaataatgga	gctgggaata	360
tggctggata	tctggtacta	aaaaaggggtc	tttaagaacc	tacttcctaa	tctcttcccc	420
aatccaaacc	atagctgtct	gtccagtgtc	ctcttctctc	ctccagctct	gccccaggct	480
cctcctagac	tctgtccctg	ggctagggca	ggggaggagg	gagagcaggg	ttggggggaga	540
ggctgaggag	agtgtgacat	gtgggggagag	gaccagacct	c		581

<210> 134

<211> 4797

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(4797)

<223> n = A,T,C or G

<400> 134

cctgggacca	aagtgtgcc	cagagctgag	ggtcctggag	ccacatgaga	aggcttctcc	60
ctgtgtacct	gtgcagcaca	gggtaggggtg	agtcactca	gctgtctagg	agaggaccca	120
ggagcagcag	agacncgcca	agcctttact	cataccatat	tctgacctt	ttccagcaaa	180
ttgtggctac	taatttgccc	cctgaagatc	aagatggctc	tggggatgac	tctgacaact	240
tctccggctc	aggtgcaggt	gaggttgtca	tgggggcccc	ccccacccaa	gacggcaaca	300
ggtcatgcct	gggggcagtg	gtcaggcagt	ctcctgtgtt	tactgagcat	gtactgagtg	360
cacctgcct	gccctgtctc	caccagctg	gctccaaagg	gcaatgctga	ggagaggaat	420
ggggctgtga	gctgctgtta	aggagagctc	atgcttggag	gtgaggtgaa	ggctgtgagc	480
tccagaaggc	cccagggcgc	nctgctgcac	gcaggctcat	attcactagg	aatagcttta	540
ctcactaaga	aacctctgga	accccttca	gaaggttatt	tgactcctga	gcctctatatt	600
tctcatctgc	aaaatgggaa	taataccttg	acctgataag	cttgtggagc	tgtaaggcag	660
cacagagcca	gctgggggtg	agctcttcca	tccaagctcc	cttccttact	tcccttttcc	720
tgtggggact	gggggagaga	agtccctgag	ctggaggtgg	tcaggggaagc	ttcacagagg	780
aggtggctct	tgagtggacc	tcaggaagag	gggtgagaga	gctaaggaag	gaggtgagg	840
tcatccctgg	ggaagtgacc	tagcggaggc	ctgagagctg	caaggtagga	tatctgttgt	900
tggaaagtgc	tgttgttggg	agtggggggc	tttttttcag	ggaggggtggg	gccagagaag	960
tgtgtgccct	gggataagta	ggataaccac	agtagttatg	cccctaaggg	atgccacccc	1020
cacctctgtg	gtcacagaaa	agcttttcca	ggtggcctag	gcacctgtct	cgtgggtcca	1080
gagacaggct	gcacctgaca	cacacaatgg	aaggacagct	ctccttgtcc	attttccaag	1140
gagcttagcc	tcagctgcct	tgtccaggta	ctagcctccc	tcatagcctg	agcttggcca	1200
gccagggtgc	tctggagcct	cccccgacce	acccaacaca	ctctgcttct	ggctctcccc	1260
acccccacc	tcccaaacac	actctgcttc	tggctctgca	ggtgctttgc	aagatatcac	1320
cttgtcacag	cagacccctc	ccacttggaa	ggacacgcag	ctcctgacgg	ctattcccac	1380
gtctccagaa	cccacgggcc	tggaggctac	agctgcctcc	acctccaccc	tgccggctgg	1440
agagggggccc	aaggaggag	aggctgtagt	cctgccagaa	gtggagcctg	gcctcacggc	1500
ccgggagcag	gaggccaccc	cccgaccag	ggagaccaca	cagctcccga	ccactcatca	1560
ggcctcaacg	accacagcca	ccaaggccca	ggagcccggc	acctcccacc	cccacaggga	1620
catgcagcct	ggccaccatg	agacctcaac	ccctgcagga	ccagccaag	ctgaccttca	1680
cactccccac	acagaggatg	gaggtccttc	tgccaccgag	agggctgctg	aggatggagc	1740
ctccagctag	ctcccagcag	cagagggtc	tggggagcag	gtgagtggcc	tctgcattcc	1800
ttgggaaatt	gagtgggttg	gtcctaattg	gtggcacttg	gcaggcccta	cacctgtgcc	1860
ctgctgcgatc	tctatttctc	caccaggaag	acagggcaca	ggggccgcct	tcccctaccc	1920
ccagggcctc	gcagagcagg	acagactaac	tatgagatca	gagcagaagc	acccttaaag	1980
atcacccaag	agagggtccc	caaactcaca	atccaaactt	gcagccctcg	tcgaagagtg	2040
aaogttatac	cagtcatttt	atttatagct	tctgtgattt	acgcttacac	taaatagtct	2100
gctattcata	caaaatgtgt	gctttgtatc	actttttgtg	atatccatgc	catggtccag	2160
ccaggggtccg	gagttgatgt	ggcaagaagg	cctggctttc	gggcccctgtg	cgatcctggt	2220
ttgggtgcat	ctgagtgggt	ggtggcaaag	atcagggagg	caggagctgc	ttctgggtct	2280
gtagtggagc	tggttgctgc	tgtgtggcgt	gacctggcca	acccaatctg	ccctgcctct	2340
cccacaggac	ttcacctttg	aaacctcggg	ggagaatacg	gctgtagtgg	cogtggagcc	2400
tgaccgcggg	aaccagtccc	cagtggatca	ggggggccacg	ggggcctcac	agggcctcct	2460
ggacagggaaa	gaggtgctgg	gaggtgagtt	ttcttttcagg	ggggtagttt	ggggtgaatt	2520
gctgctgtgg	ggtcaggggtg	gggctgacca	cagccaaggc	cactgctttg	ggagggctcg	2580
cacgagagcc	caaggagccg	ctgagctgag	ctggccccgt	ctacctgccc	taggggtcat	2640
tgccggaggc	ctcgtggggc	tcattcttgc	tgtgtgcctg	gtgggtttca	tgctgtaccg	2700
catgaagaag	aaggacgaag	gcagctactc	cttgaggagg	ccgaaacaag	ccaacggcgg	2760
ggcctaccag	aagcccacca	aacaggagga	attctatgcc	tgacgcggga	gccatgcgcc	2820
ccctccgccc	tgccactcac	taggccccca	cttgctctct	ccttgaagaa	ctgcaggccc	2880
tggcctcccc	tgccaccagg	ccacctcccc	agcattccag	cccctctggg	cgctcctgcc	2940
cacggagtgc	tgggtgtgct	gggagctcca	ctctgcttct	ctgacttctg	cctggagact	3000
tagggcacca	ggggtttctc	gcataggacc	tttccaccac	agccagcacc	tggcatcgca	3060

ccattctgac	tgggtttctc	caaactgaag	cagcctctcc	ccaggtccag	ctctggaggg	3120
gagggggatc	cgactgcttt	ggacctaaat	ggcctcatgt	ggctggaaga	tcctgcgggt	3180
ggggcttggg	gctcacacac	ctgtagcact	tactggtagg	accaagcatc	ttgggggggt	3240
ggccgctgag	tggcagggga	caggagtcac	tttgtttcgt	ggggaggtct	aatctagata	3300
tcgacttggt	tttgacacatg	tttcctctag	ttctttgttc	atagcccagt	agaccttggt	3360
acttctgagg	taagttaagt	aagttgattc	ggtatcccc	catcttgctt	ccctaatacta	3420
tggctgggag	acagcatcag	ggttaagaag	actttttttt	ttttttttaa	actaggagaa	3480
ccaaatctgg	aagccaaaat	gtaggcttag	tttgtgtgtt	gtctcttgag	tttgtcgctc	3540
atgtgtgcaa	cagggatagg	actatctgtc	tgggtggccc	gttctgggtg	tctgttgga	3600
ggctggccag	tccaggctgc	cgtggggcgc	cgcctcttt	caagcagtcg	tgctgtgtc	3660
catgogctca	gggccatgct	gaggcctggg	cogctgccac	gttggaagaag	cccggtgtgag	3720
aagtgaatgc	tgggactcag	ccttcagaca	gagaggactg	tagggagggc	ggcaggggccc	3780
tggagatcct	cctgcaggct	cacgcccgtc	ctcctgtggc	gccgtctcca	ggggctgctt	3840
cctcctggaa	attgacgagg	ggtgtcttgg	gcagagctgg	ctctgagcgc	ctccatccaa	3900
ggccagggtc	tccgttagct	cctgtggccc	caccctgggc	cctgggctgg	aatcaggaat	3960
attttccaaa	gagtgatagt	cttttgcttt	tggcaaaact	ctacttaatc	caatgggttt	4020
ttcctgtac	agtagatttt	ccaaatgtaa	taaactttta	tataaagtag	tctgtgaatg	4080
ccactgcctt	cgcttcttgc	ctctgtgctg	tgtgtgacgt	gaccggactt	ttctgcaaac	4140
accaacatgt	tgggaaactt	ggtcgaatc	tctgtgcctt	cgtctttccc	atggggaggg	4200
attctgggtc	cagggtcctt	ctgtgtattt	gcttttttgt	tttggctgaa	attctcctgg	4260
aggtcggtag	gttcagccaa	ggttttataa	ggctgatgtc	aatttctgtg	ttgccaagct	4320
ccaagcccat	cttctaaatg	gcaaaggaag	gtggatggcc	ccagcacagc	ttgacctgag	4380
gctgtggtca	cagcggagggt	gtggagccga	ggcctacccc	ncagacacct	tggacatcct	4440
cctcccaccc	ggctgcagag	gccaganncc	agcccagggt	cctgcactta	cttgccttatt	4500
tgacaacgtt	tcagcgactc	cgttggccac	tccgagagtg	ggccagtctg	tggatcagag	4560
atgcaccacc	aagccaaggg	aacctgtgtc	cggatttcga	tactgcgact	ttctgcctgg	4620
agtgtatgac	tgcacatgac	tcgggggtgg	ggaaaggggt	cggctgacca	tgtcatctg	4680
ctggctcgtg	ggacggtncc	caagccagag	gtgggttcac	ttgtgtaacg	acaataaacg	4740
gtacttgtca	tttcggggcaa	cggctgctgt	ggtggtggtt	gagtcctctc	ttggcct	4797

<210> 135

<211> 2856

<212> DNA

<213> Homo sapien

<400> 135

tagtcgoggg	tccccgagtg	agcacgccag	ggagcaggag	accaaacgac	gggggtcgga	60
gtcagagtcg	cagtgggagt	ccccggaccg	gagcacgagc	ctgagcggga	gagcgccgct	120
cgacgcgccg	tcgccacccg	cgtaccgggc	gcagccagag	ccaccagcgc	agcgctgcc	180
tggagcccag	cagcaagaag	ctgacgggtc	gcctcatgct	ggctgtggga	ggagcagtg	240
ttggctccct	gcagtttggc	tacaacactg	gagtcataca	tgccccccag	aagggtgatc	300
aggagttcta	caaccagaca	tgggtccacc	gctatgggga	gagcatectg	cccaccacgc	360
tcaccaogct	ctgggtccctc	tcagtggcca	tcttttctgt	tgggggcatg	attggctcct	420
tctctgtggg	ccttttgggt	aaccgctttg	gccggcgga	ttcaatgctg	atgatgaacc	480
tgtctggcctt	cgtgtccgcc	gtgctcatgg	gcttctogaa	actgggcaag	tcctttgaga	540
tgctgatcct	gggcccgttc	atcatcgggt	tgtactggcg	cctgaccaca	ggcttctgtc	600
ccatgtatgt	gggtgaagtg	tcaccacag	cctttcgtgg	ggccctgggc	accctgcacc	660
agctggggcat	cgtcgtcggc	atcctcatcg	cccagggtgt	cggcctggag	tccatcatgg	720
gcaacaagga	cctgtggccc	ctgctgctga	gcatcatctt	catcccggcc	ctgctgcagt	780
gcatcgtgct	gcccttctgc	cccgagagtc	cccgcttctt	gctcatcaac	cgcaacgagg	840
agaacogggc	caagagtgtg	ctaaagaagc	tgcgcgggac	agctgacgtg	accatgacc	900
tgcaggagat	gaaggaagag	agtcggcaga	tgatgcggga	gaagaaggct	accatcctgg	960
agctgttccg	ctcccccgcc	taccgccagc	ccatcctcat	cgtgtgggtg	ctgcagctgt	1020
cccagcagct	gtctggcatc	aacgctgtct	tctattactc	cacgagcatc	ttcgagaagg	1080
cgggggtgca	gcagcctgtg	tatgccacca	ttggctccgg	tatcgtcaac	acggccttca	1140

ctgtcgtg	gctgtttgtg	gtggagcgag	caggcggcg	gacctgcac	ctcataggcc	1200
tcgctggcat	ggcgggttgt	gccatactca	tgaccatcgc	gctagcactg	ctggagcagc	1260
tacctggat	gtcctatctg	agcatcgtgg	cctatctttg	ctttgtggcc	ttctttgaag	1320
tggtcctcg	ccccatccca	tggttcacog	tggtcgaact	cttcagccag	ggtccaogtc	1380
cagctgccat	tgccgttgca	ggcttctcca	actggacctc	aaatttcatt	gtgggcatgt	1440
gcttccagta	tgtggagcaa	ctgtgtggtc	cctacgtctt	catcatcttc	actgtgctcc	1500
tggttctgtt	cttcatcttc	acctacttca	aagttcctga	gactaaaggc	cggaccttgc	1560
atgagatcgc	ttccggcttc	cggcaggggg	gagccagcca	aagtgataag	acacccgagg	1620
agctgttcca	tcccctgggg	gctgattccc	aagtgtgagt	cgccccagat	caccagcccg	1680
gcctgctccc	agcagcccta	aggatctctc	aggagcacag	gcagctggat	gagacttcca	1740
aacctgacag	atgtcagccg	agccgggcct	ggggctcctt	tctccagcca	gcaatgatgt	1800
ccagaagaat	attcaggact	taacggctcc	aggattttta	caaaagcaag	actgttgctc	1860
aaatctatc	agacaagcaa	caggttttat	aattttttta	ttactgattt	tgttattttt	1920
atatcagcct	gagtctcctg	tgcccacatc	ccaggcttca	ccctgaatgg	ttccatgcct	1980
gaggggtggag	actaagccct	gtcgagacac	ttgccttctt	caccagccta	atctgtaggg	2040
ctggacctat	gtcctaagga	cacactaatc	gaactatgaa	ctacaaagct	tctatcccag	2100
gaggtggcta	tggccacccg	ttctgctggc	ctggatctcc	ccactctagg	ggtcaggctc	2160
cattaggatt	tggcccttcc	catctcttcc	tacccaacca	ctcaaattaa	tctttcttta	2220
cctgagacca	gttgggagca	ctggagtgc	gggaggagag	gggaagggcc	agtctgggct	2280
gcgggttct	agtctccttt	gcactgaggg	ccacactatt	accatgagaa	gagggcctgt	2340
gggagcctgc	aaactcactg	ctcaagaaga	catggagact	cctgccctgt	tgtgtataga	2400
tgcaagatat	ttatatatat	ttttggttgt	caatattaaa	tacagacact	aagttatagt	2460
atatctggac	aagccaactt	gtaaatacac	cacctcactc	ctgttactta	cctaaacaga	2520
tataaatggc	tggttttttag	aaacatgggt	ttgaaatgct	tgtggattga	gggtaggagg	2580
tttggatggg	agtgagacag	aagtaagtgg	ggttgcaacc	actgcaacgg	cttagacttc	2640
gactcaggat	ccagtcctct	acacgtacct	ctcatcagtg	tcctcttgct	caaaaatctg	2700
tttgatccct	gttaccocaga	gaatatatac	attctttatc	ttgacattca	aggcatttct	2760
atcacatatt	tgatagttgg	tgttcaaaaa	aacactagtt	ttgtgccagc	cgtgatgctc	2820
aggcttgaaa	tgcattattt	ttgaatgtga	agggaa			2856

<210> 136

<211> 356

<212> DNA

<213> Homo sapien

<400> 136

ggtggagcca	aatgaagaaa	atgaagatga	aagagacaga	cacctcagtt	tttctggatc	60
aggcattgat	gatgatgaag	attttatctc	cagcaccatt	tcaaccacac	cacgggcttt	120
tgaccacaca	aaacagaacc	aggactggac	tcagtggaa	ccaagccatt	caaatccgga	180
agtgtacttt	cagacaacca	caaggatgac	tgatgtagac	agaaatggca	ccactgctta	240
tgaaggaaac	tggaaccocag	aagcacaccc	tcccctcatt	caccatgagc	atcatgagga	300
agaagagacc	ccacattcta	caagcacaat	ccaggcaact	cctagtagta	caacgg	356

<210> 137

<211> 356

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (356)

<223> n = A,T,C or G

<400> 137

gcagggtggag	aagacatttt	attgttcctg	gggtctctgg	aggeccattg	gtggggctgg	60
-------------	------------	------------	------------	------------	------------	----

gtcactggct	gcccccgga	cagggcgctg	ctccatggct	ctgcttggtg	tagtctgtgg	120
ctatgtctcc	cagcaaggac	agaaactcag	aaaaatcaat	cttcttatcc	tcattcttgt	180
cctttttctc	aaagacatcg	gogaggtaat	ttgtgccctt	ttacctcgg	cccgcgacca	240
cgctaaggcc	aaanttcag	acanayggcc	gggcgggtnc	nataggggan	cccaacttgg	300
ggacccaac	tctggcgcg	aaacacangg	gcataagctt	gnttcctgtg	gggaaa	356

<210> 138

<211> 353

<212> DNA

<213> Homo sapien

<400> 138

aggtccagtc	ctccacttgg	cctgatgaga	gtggggagtg	gcaagggacg	tttctcctgc	60
aatagacact	tagatttctc	tcttgtggga	agaaaccacc	tgtccatcca	ctgactcttc	120
tacattgatg	tggaaattgc	tgctgctacc	accacctcct	gaagaggctt	cctgatgcc	180
aatgccagcc	atcttggcat	cctggccctc	gagcaggctg	cggtaaagtag	cgatctcctg	240
ctccagccgt	gtctttatgt	caagcagcat	cttgactctc	tggttctgag	cctccatctc	300
gcacgcggagc	tcactcagac	ctcgscgsg	mssmcgctam	gccgaattcc	agc	353

<210> 139

<211> 371

<212> DNA

<213> Homo sapien

<400> 139

agcgtggctg	cgcccgaggt	ccatccgaag	caagattgca	gatggcagtg	tgaagagaga	60
agacatattc	tacacttcaa	agctttgggtg	caattcccat	cgaccagagt	tggtccgacc	120
agccttgga	aggtcactga	aaaatcttca	attggattat	gttgacctct	accttattca	180
ttttccagtg	tctgtaaagc	caggtgagga	agtgatccca	aaagatgaaa	atggaaaaat	240
actatttgac	acagtggatc	tctgtgccac	gtgggaggcc	gtggagaagt	gtaaagatgc	300
aggattggac	ctgcccgggc	ggccgctcga	aagccgaatt	ccagcacact	ggcgcccggt	360
actagtggat	c					371

<210> 140

<211> 370

<212> DNA

<213> Homo sapien

<400> 140

tagcgtggtc	gcggccgagg	tccatctccc	tttgggaact	agggggctgc	tggtgggaaa	60
tgggagccag	ggcagatgtt	gcattccttt	gtgtccctgt	aaatgtggga	ctacaagaag	120
aggagctgcc	tgagtggtag	tttctcttcc	tggtaatcct	ctggcccagc	ctcatggcag	180
aatagaggta	tttttaggct	atttttgtaa	tatggcttct	ggtcaaaatc	cctgtgtagc	240
tgaattccca	agccctgcat	tgtacagccc	cccactcccc	tcaccaccta	ataaaggaat	300
agttaacact	caaaaaaaaa	aaaaaacctg	cccgggcggc	cgctcgaaag	ccgaattcca	360
gcacactggc						370

<210> 141

<211> 371

<212> DNA

<213> Homo sapien

<400> 141

tagcgtggtc	gcggccgagg	tcctctgtgc	tgctgtcac	agcccgatgg	taccagcgca	60
gggtgtaggc	agtgcaggag	ccctcatcca	gtggcaggga	acaggggtca	tcactatccc	120

aaggagcttc	aggggtcctgg	tactcctcca	cagaatactc	ggagtattca	gagtactcat	180
catcctcagg	gggtaccgc	tcttcctcct	ctgcatgaga	gacgcggagc	acaggcacag	240
catggagctg	ggagccggca	gtgtctgcag	cataactagg	gaggggtcgt	gatccagatg	300
cgatgaactg	gccctggcag	gcacagtgt	gactcatctc	ttggcgacct	gcccggggcg	360
ccgctcgaag	c					371

<210> 142

<211> 343

<212> DNA

<213> Homo sapien

<400> 142

gogttttgag	gccaatggtg	taaaaggaaa	tatcttcaca	taaaaactag	atggaagcat	60
tgtcagaaac	ctctttgtga	tgtttgcttt	caactcacag	agttgaacat	tccttttcat	120
agagcagttt	tgaacacatc	ttttgtagaa	tttgcaagcg	gatgattgga	tcgctatgag	180
gtcttcattg	gaaacgggat	acctttacat	aaaaactaga	cagtagcatt	ctcagaaatt	240
tctttgggat	gtgggcattc	aaccacaga	ggagaacttc	atttgataga	gcagttttga	300
aacacccttt	ttgtagaatc	tacaggtgga	catttagagt	gct		343

<210> 143

<211> 354

<212> DNA

<213> Homo sapien

<400> 143

aggtctgatg	gcagaaaaac	tcagactgtc	tgcaacttta	cagatggtgc	attggttcag	60
catcaggagt	gggatgggaa	ggaaagcaca	ataacaagaa	aattgaaaga	tgggaaatta	120
gtggtggagt	gtgtcatgaa	caatgtcacc	tgtactcgga	tctatgaaaa	agtagaataa	180
aaattccatc	atcacttttg	acaggagtta	attaagagaa	tgaccaagct	cagttcaatg	240
agcaaacttc	catactgttt	ctttcttttt	tttttcatta	ctgtgttcaa	ttatctttat	300
cataaacatt	ttacatgcag	ctatttcaaa	gtgtgttgga	ttaattagga	tcatt	354

<210> 144

<211> 353

<212> DNA

<213> Homo sapien

<400> 144

ggtcaaggac	ctggggggacc	cccaggtcca	gcagccacat	gattctgcag	cagacagggg	60
cctagagcac	atctggatct	cagccccacc	cctggcaacc	tgcttgcta	gagaactccc	120
aagatgacag	actaagtagg	attctgccat	ttagaataat	tctggtatcc	tgggcgttgc	180
gttaagtgtc	ttaactttca	ttctgtctta	cgatagtctt	cagaggtggg	aacagatgaa	240
gaaaccatgc	cccagagaag	gttaagtgc	ttctcttta	tggagccagt	gttccaacct	300
aggtttgcct	gataccagac	ctgtggcccc	acctcccatg	caggtctctg	tgg	353

<210> 145

<211> 371

<212> DNA

<213> Homo sapien

<400> 145

caggtctgtc	ataaaactggt	ctggagtttc	tgaogactcc	ttgttcacca	aatgcaccat	60
ttcctgagac	ttgctggcct	ctcgttgag	tccacttggc	tttctgtcct	ccacagctcc	120
attgccactg	ttgatcacta	gctttttctt	ctgcccacac	cttcttcgac	tgttgactgc	180
aatgcaaact	gcaagaatca	aagccaaggc	caagagggat	gccaagatga	tcagccattc	240

tggaatttgg ggtgtcetta taggaccaga ggttgtgttt gctccacctt cttgactccc 300
 atgtgagacc tggccgcga ccacgctaag cgaattcca gcacactggc ggcccgttac 360
 tagtgatcc g 371

<210> 146

<211> 355

<212> DNA

<213> Homo sapien

<400> 146

ggctctccgt cctcttccca gaggtgtcgg ggcttggccc cagcctccat cttcgtctct 60
 caggatggcg agtagcagcg gctccaaggc tgaattcatt gtcggaggga aatataaact 120
 ggtacggaag atcgggtctg gctccttcgg ggacatctat ttggcgatca acatcaccaa 180
 cggcgaggaa gtggcagtga agctagaatc tcagaaggcc aggcaccccc agttgctgta 240
 cgagagcaag ctctataaga ttcttcaagg tggggttggc atccccaca tacggtggta 300
 tggtcaggaa aaagactaca atgtactagt catggatctt ctgggaccta goctc 355

<210> 147

<211> 355

<212> DNA

<213> Homo sapien

<400> 147

ggtctgttac aaaatgaaga cagacaacac aacatttact ctgtggagat atcctactca 60
 tactatgcac gtgctgtgat tttgaacata actcgtccca aaaacttgtc acgatcatcc 120
 tgacttttta ggttggctga tccatcaatc ttgcactcaa ctgttacttc tttcccagtg 180
 ttgttaggag caaagctgac ctgaacagca accaatggct gtagataccc aacatgcagt 240
 tttttcccat aatatgggaa atattttaag tctatcattc cattatgagg ataaactgct 300
 acatttggtta tatcttcatt ctttgaaaca caatctatcc ttggcactcc ttcag 355

<210> 148

<211> 369

<212> DNA

<213> Homo sapien

<400> 148

aggtctctct cccctctctc ctctcctgcc agccaagtga agacatgctt acttcccctt 60
 cacttctctt catgatgtgg gaagagtgtc gcaaccagc cctagccaac accgcatgag 120
 agggagtgtg cggagggtt ctgagaaggc ttctctcaca tctagaaaga agcgcttaag 180
 atgtggcagc cctctctctt caagtggctc ttgtcctgtt gccctgggag ttctcaaatt 240
 gctgcagcag cctccatcca gcctgaggat gacatcaata cacagaggaa gaagagtcag 300
 gaaaagatga gagaagttac agactctcct gggcgacccc gagagcttac cattcctcag 360
 acttcttca 369

<210> 149

<211> 620

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(620)

<223> n = A,T,C or G

<400> 149

actagtcaaa	aatgctaaaa	taatttgga	gaaaatattt	tttaagtagt	gttatagttt	60
catgtttatc	ttttattatg	ttttgtgaag	ttgtgtcttt	tcactaatta	cctatactat	120
gccaatattt	ccttatatct	atccataaca	tttatactac	atttgtaana	naatagcac	180
gtgaaactta	acactttata	aggtaaaaat	gagggttcca	anattttaata	atctgatcaa	240
gttcttgta	tttccaaata	gaatggactt	gggtctgtta	gggctaagga	gaagaggaag	300
ataagggtta	aagttgttaa	tgaccaaaca	ttctaaaaga	aatgcaaaaa	aaaagtttat	360
tttcaagcct	tcgaactatt	taaggaaagc	aaaatcattt	cctaaatgca	tatcatttgt	420
gagaatttct	cattaatata	ctgaatcatt	catttcacta	aggctcatgt	tnactccgat	480
atgtctctaa	gaaagtacta	tttcatgggc	caaacctggt	tgccatantt	gggtaaaggc	540
ttcccttaa	gtgtgaaant	atttaaaatg	aaattttcct	ctttttaaaa	attctttana	600
agggttaagg	gtgttgggga					620

<210> 150

<211> 371

<212> DNA

<213> Homo sapien

<400> 150

gggtccgatca	aaacctgcta	cctccccaag	actttactag	tgccgataaa	ctttctcaaa	60
gagcaaccag	tatcacttcc	ctgtttataa	aacctctaac	catctctttg	ttctttgaac	120
atgctgaaaa	ccacctgggc	tgcatgtatg	ccgaatttg	yaattctttt	ctctcaaatg	180
aaaatttaata	tttagggatt	catttctata	ttttcacata	tgtagtatta	ttatttcctt	240
atatgtgtaa	gggtgaaattt	atgggtatttg	agtggtgcaag	aaaatatatt	tttaaagctt	300
tcatttttcc	cccagtgaat	gatttagaat	tttttatgta	aatatacaga	atgttttttc	360
ttacttttat	a					371

<210> 151

<211> 4655

<212> DNA

<213> Homo sapien

<400> 151

gggacttgag	ttctgttata	ttcttaagta	gattcatatt	gtaagggctc	cggggtgggg	60
gggttgga	aatcctggag	ccagaagaaa	ggacagcagc	attgatcaat	cttacagcta	120
acatgttgta	cctggaaaac	aatgcccaga	ctcaatttag	tgagccacag	tacacgaacc	180
tggggtcct	gaacagcatg	gaccagcaga	ttcagaacgg	ctcctcgtcc	accagtcctt	240
ataacacaga	ccacgcgcag	aacagcgtca	cggcgccttc	gccctacgca	cagccagctt	300
ccaccttoga	tgctctctct	ccatcacccg	ccatcccttc	caacacgcag	taccaggccc	360
cgcacagttt	cgaagtgtcc	ttccagcagt	cgagcacgcg	caagtcggcc	acctggacgt	420
attccactga	actgaagaaa	ctctactgcc	aaattgcaaa	gacatgcccc	atccagatca	480
aggatgatgac	cccacctcct	cagggagctg	ttatccgcgc	catgcctgtc	tacaaaaaag	540
ctgagcacgt	cacggagggtg	gtgaagcggg	gcccacaaca	tgagctgagc	cgtgaattca	600
acgaggggaca	gattgcccct	ycatgtcatt	tgattcgagt	agaggggaac	agccatgccc	660
agtatgtaga	agatcccatc	acaggaagac	agagtgtgct	ggtaccttat	gagccacccc	720
aggttggcac	tgaattcacg	acagtcttgt	acaatttcat	gtgtaacagc	agttgtgttg	780
gagggatgaa	ccgcgcgtcca	attttaatca	ttgttactct	ggaaaccaga	gatgggcaag	840
tcctgggccc	acgctgcttt	gagggccgga	tctgtgcttg	cccaggaaga	gacaggaagg	900
cggatgaaga	tagcatcaga	aagcagcaag	tttcggacag	tacaaagaac	ggtgatggta	960
cgaagcgcgc	gtttcgtcag	aacacacatg	gtatccagat	gacatccatc	aagaaacgaa	1020
gatccccaga	tgatgaactg	gtatacttac	cagtgggggg	ccgtgagact	tatgaaatgc	1080
tggtgaagat	caaagagtcc	ctggaactca	tgacttacct	tcttcagcac	acaattgaaa	1140
cgtacagcca	acagcaacag	cagcagcacc	agcacttact	tcagaaacag	acctcaatac	1200
agtctccatc	ttcatatggt	aacagctccc	cacctctgaa	caaaatgaac	agcatgaaca	1260
agctgccttc	tgtgagccag	cttatcaacc	ctcagcagcg	caacgccttc	actcctacaa	1320
ccattcctga	tggcatggga	gccaacattc	ccatgatggg	caccacatg	ccaatggctg	1380

gagacatgaa	tggactcage	cccacccag	cactccctcc	cccactctcc	atgccatcca	1440
cctcccactg	cacaccccca	cctccgtatc	ccacagattg	cagcattgtc	agtttcttag	1500
cgaggttggg	ctgttcatca	tgtctggact	atttcacgac	ccaggggctg	accaccatct	1560
atcagattga	gcattactcc	atggatgac	tggcaagtct	gaaaatccct	gagcaatttc	1620
gacatgcgat	ctggaagggc	atcctggacc	accggcagct	ccacgaattc	tcctcccctt	1680
ctcatctcct	gcggacccca	agcagtgcct	ctacagtcag	tgtgggctcc	agtggagccc	1740
ggggtgagcg	tgttattgat	gctgtgcgat	tcaccctccg	ccagaccatc	tccttcccac	1800
cccagatga	gtggaatgac	ttcaactttg	acatggatgc	tcgcccgaat	aagcaacagc	1860
gcatcaaaga	ggagggggag	tgagcctcac	catgtgagct	cttcctatcc	ctctcctaac	1920
tgccagcccc	ctaaaagcac	tcctgcttaa	tcctcaaagc	cttctcccta	gctcctcccc	1980
ttcctcttgt	ctgattttctt	aggggaagga	gaagtaagag	gcttacttct	taccctaacc	2040
atctgacctg	gcatctaatt	ctgattctgg	ctttaagcct	tcaaaactat	agcttgcaga	2100
actgtagctt	gccatggcta	ggtagaagtg	agcaaaaaag	agttgggtgt	ctccttaagc	2160
tgcagagatt	tctcattgac	ttttataaag	catgttcacc	cttatagtct	aagactatat	2220
atataaatgt	ataaatatac	agtatagatt	tttgggtggg	gggcattgag	tattgtttaa	2280
aatgtaattt	aatgaaaga	aaattgagtt	gcacttattg	accatttttt	aattttactg	2340
ttttggatgg	cttgtctata	ctccttcctt	taaggggtat	catgtatggt	gatagggtatc	2400
tagagcttaa	tgctacatgt	gagtgaogat	gatgtacaga	ttctttcagt	tccttggatt	2460
ctaaatacat	gccacatcaa	acctttgagt	agatccattt	ccattgctta	ttatgtagggt	2520
aagactgtag	atatgtattc	ttttctcagt	ggttggtatat	tttatattac	tgacatttct	2580
tctagtgatg	atggttcacg	ttgggtgat	ttaatccagt	tataagaaga	agttcatgtc	2640
caaacgtcct	ctttagtttt	tggttgggaa	tgaggaaaat	tcctaaaagg	cccatagcag	2700
ccagttcaaa	aacacccgac	gtcatgtatt	tgagcatatc	agtaaccccc	ttaaatttaa	2760
taccagatac	cttatcttac	aatattgatt	gggaaaacat	ttgctgccat	tacagaggta	2820
ttaaaactaa	atttcactac	tagattgact	aactcaaata	cacatttgct	actggtgtaa	2880
gaattctgat	tgatttgatt	gggatgaatg	ccatctatct	agttctaaca	gtgaagtttt	2940
actgtctatt	aatattcagg	gtaaatagga	atcattcaga	aatgttgagt	ctgtactaaa	3000
cagtaagata	tctcaatgaa	ccataaattc	aactttgtaa	aaatcttttg	aagcatagat	3060
aatattgttt	ggtaaatgtt	tcctttgttt	ggtaaatgtt	tcytttaaag	accctcctat	3120
tctataaaac	tctgcatgta	gaggcttggt	tacctttctc	tctctaaggt	ttacaatagg	3180
agtggtgatt	tgaaaaatat	aaaattatga	gattgggttt	cctgtggcat	aaattgcac	3240
actgtatcat	tttctttttt	aaccggtaag	agtttcagtt	tggtggaaag	taactgtgag	3300
aacccagttt	cccgccatc	tccttaggg	actaccata	gacatgaaag	gtccccacag	3360
agcaagagat	aagtccttca	tggtgctgt	tgcttaaacc	acttaaacga	agagttccct	3420
tgaaactttg	ggaaaacatg	ttaatgacaa	tattccagat	ctttcagaaa	tataacacat	3480
ttttttgcat	gcatgcaaat	gagctctgaa	atcttcccat	gcattctggt	caagggctgt	3540
cattgcacat	aagcttccat	tttaatttta	aagtgcacaa	gggccagcgt	ggctctaaaa	3600
ggtaatgtgt	ggattgcctc	tgaaaagtgt	gtatatattt	tgtgtgaaat	tgacactttt	3660
gtattttgat	tatttttttt	ttcttcttgg	gatagtggga	ttccagaac	cacacttgaa	3720
accttttttt	atcgtttttg	tattttcatg	aaaataccat	ttagtaagaa	taccacatca	3780
aataagaaat	aatgctacaa	ttttaagagg	ggagggaagg	gaaagttttt	ttttttatta	3840
tttttttaaa	attttgtatg	ttaaagagaa	tgagtccttg	atttcaaagt	tttgtgttac	3900
ttaaatggta	ataagcactg	taaacttctg	caacaagcat	gcagctttgc	aaacccatta	3960
aggggaagaa	tgaaagctgt	tccttggtcc	tagtaagaag	acaaactgct	tccttacttt	4020
tgctgagggt	ttgaataaac	ctaggacttc	cgagctatgt	cagtactatt	caggtaacac	4080
tagggccttg	gaaatccctg	tactgtgtct	catggatttg	gcactagcca	aagcgaggca	4140
ccccttactg	gcttacctcc	tcatggcagc	ctactctcct	tgagtgtatg	agtagccagg	4200
gtaaggggta	aaaggatagt	aagcatagaa	accactagaa	agtgggctta	atggagttct	4260
tgtggcctca	gctcaatgca	gttagctgaa	gaattgaaaa	gtttttgttt	ggagacgttt	4320
ataaacagaa	atggaaagca	gagttttcat	taaatccttt	tacctttttt	ttttcttgggt	4380
aatcccttaa	aataacagta	tgtgggatat	tgaatgttaa	agggatattt	ttttctatta	4440
tttttataat	tgtacaaaat	taagcaaag	ttaaaagttt	tatatgcttt	attaatgttt	4500
tcaaaaggta	ttatacatgt	gatacatttt	ttaaagttca	gttgcttgct	ttctgggtact	4560
ttctgttatg	ggcttttggg	gagccagaag	ccaatctaca	atctcttttt	gtttgccagg	4620
acatgcaata	aaatttataa	aataaataaa	aacta			4655

<210> 152
 <211> 586
 <212> PRT
 <213> Homo sapien

<400> 152

Met	Leu	Tyr	Leu	Glu	Asn	Asn	Ala	Gln	Thr	Gln	Phe	Ser	Glu	Pro	Gln	1	5	10	15	
Tyr	Thr	Asn	Leu	Gly	Leu	Leu	Asn	Ser	Met	Asp	Gln	Gln	Ile	Gln	Asn	20	25	30		
Gly	Ser	Ser	Ser	Thr	Ser	Pro	Tyr	Asn	Thr	Asp	His	Ala	Gln	Asn	Ser	35	40	45		
Val	Thr	Ala	Pro	Ser	Pro	Tyr	Ala	Gln	Pro	Ser	Ser	Ser	Thr	Phe	Asp	Ala	50	55	60	
Leu	Ser	Pro	Ser	Pro	Ala	Ile	Pro	Ser	Asn	Thr	Asp	Tyr	Pro	Gly	Pro	65	70	75	80	
His	Ser	Phe	Asp	Val	Ser	Phe	Gln	Gln	Ser	Ser	Thr	Ala	Lys	Ser	Ala	85	90	95		
Thr	Trp	Thr	Tyr	Ser	Thr	Glu	Leu	Lys	Lys	Leu	Tyr	Cys	Gln	Ile	Ala	100	105	110		
Lys	Thr	Cys	Pro	Ile	Gln	Ile	Lys	Val	Met	Thr	Pro	Pro	Pro	Gln	Gly	115	120	125		
Ala	Val	Ile	Arg	Ala	Met	Pro	Val	Tyr	Lys	Lys	Ala	Glu	His	Val	Thr	130	135	140		
Glu	Val	Val	Lys	Arg	Cys	Pro	Asn	His	Glu	Leu	Ser	Arg	Glu	Phe	Asn	145	150	155	160	
Glu	Gly	Gln	Ile	Ala	Pro	Ser	Ser	His	Leu	Ile	Arg	Val	Glu	Gly	Asn	165	170	175		
Ser	His	Ala	Gln	Tyr	Val	Glu	Asp	Pro	Ile	Thr	Gly	Arg	Gln	Ser	Val	180	185	190		
Leu	Val	Pro	Tyr	Glu	Pro	Pro	Gln	Val	Gly	Thr	Glu	Phe	Thr	Thr	Val	195	200	205		
Leu	Tyr	Asn	Phe	Met	Cys	Asn	Ser	Ser	Cys	Val	Gly	Gly	Met	Asn	Arg	210	215	220		
Arg	Pro	Ile	Leu	Ile	Ile	Val	Thr	Leu	Glu	Thr	Arg	Asp	Gly	Gln	Val	225	230	235	240	
Leu	Gly	Arg	Arg	Cys	Phe	Glu	Ala	Arg	Ile	Cys	Ala	Cys	Pro	Gly	Arg	245	250	255		
Asp	Arg	Lys	Ala	Asp	Glu	Asp	Ser	Ile	Arg	Lys	Gln	Gln	Val	Ser	Asp	260	265	270		
Ser	Thr	Lys	Asn	Gly	Asp	Gly	Thr	Lys	Arg	Pro	Phe	Arg	Gln	Asn	Thr	275	280	285		
His	Gly	Ile	Gln	Met	Thr	Ser	Ile	Lys	Lys	Arg	Arg	Ser	Pro	Asp	Asp	290	295	300		
Glu	Leu	Val	Tyr	Leu	Pro	Val	Arg	Gly	Arg	Glu	Thr	Tyr	Glu	Met	Leu	305	310	315	320	
Val	Lys	Ile	Lys	Glu	Ser	Leu	Glu	Leu	Met	Gln	Tyr	Leu	Leu	Gln	His	325	330	335		
Thr	Ile	Glu	Thr	Tyr	Arg	Gln	Gln	Gln	Gln	Gln	Gln	His	Gln	His	Leu	340	345	350		
Leu	Gln	Lys	Gln	Thr	Ser	Ile	Gln	Ser	Pro	Ser	Ser	Tyr	Gly	Asn	Ser	355	360	365		
Ser	Pro	Pro	Leu	Asn	Lys	Met	Asn	Ser	Met	Asn	Lys	Leu	Pro	Ser	Val	370	375	380		

Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr
 385 390 395 400
 Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met
 405 410 415
 Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro
 420 425 430
 Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro Pro
 435 440 445
 Tyr Pro Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys
 450 455 460
 Ser Ser Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr
 465 470 475 480
 Gln Ile Glu His Tyr Ser Met Asp Asp Leu Ala Ser Leu Lys Ile Pro
 485 490 495
 Glu Gln Phe Arg His Ala Ile Trp Lys Gly Ile Leu Asp His Arg Gln
 500 505 510
 Leu His Glu Phe Ser Ser Pro Ser His Leu Leu Arg Thr Pro Ser Ser
 515 520 525
 Ala Ser Thr Val Ser Val Gly Ser Ser Glu Thr Arg Gly Glu Arg Val
 530 535 540
 Ile Asp Ala Val Arg Phe Thr Leu Arg Gln Thr Ile Ser Phe Pro Pro
 545 550 555 560
 Arg Asp Glu Trp Asn Asp Phe Asn Phe Asp Met Asp Ala Arg Arg Asn
 565 570 575
 Lys Gln Gln Arg Ile Lys Glu Glu Gly Glu
 580 585

<210> 153

<211> 2007

<212> DNA

<213> Homo sapien

<400> 153

gaattcgctg ctgctccagg gaaagttctg ttactccact gactctctct tttcctgata 60
 acatggccag caagaaagta attacagtgt ttggagcaac aggagctcaa ggtggctctg 120
 tggccagggc aattttggag agcaaaaaat ttgcagttag agcagtgacc agggatgtga 180
 cttgacccaa tgccctggag ctccagcgcc ttggagctga ggtggtcaaa ggtgacctga 240
 atgataaagc atcggtggac agtgccttaa aaggtgtcta tggggccttc ttggtgacca 300
 acttctggga cctctcaac caagataagg aagtgtgtcg ggggaagctg gtggcagact 360
 ccgccaagca cctgggtctg aagcacgtgg tgtacagcgg cctggagaac gtcaagcgac 420
 tgacggatgg caagctggag gtgcgcact ttgacagcaa gggcgagggt gaggagtact 480
 tctggtccat tggcatcccc atgaccagtg tccgcgtggc ggccactttt gaaaactttc 540
 tcgcggcgtg gcggcccggt aaagcctctg atggagatta ctacaccttg gctgtaccga 600
 tgggagatgt accaatggat ggtatctctg ttgctgatat tggagcagcc gtctctagca 660
 tttttaattc tccagaggaa tttttaggca aggcctggg gctcagtga gaagcactaa 720
 caatacagca atatgctgat gttttgtcca aggctttggg gaaagaagtc cgagatgcaa 780
 agattacccc ggaagctttc gagaagctgg gattccctgc agcaaaggaa atagccaata 840
 tgtgtogttt ctatgaaatg aagccagacc gagatgtcaa tctcaccac caactaaatc 900
 ccaaagtcaa aagcttcagc cagtttatct cagagaacca gggagccttc aagggcatgt 960
 agaaaatcag ctgttcagat aggcctctgc accacacagc ctctttcctc tctgatcctt 1020
 ttctcttta cggcacaaca ttcattgtga cagaacatgc tggaatgcaa ttgtttgcaa 1080
 caccgaagga tttcctgcgg tcgcctcttc agtaggaagc actgcattgg tgataggaca 1140
 cggtaatttg attcacattt aacttgctag ttagtgataa ggggtgtaca actgtttggt 1200
 aaaatgagaa gcctcggaac ttggagcttc tctcctacca ctaatgggag ggcagattat 1260
 actgggattt ctctgggtg agtaatttca agccctaag ctgaaattcc cctaggcagc 1320

tccagttttc	tcaactgcat	tgcaaaatc	ccagtgaact	tttaagtact	tttaacttaa	1380
aaaaatgaac	atctttgtag	agaattttct	ggggaacatg	gtgttcaatg	aacaagcaca	1440
agcattggaa	atgctaaaat	tcagttttgc	ctcaagattg	gaagtttatt	ttctgactca	1500
ttcatgaagt	catctattga	gccaccattc	aattattcat	ctattaattc	cttgatcctt	1560
catttatcca	ttctgcaaac	ttttcttgag	caccagcacg	ggtggccatt	tgtggacttc	1620
tcttcattcc	tatgtgtttt	cttatcaaag	tgatccactc	tcgaaaggct	cctttccagt	1680
ctgtggttgg	gttcaagtca	tgccagggcc	agggggccca	tctcctcggt	tagctctagg	1740
caaaatccag	gggatctgca	gtggggagcg	ggggcaggaa	gctggaggga	aggcctgtga	1800
agggtaggga	tgtggaaaga	caaggtgaca	gaaggaccca	ataggacctt	tctatatctc	1860
tggcttagca	ttttctacat	catattgtaa	tcgtcttatt	tgctagtttt	cttccttact	1920
gtgagtgact	aacagtcac	tttatcccag	tgcttggtac	ataataagt	atcaataaat	1980
gttgattgac	taaaaaaaa	aaaaaaa				2007

<210> 154

<211> 2148

<212> DNA

<213> Homo sapien

<400> 154

gaattcgctg	ctgctccagg	gaaagttctg	ttactccact	gactctctct	tttctgata	60
acatggccag	caagaaagta	attacagtgt	ttggagcaac	aggagctcaa	ggtggctctg	120
tggccagggc	aattttggag	agcaaaaaat	ttgcagttag	agcagtgaac	agggatgtga	180
cttgaccaa	tgccctggag	ctccagcgcc	ttggagctga	ggtggtcaaa	ggtgacctga	240
atgataaagc	atcggtggac	agtgccttaa	aaggggaagc	tgggtggcaga	ctccgccaa	300
cacctgggtc	tgaagcacgt	ggtgtacagc	ggcctggaga	acgtcaagcg	actgacggat	360
ggcaagctgg	aggtgccgca	ctttgacagc	aagggcgagg	tggaggagta	cttctggtcc	420
attggcatcc	ccatgaccag	tgtccgctg	gcgccctact	ttgaaaactt	tctcgcgcg	480
tggcgcccg	tgaaagcctc	tgatggagat	tactacacct	tggctgtacc	gatgggagat	540
gtaccaatgg	atggtatctc	tgttgctgat	attggagcag	cgtctctag	cattttta	600
tctccagagg	aatttttagg	caaggccgtg	gggctcagt	cagaagcact	aacaatacag	660
caatatgctg	atgttttgct	caaggctttg	gggaaagaag	tccgagatgc	aaagactatc	720
tgtgctatag	atgaccagaa	aacagtggaa	gaaggtttca	tggaaagcgt	gggcttgagt	780
tggctcctga	gggaacatga	ccatgtatag	acagaggagg	catcaagaag	gctggcctgg	840
ctaattctgg	aataaacacg	acaaaccaga	ggcagtagc	gaaggaggca	aattctggct	900
ctgcctctat	ccttgattac	cccggaaagc	ttcgagaagc	tgggattccc	tgacagaa	960
gaaatagcca	atatgtgtcg	tttctatgaa	atgaagccag	accgagatgt	caatctcacc	1020
caccaactaa	atcccaaagt	caaaagcttc	agccatttta	tctcagagaa	ccaggagacc	1080
ttcaagggca	tgtagaaaat	cagctgttca	gataggcctc	tgaccacac	agcctcttcc	1140
ctctctgac	cttttctct	ttacggcaca	acattcatgt	tgacagaaca	tgctggaatg	1200
caattgtttg	caacacogaa	ggatttcctg	cggtcgctc	ttcagtagga	agcactgcat	1260
tggtagatag	acacggtaat	ttgattcaca	tttaacttgc	tagttagtga	taaggggtgt	1320
acaactgttt	ggtaaaatga	gaagcctcgg	aacttgagc	ttctctccta	ccactaatgg	1380
gagggcagat	tatactggga	tttctcctgg	gtgagtaatt	tcaagcccta	atgctgaaat	1440
tcccctaggc	agctccagtt	ttctcaactg	cattgcaaaa	ttcccagtga	acttttaagt	1500
acttttaact	taaaaaaaa	aacatctttg	tagagaattt	tctggggaac	atggtgttca	1560
atgaacaagc	acaagcattg	gaaatgctaa	aattcagttt	tgccctcaaga	ttggaagttt	1620
attttctgac	tcattcatga	agtcatctat	tgagccacca	ttcaattatt	catctattaa	1680
ttccttgatc	cttcatttat	ccattctgca	aacttttctt	gagcaccagc	acgggtggcc	1740
atttgtggac	ttctcttcat	tcctatgtgt	tttcttatca	aagtgatcca	ctctcgaaag	1800
gtccttttcc	agtctgtggt	tgggttcaag	tcatgccagg	gccagggggc	ccatctcctc	1860
gttagctct	aggcaaaatc	caggggatct	gcagtgggga	gcgggggcag	gaagctggag	1920
ggaaggcctg	tgaagggtag	ggatgtggaa	agacaaggtg	acagaaggac	ccaataggac	1980
ctttctatat	ctctggctta	gcattttcta	catcatattg	taatcgtctt	atttgctagt	2040
tttcttccct	actgtgagt	actaacagtc	atctttatcc	cagtgcctgg	tacataataa	2100
gtgatcaata	aatgttgatt	gactaaatga	aaaaaaaaa	aaaaaaaaa		2148

<210> 155
 <211> 153
 <212> PRT
 <213> Homo sapien

<400> 155
 Met Thr Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala
 1 5 10 15
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val
 20 25 30
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly
 35 40 45
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys
 50 55 60
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp
 65 70 75 80
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Ile Thr
 85 90 95
 Pro Glu Ala Phe Glu Lys Leu Gly Phe Pro Ala Ala Lys Glu Ile Ala
 100 105 110
 Asn Met Cys Arg Phe Tyr Glu Met Lys Pro Asp Arg Asp Val Asn Leu
 115 120 125
 Thr His Gln Leu Asn Pro Lys Val Lys Ser Phe Ser Gln Phe Ile Ser
 130 135 140
 Glu Asn Gln Gly Ala Phe Lys Gly Met
 145 150

<210> 156
 <211> 128
 <212> PRT
 <213> Homo sapien

<400> 156
 Met Thr Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala
 1 5 10 15
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val
 20 25 30
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly
 35 40 45
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys
 50 55 60
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp
 65 70 75 80
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Thr Ile
 85 90 95
 Cys Ala Ile Asp Asp Gln Lys Thr Val Glu Glu Gly Phe Met Glu Asp
 100 105 110
 Val Gly Leu Ser Trp Ser Leu Arg Glu His Asp His Val Ala Gly Ala
 115 120 125

<210> 157
 <211> 424
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (424)
 <223> n = A,T,C or G

<400> 157

ctgcagcccg	ggggatccac	tagtccagtg	tggtggaatt	cattggtctt	tacaagactt	60
ggatacatta	cagcagacat	ggaaatataa	ttttaaaaaa	tttctctcca	acctccttca	120
aattcagtc	ccactgttat	attaccttct	ccaggaaccc	tccagtgggg	aaggctgcga	180
tattagattt	ccttgtatgc	aaagtttttg	ttgaaagctg	tgctcagagg	aggtgagagg	240
agagggaagga	gaaaactgca	tcataacttt	acagaattga	atctagagtc	ttccccgaaa	300
agcccagaaa	cttctctgcn	gnatctggct	tgccatctg	gtctaagggtg	gctgcttctt	360
ccccagccat	cgagtcagtt	tgtgcccag	aataatacac	gacctgctat	ttcccatgac	420
tgct						424

<210> 158
 <211> 2099
 <212> DNA
 <213> Homo sapien

<400> 158

cgcggttaa	aaggcgagc	aggtgggagc	cggggccttc	acccgaaacc	cgacgagagc	60
ccgacagccg	gcggcgccc	agcccgacct	gcctgccag	ccggagcgaa	ggcgccgccc	120
ccgcgcagag	ccgcgcgccc	ggccgcgggc	cgagagcag	ttaaaacgtg	caggcaccag	180
aaggcacttc	ctgtcggtga	agaagacctg	tctccgggtg	caagggcac	ctgtgttttg	240
caaacggggc	tgacctccct	tcttggggag	cagggaaggt	cagggaagga	aaagaagtac	300
agaagatctg	gctaacaat	ttctgtatgg	cgaaagaaa	attctaactt	gtacgcccct	360
ttcatgcac	tttaattcaa	tttgaatatt	ccaggcgaca	tctcactga	ccgagcaaa	420
attgacattc	gtatcatcac	tgtgcacat	tggtctctag	gcactccagt	ggggtaggag	480
aaggagggtc	gaaaccctcg	cagagggatc	ttgccctcat	tctttgggtc	tgaaacactg	540
gcagtcgttg	gaaacaggac	tcagggataa	accagcgcaa	tggtattggg	gacgctgcac	600
actttcatcg	ggggtgtcaa	caaacactcc	accagcatcg	ggaagggtg	gatcacagtc	660
atctttattt	tccaggtcat	gatectctg	gtggctgcc	aggaagtgtg	gggtgacgag	720
caagaggact	tcgtctgcaa	cacactgcaa	cgggatgca	aaaatgtgtg	ctatgaccac	780
tttttcccg	tgtccacat	cgggtgtgg	gccctccagc	tgatcttctg	ctccacccca	840
gcgtctgtgg	tggccatgca	tgtggcctac	tacaggcagc	aaaccactcg	caagttcagg	900
cgaggagaga	agagggaatga	tttcaaagac	atagaggaca	ttaaaaagca	gaaggttcgg	960
atagaggggt	cgctgtggtg	gacgtacacc	agcagcatct	ttttccgaat	catctttgaa	1020
gcagccttta	tgtatgtgtt	ttacttccct	tacaatgggt	accacctgcc	ctgggtgttg	1080
aatgtggga	ttgacctctg	ccccaacctt	ggtgactgct	ttatttctag	gccaacagag	1140
aagaccgtgt	ttaccatttt	tatgatttct	gcgtctgtga	tttgcatgct	gcttaacgtg	1200
gcagagttgt	gctacctgct	gctgaaagtg	tgtttttagga	gatcaaagag	agcacagacg	1260
caaaaaaatc	accccaatca	tgccctaaag	gagagtaagc	agaatgaaat	gaatgagctg	1320
atttcagata	gtggtcaaaa	tgcaatcaca	ggttcccaag	ctaaacattt	caaggtaaaa	1380
tgtagctgcy	tcataaggag	acttctgtct	tctccagaag	gcaataccaa	cctgaaagtt	1440
ccttctgtag	cctgaagagt	ttgtaaatga	ctttcataat	aaatagacac	ttgagttaac	1500
ttttttagg	atacttgctc	cattcataca	caacgtaatc	aaatatgtgg	tccattctctg	1560
aaaacaagag	actgcttgac	aaaggagcat	tgcatgact	ttgacagggt	ccctttaagt	1620
ggactctctg	acaaagtggg	tactttctga	aaatttatat	aactgttgtt	gataaggaac	1680
atttatccag	gaattgatac	gtttattagg	aaaagatatt	tttataggct	tggtatgttt	1740
tagttctgac	tttgaattta	tataaagtat	ttttataatg	actggtcttc	cttacctgga	1800
aaaacatgcy	atgttagttt	tagaattaca	ccacaagtat	ctaaatttgg	aacttacaaa	1860
gggtctatct	tgtaaatatt	gttttgcat	gtctgttggc	aaatttgtga	actgtcatga	1920
tacgtttaag	gtggaaagtg	ttcattgcac	aatatatttt	tactgcttcc	tgaatgtaga	1980

cggaacagtg tggaagcaga aggttttttt aactcatccg tttgccaatc attgcaaaca 2040
actgaaatgt ggatgtgatt gcctcaataa agctcgtccc cattgcttaa aaaaaaaaaa 2099

<210> 159

<211> 291

<212> PRT

<213> Homo sapien

<400> 159

Met	Asp	Trp	Gly	Thr	Leu	His	Thr	Phe	Ile	Gly	Gly	Val	Asn	Lys	His
1				5					10					15	
Ser	Thr	Ser	Ile	Gly	Lys	Val	Trp	Ile	Thr	Val	Ile	Phe	Ile	Phe	Arg
			20					25					30		
Val	Met	Ile	Leu	Val	Val	Ala	Ala	Gln	Glu	Val	Trp	Gly	Asp	Glu	Gln
			35				40					45			
Glu	Asp	Phe	Val	Cys	Asn	Thr	Leu	Gln	Pro	Gly	Cys	Lys	Asn	Val	Cys
			50			55					60				
Tyr	Asp	His	Phe	Phe	Pro	Val	Ser	His	Ile	Arg	Leu	Trp	Ala	Leu	Gln
65					70					75				80	
Leu	Ile	Phe	Val	Ser	Thr	Pro	Ala	Leu	Leu	Val	Ala	Met	His	Val	Ala
			85					90						95	
Tyr	Tyr	Arg	His	Glu	Thr	Thr	Arg	Lys	Phe	Arg	Arg	Gly	Glu	Lys	Arg
			100					105					110		
Asn	Asp	Phe	Lys	Asp	Ile	Glu	Asp	Ile	Lys	Lys	Gln	Lys	Val	Arg	Ile
			115				120					125			
Glu	Gly	Ser	Leu	Trp	Trp	Thr	Tyr	Thr	Ser	Ser	Ile	Phe	Phe	Arg	Ile
			130			135					140				
Ile	Phe	Glu	Ala	Ala	Phe	Met	Tyr	Val	Phe	Tyr	Phe	Leu	Tyr	Asn	Gly
145					150					155				160	
Tyr	His	Leu	Pro	Trp	Val	Leu	Lys	Cys	Gly	Ile	Asp	Pro	Cys	Pro	Asn
			165					170					175		
Leu	Val	Asp	Cys	Phe	Ile	Ser	Arg	Pro	Thr	Glu	Lys	Thr	Val	Phe	Thr
			180					185					190		
Ile	Phe	Met	Ile	Ser	Ala	Ser	Val	Ile	Cys	Met	Leu	Leu	Asn	Val	Ala
			195				200					205			
Glu	Leu	Cys	Tyr	Leu	Leu	Leu	Lys	Val	Cys	Phe	Arg	Arg	Ser	Lys	Arg
			210			215					220				
Ala	Gln	Thr	Gln	Lys	Asn	His	Pro	Asn	His	Ala	Leu	Lys	Glu	Ser	Lys
225					230					235				240	
Gln	Asn	Glu	Met	Asn	Glu	Leu	Ile	Ser	Asp	Ser	Gly	Gln	Asn	Ala	Ile
			245					250					255		
Thr	Gly	Ser	Gln	Ala	Lys	His	Phe	Lys	Val	Lys	Cys	Ser	Cys	Val	Ile
			260					265					270		
Arg	Arg	Leu	Leu	Ser	Ser	Pro	Glu	Gly	Asn	Thr	Asn	Leu	Lys	Val	Pro
			275				280					285			
Ser	Val	Ala													
			290												

<210> 160

<211> 3951

<212> DNA

<213> Homo sapien

<400> 160

tctgcatcca tattgaaaac ctgacacaat gstatgcagca ggctcagtgt gagtgaactg

gaggcttctc	tacaacatga	cccaaaggag	cattgcaggt	cctatttgca	acctgaagtt	120
tgtgactctc	ctgggtgcct	taagttcaga	actcccattc	ctgggagctg	gagtacagct	180
tcaagacaat	gggtataatg	gattgtcat	tgcaattaat	cctcaggtag	ctgagaatca	240
gaacctcatc	tcaaacatta	aggaaatgat	aactgaagct	tcattttacc	tatttaatgc	300
taccaagaga	agagtatttt	tcagaaatat	aaagattttta	atacctgcc	catggaaagc	360
taataataac	agcaaaataa	aacaagaatc	atatgaaaag	gcaaagtgtca	tagtgactga	420
ctggatggg	gcacatggag	atgatccata	caccctacaa	tacagagggg	gtggaaaaga	480
gggaaaatac	attcatttca	cacctaat	cctactgaat	gataacttaa	cagctggcta	540
cggatcacga	ggccgagtg	ttgtccatga	atgggccac	ctccgttggg	gtgtgttoga	600
tgagtataac	aatgacaaac	ctttctacat	aaatgggcaa	aatcaaatta	aagtgacaag	660
gtgttcac	gacatcacag	gcatttttgt	gtgtgaaaaa	ggtccttgcc	cccaagaaaa	720
ctgtattatt	agtaagcttt	ttaaagaagg	atgcaccttt	atctacaata	gcacccaaaa	780
tgcaactgca	tcaataatgt	tcatgcaaag	tttatcttct	gtggttgaat	tttghtaatgc	840
aagtaccac	aaccaagaag	caccaaact	acagaaccag	atgtgcagcc	tcagaagtgc	900
atgggatgta	atcacagact	ctgctgactt	tcaccacagc	tttcccatga	acgggactga	960
gcttccacct	cctcccat	tctogcttgt	agaggctggg	gacaaagtgg	tctgtttagt	1020
gctggatgtg	tccagcaaga	tggcagaggc	tcacagactc	cttcaactac	aacaagccgc	1080
agaattttat	ttgatgcaga	ttgttgaaat	tcataccttc	gtgggcattg	ccagtttoga	1140
cagcaaagga	gagatcagag	cccagctaca	ccaaattaac	agcaatgatg	atcgaaagtt	1200
gctggtttca	tatctgcca	ccactgtatc	agctaaaaa	gacatcagca	tttgttcagg	1260
gcttaagaaa	ggatttgagg	tggttgaaaa	actgaatgga	aaagcttatg	gctctgtgat	1320
gatattagtg	accagcggag	atgataagct	tcttggaat	tgcttacc	ctgtgctcag	1380
cagtggttca	acaattcact	ccattgccct	gggttcatct	gcagcccaa	atctggagga	1440
attatcacgt	cttacaggag	gtttaaagtt	ctttgttcca	gatatatcaa	actccaatag	1500
catgattgat	gctttcagta	gaatttcctc	tggaactgga	gacattttcc	agcaacatat	1560
tcagcttgaa	agtacaggtg	aaaatgtcaa	acctcaccat	caattgaaaa	acacagtgac	1620
tgtggataat	actgtgggca	acgacactat	gtttctagtt	acgtggcagg	ccagtggtcc	1680
tcctgagatt	atattatttg	atcctgatgg	acgaaaaatac	tacacaaata	attttatcac	1740
caatctaact	tttcggacag	ctagtctttg	gattccagga	acagctaagc	ctgggcaactg	1800
gacttacacc	ctgaacaata	cccatcatc	tctgcaagcc	ctgaaagtga	cagtgaacctc	1860
tccgcctcc	aactcagctg	tgcacccagc	cactgtggaa	gcctttgtgg	aaagagacag	1920
cctccatttt	cctcatcctg	tgatgattta	tgccaattgt	aaacagggat	tttatcccat	1980
tcttaatgcc	actgtcactg	ccacagttga	gccagagact	ggagatcctg	ttacgtctgag	2040
actccttgat	gatggagcag	gtgctgatgt	tataaaaaat	gatggaattt	actcgaggta	2100
ttttttctcc	tttctgcaa	atggtagata	tagcttgaaa	gtgcatgtca	atcactctcc	2160
cagcataagc	acccagccc	actctattcc	agggagtc	gctatgtatg	taccaggtta	2220
cacagcaaac	ggtaatatc	agatgaatgc	tccaaggaaa	tcagtaggca	gaaatgagga	2280
ggagcgaaag	tggggcttta	gccgagtcag	ctcaggagcc	tccttttcag	tgctgggagt	2340
tccagctggc	ccccacctg	atgtgtttcc	accatgcaaa	attattgacc	tggaagctgt	2400
aaaagtagaa	gaggaattga	ccctatcttg	gacagcacct	ggagaagact	ttgatcaggg	2460
ccaggctaca	agctatgaaa	taagaatgag	taaaagtcta	cagaatatcc	aagatgactt	2520
taacaatgct	attttagtaa	atacatcaaa	gcgaaatcct	cagcaagctg	gcacagggga	2580
gatatttacg	ttctcacc	aaatttcac	gaatggacct	gaacatcagc	caaattggaga	2640
aacacatgaa	agccacagaa	tttatgttgc	aatacgagca	atggatagga	actccttaca	2700
gtctgctgta	tctaacattg	cccaggcgcc	tctgtttatt	cccccaatt	ctgatcctgt	2760
acctgccaga	gattatctta	tattgaaagg	agttttaaca	gcaatgggtt	tgataggaat	2820
catttgccct	attatagttg	tgacacatca	tactttaagc	aggaaaaaga	gagcagacaa	2880
gaaagagaat	ggaacaaaat	tattataaat	aaatatocaa	agtgtcttcc	ttcttagata	2940
taagacccat	ggccttcgac	tacaaaaaca	tactaaca	gtcaaat	catcaaaact	3000
gtattaaaa	gcattgagtt	tttgtacaat	acagataaga	ttttacatg	gtagatcaac	3060
aaattctttt	tgggggtaga	ttagaaaacc	cttacacttt	ggctatgaac	aaataataaa	3120
aattattctt	taaagtaatg	tctttaaagg	caaaggggag	ggtaaaagtog	gaccagtgtc	3180
aaggaaaagt	tgttttattg	aggtggaaaa	atagcccaaa	gcagagaaaa	ggagggtagg	3240
tctgcattat	aactgtctgt	gtgaagcaat	catttagtta	ctttgattaa	tttttctttt	3300
ctccttatct	gtgcagaaca	gggtgcttgt	ttacaactga	agatcatgct	atatttcata	3360

tatgaagccc	ctaatacaaa	gctctttacc	tcttgctatt	ttgttatata	tattacagat	3420
gaaatctcac	tgctaatgct	cagagatcct	ttttcactgt	aagaggtaac	ctttaacaat	3480
atgggtatta	cctttgtctc	ttcataccgg	ttttatgaca	aaggcttatt	gaattttatt	3540
gtttgtaagt	ttctactccc	atcaaagcag	ctttttaagt	tattgccttg	gttattatgg	3600
atgatagtta	tagcccttat	aatgccttaa	ctaaggaaga	aaagatgtta	ttctgagttt	3660
gttttaatac	atatatgaac	atatagtttt	attcaattaa	accaaagaag	aggtcagcag	3720
ggagatacta	acctttggaa	atgattagct	ggctctgttt	tttggttaaa	taagagtctt	3780
taatcctttc	tccatcaaga	gttacttacc	aagggcaggg	gaagggggat	atagaggtcc	3840
caaggaaaata	aaaatcatct	ttcatcttta	attttactcc	ttctctttat	ttttttaaaa	3900
gattatogaa	caataaaaatc	atttgctttt	ttaattaaaa	acataaaaaa	a	3951

<210> 161

<211> 943

<212> PRT

<213> Homo sapien

<400> 161

Met	Thr	Gln	Arg	Ser	Ile	Ala	Gly	Pro	Ile	Cys	Asn	Leu	Lys	Phe	Val
1				5					10					15	
Thr	Leu	Leu	Val	Ala	Leu	Ser	Ser	Glu	Leu	Pro	Phe	Leu	Gly	Ala	Gly
			20					25					30		
Val	Gln	Leu	Gln	Asp	Asn	Gly	Tyr	Asn	Gly	Leu	Leu	Ile	Ala	Ile	Asn
		35				40					45				
Pro	Gln	Val	Pro	Glu	Asn	Gln	Asn	Leu	Ile	Ser	Asn	Ile	Lys	Glu	Met
		50				55					60				
Ile	Thr	Glu	Ala	Ser	Phe	Tyr	Leu	Phe	Asn	Ala	Thr	Lys	Arg	Arg	Val
65					70				75					80	
Phe	Phe	Arg	Asn	Ile	Lys	Ile	Leu	Ile	Pro	Ala	Thr	Trp	Lys	Ala	Asn
			85						90					95	
Asn	Asn	Ser	Lys	Ile	Lys	Gln	Glu	Ser	Tyr	Glu	Lys	Ala	Asn	Val	Ile
			100					105					110		
Val	Thr	Asp	Trp	Tyr	Gly	Ala	His	Gly	Asp	Asp	Pro	Tyr	Thr	Leu	Gln
		115					120					125			
Tyr	Arg	Gly	Cys	Gly	Lys	Glu	Gly	Lys	Tyr	Ile	His	Phe	Thr	Pro	Asn
		130				135					140				
Phe	Leu	Leu	Asn	Asp	Asn	Leu	Thr	Ala	Gly	Tyr	Gly	Ser	Arg	Gly	Arg
145					150				155					160	
Val	Phe	Val	His	Glu	Trp	Ala	His	Leu	Arg	Trp	Gly	Val	Phe	Asp	Glu
			165						170					175	
Tyr	Asn	Asn	Asp	Lys	Pro	Phe	Tyr	Ile	Asn	Gly	Gln	Asn	Gln	Ile	Lys
			180					185					190		
Val	Thr	Arg	Cys	Ser	Ser	Asp	Ile	Thr	Gly	Ile	Phe	Val	Cys	Glu	Lys
		195						200				205			
Gly	Pro	Cys	Pro	Gln	Glu	Asn	Cys	Ile	Ile	Ser	Lys	Leu	Phe	Lys	Glu
		210				215					220				
Gly	Cys	Thr	Phe	Ile	Tyr	Asn	Ser	Thr	Gln	Asn	Ala	Thr	Ala	Ser	Ile
225					230						235			240	
Met	Phe	Met	Gln	Ser	Leu	Ser	Ser	Val	Val	Glu	Phe	Cys	Asn	Ala	Ser
				245					250					255	
Thr	His	Asn	Gln	Glu	Ala	Pro	Asn	Leu	Gln	Asn	Gln	Met	Cys	Ser	Leu
			260					265						270	
Arg	Ser	Ala	Trp	Asp	Val	Ile	Thr	Asp	Ser	Ala	Asp	Phe	His	His	Ser
		275					280					285			
Phe	Pro	Met	Asn	Gly	Thr	Glu	Leu	Pro	Pro	Pro	Pro	Thr	Phe	Ser	Leu
		290					295					300			

Val Glu Ala Gly Asp Lys Val Val Cys Leu Val Leu Asp Val Ser Ser
 305 310 315 320
 Lys Met Ala Glu Ala Asp Arg Leu Leu Gln Leu Gln Gln Ala Ala Glu
 325 330 335
 Phe Tyr Leu Met Gln Ile Val Glu Ile His Thr Phe Val Gly Ile Ala
 340 345 350
 Ser Phe Asp Ser Lys Gly Glu Ile Arg Ala Gln Leu His Gln Ile Asn
 355 360 365
 Ser Asn Asp Asp Arg Lys Leu Leu Val Ser Tyr Leu Pro Thr Thr Val
 370 375 380
 Ser Ala Lys Thr Asp Ile Ser Ile Cys Ser Gly Leu Lys Lys Gly Phe
 385 390 395 400
 Glu Val Val Glu Lys Leu Asn Gly Lys Ala Tyr Gly Ser Val Met Ile
 405 410 415
 Leu Val Thr Ser Gly Asp Asp Lys Leu Leu Gly Asn Cys Leu Pro Thr
 420 425 430
 Val Leu Ser Ser Gly Ser Thr Ile His Ser Ile Ala Leu Gly Ser Ser
 435 440 445
 Ala Ala Pro Asn Leu Glu Glu Leu Ser Arg Leu Thr Gly Gly Leu Lys
 450 455 460
 Phe Phe Val Pro Asp Ile Ser Asn Ser Asn Ser Met Ile Asp Ala Phe
 465 470 475 480
 Ser Arg Ile Ser Ser Gly Thr Gly Asp Ile Phe Gln Gln His Ile Gln
 485 490 495
 Leu Glu Ser Thr Gly Glu Asn Val Lys Pro His His Gln Leu Lys Asn
 500 505 510
 Thr Val Thr Val Asp Asn Thr Val Gly Asn Asp Thr Met Phe Leu Val
 515 520 525
 Thr Trp Gln Ala Ser Gly Pro Pro Glu Ile Ile Leu Phe Asp Pro Asp
 530 535 540
 Gly Arg Lys Tyr Tyr Thr Asn Asn Phe Ile Thr Asn Leu Thr Phe Arg
 545 550 555 560
 Thr Ala Ser Leu Trp Ile Pro Gly Thr Ala Lys Pro Gly His Trp Thr
 565 570 575
 Tyr Thr Leu Asn Asn Thr His His Ser Leu Gln Ala Leu Lys Val Thr
 580 585 590
 Val Thr Ser Arg Ala Ser Asn Ser Ala Val Pro Pro Ala Thr Val Glu
 595 600 605
 Ala Phe Val Glu Arg Asp Ser Leu His Phe Pro His Pro Val Met Ile
 610 615 620
 Tyr Ala Asn Val Lys Gln Gly Phe Tyr Pro Ile Leu Asn Ala Thr Val
 625 630 635 640
 Thr Ala Thr Val Glu Pro Glu Thr Gly Asp Pro Val Thr Leu Arg Leu
 645 650 655
 Leu Asp Asp Gly Ala Gly Ala Asp Val Ile Lys Asn Asp Gly Ile Tyr
 660 665 670
 Ser Arg Tyr Phe Phe Ser Phe Ala Ala Asn Gly Arg Tyr Ser Leu Lys
 675 680 685
 Val His Val Asn His Ser Pro Ser Ile Ser Thr Pro Ala His Ser Ile
 690 695 700
 Pro Gly Ser His Ala Met Tyr Val Pro Gly Tyr Thr Ala Asn Gly Asn
 705 710 715 720
 Ile Gln Met Asn Ala Pro Arg Lys Ser Val Gly Arg Asn Glu Glu Glu
 725 730 735
 Arg Lys Trp Gly Phe Ser Arg Val Ser Ser Gly Gly Ser Phe Ser Val

	740		745		750
Leu Gly Val	Pro Ala Gly	Pro His	Pro Asp Val	Phe Pro	Pro Cys Lys
755		760		765	
Ile Ile Asp	Leu Glu Ala	Val Lys	Val Glu Glu	Glu Leu Thr	Leu Ser
770		775		780	
Trp Thr Ala	Pro Gly Glu	Asp Phe	Asp Gln Gly	Gln Ala Thr	Ser Tyr
785		790		795	800
Glu Ile Arg	Met Ser Lys	Ser Leu	Gln Asn Ile	Gln Asp Asp	Phe Asn
	805		810		815
Asn Ala Ile	Leu Val Asn	Thr Ser	Lys Arg Asn	Pro Gln Gln	Ala Gly
	820		825		830
Ile Arg Glu	Ile Phe Thr	Phe Ser	Pro Gln Ile	Ser Thr Asn	Gly Pro
	835		840		845
Glu His Gln	Pro Asn Gly	Glu Thr	His Glu Ser	His Arg Ile	Tyr Val
	850		855		860
Ala Ile Arg	Ala Met Asp	Arg Asn	Ser Leu Gln	Ser Ala Val	Ser Asn
865		870		875	880
Ile Ala Gln	Ala Pro Leu	Phe Ile	Pro Pro Asn	Ser Asp Pro	Val Pro
	885		890		895
Ala Arg Asp	Tyr Leu Ile	Leu Lys	Gly Val Leu	Thr Ala Met	Gly Leu
	900		905		910
Ile Gly Ile	Ile Cys Leu	Ile Ile	Val Val Thr	His His Thr	Leu Ser
	915		920		925
Arg Lys Lys	Arg Ala Asp	Lys Lys	Glu Asn Gly	Thr Lys Leu	Leu
930		935		940	

<210> 162

<211> 498

<212> DNA

<213> Homo sapien

<400> 162

tggagaacca	cgtggacagc	accatgaaca	tggtgggagg	gggaggcagt	gctggcggga	60
agccccctcaa	gtcgggtatg	aaggagctgg	cctgtgtccg	ggagaaggtc	actgagcagc	120
accggcagat	gggcaagggg	ggcaagcatc	accttggcct	ggaggagccc	aagaagctgc	180
gaccaccccc	tgccaggact	ccctgccaac	aggaaactgga	ccaggctcctg	gagcggatct	240
ccaccatgog	ccttcgggat	gagcggggcc	ctctggagca	cctctactcc	ctgcacatcc	300
ccaactgtga	caagcatggc	ctgtacaacc	tcaaacagtg	gcaagatgic	tctgaacggg	360
cagcgtgggg	agtgtgtgtg	tgtgaacccc	aacaccggga	agctgatcca	gggagccccc	420
accatccggg	gggacccgga	gtgtcatctc	ttctacaatg	agcagcagga	ggctcggggg	480
gtgcacaccc	cagcggat					498

<210> 163

<211> 1128

<212> DNA

<213> Homo sapien

<400> 163

gccacctggc	cctcctgatc	gacgacacac	gcacttgaaa	cttgtttctca	gggtgtgtgg	60
aatcaacttt	cgggaagcaa	ccagcccacc	agaggaggtc	ccgagcgcg	gaggagacga	120
tgcagcggag	actggttcag	cagtggagcg	tcgcggtgtt	cctgctgagc	tacgcggtgc	180
cctcctgogg	gagctcgggtg	gagggtctca	gccgcgcct	caaaagagct	gtgtctgaac	240
atcagctcct	ccatgacaag	gggaagtcca	tccaagattt	acggcgacga	ttcttccttc	300
accatctgat	cgcagaaatc	cacacagctg	aaatcagagc	tacctcggag	gtgtccccta	360
actccaagcc	ctctcccaac	acaaagaacc	accccgctccg	atttggtct	gatgatgagg	420

gcagatacct	aactcaggaa	actaacaagg	tggagacgta	caaagagcag	ccgctcaaga	480
cacctgggaa	gaaaaagaaa	ggcaagcccg	ggaaacgcaa	ggagcaggaa	aagaaaaaac	540
ggcgaactcg	ctctgcctgg	ttagactctg	gagtgcactg	gagtgggcta	gaaggggacc	600
acctgtctga	cacctccaca	acgtcgctgg	agctcgattc	acggaggcat	tgaaattttc	660
agcagagacc	ttccaaggac	atattgcagg	attctgtaat	agtgaacata	tggaaagtat	720
tagaaatatt	tattgtctgt	aaatactgta	aatgcattgg	aataaaaactg	tctcccccac	780
tgctctatga	aactgcacat	tggtcattgt	gaatattttt	ttttttgcca	aggctaatacc	840
aattattatt	atcacattta	ccataattta	ttttgtccat	tgatgtattt	attttgtaaa	900
tgtatcttgg	tgctgctgaa	tttctatatt	ttttgtaaca	taatgcactt	tagatataca	960
tatcaagtat	gttgataaat	gacacaatga	agtgtctcta	ttttgtgggt	gattttaatg	1020
aatgcctaaa	tataattatc	caaattgatt	ttcctttgtg	catgtaaaaa	taacagtatt	1080
ttaaatttgt	aaagaatgtc	taataaaaata	taatctaatt	acatcatg		1128

<210> 164

<211> 1310

<212> DNA

<213> Homo sapien

<400> 164

gggcctggtt	cgcaaagaag	ctgacttcag	aggggggaaac	tttcttcttt	taggaggcgg	60
ttagccctgt	tccacgaacc	caggagaact	gctggccaga	ttaattagac	attgctatgg	120
gagacgtgta	aacacactac	ttatcattga	tgcatatata	aaaccatttt	attttcgcta	180
ttatttcaga	ggaagcgctt	ctgatttggt	tcttttttcc	ctttttgctc	tttctggctg	240
tgtggtttgg	agaaagcaca	gttgagtag	cgggttgcta	aataagtccc	gagcgcgagc	300
ggagacgatg	cagcggagac	tggttcagca	gtggagcgtc	gcgggtgtcc	tgctgagcta	360
cgcggtgccc	tctcgggg	gctcggtgga	gggtctcagc	cgccgcctca	aaagagctgt	420
gtctgaacat	cagctcctcc	atgacaaggg	gaagtccatc	caagatttac	ggcgacgatt	480
cttccttcac	catctgatcg	cagaaatcca	cacagctgaa	atcagagcta	cctcggaggt	540
gtcccctaac	tccaagccct	ctcccaacac	aaagaaccac	cccgtccgat	ttgggtctga	600
tgatgagggc	agatacctaa	ctcaggaaac	taacaagggtg	gagacgtaca	aagagcagcc	660
gctcaagaca	cctgggaaga	aaaagaaagg	caagcccggg	aaacgcaagg	agcaggaaaa	720
gaaaaaacgg	cgaactcgct	ctgcctgggt	agactctgga	gtgactggga	gtgggctaga	780
aggggaccac	ctgtctgaca	cctccacaac	gtcgtggag	ctcgattcac	ggaggcattg	840
aaattttcag	cagagacctt	ccaaggacat	attgcaggat	tctgtaatag	tgaacatattg	900
gaaagtatta	gaaatattta	ttgtctgtaa	atactgtaaa	tgcattggaa	taaaactgtc	960
tccccatttg	ctctatgaaa	ctgcacattg	gtcattgtga	atattttttt	ttttgccaag	1020
gctaatacaa	ttattattat	cacattttacc	ataattttatt	ttgtccattg	atgtattttat	1080
tttgtaaatg	tatcttggtg	ctgctgaatt	tctatatttt	ttgtaacata	atgcacttta	1140
gatatacata	tcaagtatgt	tgataaatga	cacaatgaag	tgtctctatt	ttgtggttga	1200
ttttaatgaa	tgccataata	taattatcca	aattgatttt	cctttgtgcc	cgtaaaaaata	1260
acagtatttt	aaatttgtaa	agaatgtcta	ataaaatata	atctaattac		1310

<210> 165

<211> 177

<212> PRT

<213> Homo sapien

<400> 165

Met	Gln	Arg	Arg	Leu	Val	Gln	Gln	Trp	Ser	Val	Ala	Val	Phe	Leu	Leu
1				5				10					15		
Ser	Tyr	Ala	Val	Pro	Ser	Cys	Gly	Arg	Ser	Val	Glu	Gly	Leu	Ser	Arg
		20					25					30			
Arg	Leu	Lys	Arg	Ala	Val	Ser	Glu	His	Gln	Leu	Leu	His	Asp	Lys	Gly
	35					40					45				
Lys	Ser	Ile	Gln	Asp	Leu	Arg	Arg	Phe	Phe	Leu	His	His	Leu	Ile	

50 55 60
 Ala Glu Ile His Thr Ala Glu Ile Arg Ala Thr Ser Glu Val Ser Pro
 65 70 75 80
 Asn Ser Lys Pro Ser Pro Asn Thr Lys Asn His Pro Val Arg Phe Gly
 85 90 95
 Ser Asp Asp Glu Gly Arg Tyr Leu Thr Gln Glu Thr Asn Lys Val Glu
 100 105 110
 Thr Tyr Lys Glu Gln Pro Leu Lys Thr Pro Gly Lys Lys Lys Gly
 115 120 125
 Lys Pro Gly Lys Arg Lys Glu Gln Glu Lys Lys Lys Arg Arg Thr Arg
 130 135 140
 Ser Ala Trp Leu Asp Ser Gly Val Thr Gly Ser Gly Leu Glu Gly Asp
 145 150 155 160
 His Leu Ser Asp Thr Ser Thr Thr Ser Leu Glu Leu Asp Ser Arg Arg
 165 170 175
 His

<210> 166
 <211> 177
 <212> PRT
 <213> Homo sapien

<400> 166
 Met Gln Arg Arg Leu Val Gln Gln Trp Ser Val Ala Val Phe Leu Leu
 1 5 10 15
 Ser Tyr Ala Val Pro Ser Cys Gly Arg Ser Val Glu Gly Leu Ser Arg
 20 25 30
 Arg Leu Lys Arg Ala Val Ser Glu His Gln Leu Leu His Asp Lys Gly
 35 40 45
 Lys Ser Ile Gln Asp Leu Arg Arg Arg Phe Phe Leu His His Leu Ile
 50 55 60
 Ala Glu Ile His Thr Ala Glu Ile Arg Ala Thr Ser Glu Val Ser Pro
 65 70 75 80
 Asn Ser Lys Pro Ser Pro Asn Thr Lys Asn His Pro Val Arg Phe Gly
 85 90 95
 Ser Asp Asp Glu Gly Arg Tyr Leu Thr Gln Glu Thr Asn Lys Val Glu
 100 105 110
 Thr Tyr Lys Glu Gln Pro Leu Lys Thr Pro Gly Lys Lys Lys Gly
 115 120 125
 Lys Pro Gly Lys Arg Lys Glu Gln Glu Lys Lys Lys Arg Arg Thr Arg
 130 135 140
 Ser Ala Trp Leu Asp Ser Gly Val Thr Gly Ser Gly Leu Glu Gly Asp
 145 150 155 160
 His Leu Ser Asp Thr Ser Thr Thr Ser Leu Glu Leu Asp Ser Arg Arg
 165 170 175
 His

<210> 167
 <211> 3362
 <212> DNA
 <213> Homo sapien

<400> 167

cacaatgtat	gcagcaggct	cagtgtgagt	gaactggagg	cttctctaca	acatgaccca	60
aaggagcatt	gcaggtccta	tttgcaacct	gaagtttggt	actctctctg	ttgccttaag	120
ttcagaactc	ccatttcctg	gagctggagt	acagcttcaa	gacaatgggt	ataatggatt	180
gctcattgca	attaatcctc	aggtacctga	gaatcagaac	ctcatctcaa	acattaagga	240
aatgataact	gaagcttcat	tttacctatt	taatgctacc	aagagaagag	tatttttcag	300
aaatataaag	attttaatac	ctgccacatg	gaaagctaata	aataacagca	aaataaaaaca	360
agaatcatat	gaaaaggcaa	atgtcatagt	gactgactgg	tatggggcac	atggagatga	420
tccatacacc	ctacaataca	gaggggtgtg	aaaagaggga	aaatacattc	atttcacacc	480
taatttccta	ctgaatgata	acttaacagc	tggctacgga	tcacgaggcc	gagtgtttgt	540
ccatgaatgg	gcccacctcc	gttgggggtgt	gttcgatgag	tataacaatg	acaaaccttt	600
ctacataaat	gggcaaaatc	aaattaaagt	gacaagggtgt	tcactctgaca	tcacaggcat	660
ttttgtgtgt	gaaaaagggtc	cttgccccc	agaaaactgt	attattagta	agctttttta	720
agaaggatgc	accttttatct	acaatagcac	ccaaaatgca	actgcatcaa	taatgttcat	780
gcaaagttta	tcttctgtgg	ttgaattttg	taatgcaagt	accacaacc	aagaagcacc	840
aaacctacag	aaccagatgt	gcagcctcag	aagtgcattg	gatgtaatca	cagactctgc	900
tgactttcac	cacagctttc	ccatgaacgg	gactgagctt	ccacctctc	ccacattctc	960
gctttagtag	gctggtgaca	aagtggctctg	tttagtgctg	gatgtgtcca	gcaagatggc	1020
agaggctgac	agactccttc	aactacaaca	agccgcagaa	ttttatttga	tgcagattgt	1080
tgaaattcat	accttcgtgg	gcattgccag	tttcgacagc	aaaggagaga	tcagagccca	1140
gctacaccaa	attaacagca	atgatgatcg	aaagtgtctg	gtttcatatc	tgcccaccac	1200
tgtatcagct	aaaacagaca	tcagcatttg	ttcagggctt	aagaaaggat	ttgagggtgt	1260
tgaaaaactg	aatggaaaag	cttatggctc	tgtgatgata	ttagtgacca	gaggagatga	1320
taagcttctt	ggcaattgct	taccactgt	gctcagcagt	ggttcaacaa	ttcactccat	1380
tgccctgggt	tcatctgcag	ccccaaatct	ggaggaatta	tcacgtctta	caggaggttt	1440
aaagttcttt	gttccagata	tatcaaactc	caatagcatg	attgatgctt	tcagtagaat	1500
ttcctctgga	actggagaca	ttttccagca	acatattcag	cttgaaagta	cagggtgaaa	1560
tgtcaaactc	caccatcaat	tgaaaaacac	agtgactgtg	gataatactg	tgggcaacga	1620
cactatgttt	ctagttaoct	ggcaggccag	tggctctcct	gagattatat	tatttgatcc	1680
tgtatggaga	aaatactaca	caaataattt	tatcaccaat	ctaacttttc	ggacagctag	1740
tctttggatt	ccaggaacag	ctaagcctgg	gcactggact	tacacctga	tgtgtttcca	1800
ccatgcaaaa	ttattgacct	ggaagctgta	aaagtagaag	aggaattgac	cctatcttgg	1860
acagcacctg	gagaagactt	tgatcagggc	caggctacaa	gctatgaaat	aagaatgagt	1920
aaaagtctac	agaatatcca	agatgacttt	aacaatgcta	ttttagtaaa	tacatcaaag	1980
cgaaatcctc	agcaagctgg	catcagggag	atatttacgt	tctcacccca	aatttccacg	2040
aatggacctg	aacatcagcc	aatggagaa	acacatgaaa	gccacagaat	ttatgttgca	2100
atacagagca	tgatagggaa	ctccttacag	tctgtgtgat	ctaacattgc	ccaggcgctt	2160
ctgtttatct	cccccaattc	tgatcctgta	cctgccagag	attatcttat	attgaaagga	2220
gttttaacag	caatgggttt	gataggaatc	atttgcctta	ttatagtgtg	gacacatcat	2280
actttaagca	ggaaaaagag	agcagacaag	aaagagaatg	gaacaaaatt	attataaata	2340
aatatccaaa	gtgtcttctt	tcttagatat	aagacccatg	gccttcgact	acaaaaacat	2400
actaacaag	tcaaatatac	atcaaaaactg	tattaaaatg	cattgagttt	ttgtacaata	2460
cagataagat	ttttacatgg	tagatcaaca	aattcttttt	gggggtagat	tagaaaaccc	2520
ttacactttg	gctatgaaca	aataataaaa	attattcttt	aaagtaatgt	ctttaaaggc	2580
aaaggggaag	gtaaagtctg	accagtgtca	aggaaagttt	gttttattga	ggtggaaaaa	2640
tagccccaag	cagagaaaag	gagggtaggt	ctgcattata	actgtctgtg	tgaagcaatc	2700
atttagttac	tttgattaat	ttttcttttc	tccttatctg	tgcagaacag	gttgcttgtt	2760
tacaactgaa	gatcatgcta	tatttcatat	atgaagcccc	taatgcaaag	ctctttacct	2820
cttgctatct	tgttatatat	attacagatg	aaatctcact	gctaattgctc	agagatcttt	2880
tttactgta	agaggttaacc	tttaacaata	tgggtattac	ctttgtctct	tcataccgggt	2940
ttttatgaca	aggtctattg	aatttatttg	tttgaagtt	tctactccca	tcaaagcagc	3000
tttctaagtt	attgccttgg	ttattatgga	ttagtattat	agcccttata	atgccttaac	3060
taaggaagaa	aagatgttat	tctgagtttg	ttttaataca	tatatgaaca	tatagtttta	3120
ttcaattaaa	ccaaagaaga	ggtcagcagg	gagatactaa	cctttggaaa	tgattagtctg	3180
gctctgtttt	ttggttaaat	aagagtcttt	aatcctttct	ccatcaagag	ttactttacca	3240
agggcagggg	aagggggata	tagaggtcac	aaggaaataa	aaatcatctt	tcacttttaa	3300

ttttactcct tcctcttatt tttttaaaag attatcgaac aataaaatca tttgcctttt 3360
 tt 3362

<210> 168

<211> 2784

<212> DNA

<213> Homo sapien

<400> 168

tctgcatcca	tattgaaaac	ctgacacaat	gtatgcagca	ggctcagtgt	gagtgaactg	60
gaggcttctc	tacaacatga	cccaaaggag	cattgcaggt	cctatttgca	acctgaagtt	120
tgtgactctc	ctggttgctt	taagttcaga	actcccattc	ctgggagctg	gagtacagct	180
tcaagacaat	gggtataatg	gattgctcat	tgcaattaat	cctcaggtac	ctgagaatca	240
gaacctcacc	tcaaacatta	aggaaatgat	aactgaagct	tcattttacc	tattttaatgc	300
taccaagaga	agagtatttt	tcagaaatat	aaagatttta	atacctgcc	catggaaagc	360
taataataac	agcaaaataa	aacaagaatc	atatgaaaag	gcaaatgtca	tagtgactga	420
ctgggatggg	gcacatggag	atgatccata	cacctacaa	tacagagggt	gtggaaaaga	480
gggaaaatac	attcatttca	cacctaat	cctactgaat	gataacttaa	cagctggcta	540
oggatcacga	ggcagagtgt	ttgtccatga	atgggcccac	ctccgttggg	gtgtgttcga	600
tgagtataac	aatgacaaac	ctttctacat	aaatgggcaa	aatcaaaatta	aagtgacaag	660
gtgttcacat	gacatcacag	gcatttttgt	gtgtgaaaaa	ggctccttgc	cccaagaaaa	720
ctgtattatt	agtaagcttt	ttaaagaagg	atgcaccttt	atctacaata	gcacccaaaa	780
tgcaactgca	tcaataatgt	tcatgcaaag	tttatcttct	gtggttgaat	tttgtaatgc	840
aagtaccac	aaccaagaag	caccaaacct	acagaaccag	atgtgcagcc	tcagaagtgc	900
atgggatgta	atcacagact	ctgctgactt	tcaccacagc	tttcccatga	acgggactga	960
gcttccacct	cctcccacat	tctcgttgt	agaggctgg	gacaaagtgg	tctgtttagt	1020
gctggatgtg	tccagcaaga	tggcagaggc	tgacagactc	cttcaactac	aacaagccgc	1080
agaattttat	ttgatgcaga	ttgttgaaat	tcataccttc	gtgggcattg	ccagtttcga	1140
cagcaaagga	gagatcagag	cccagctaca	ccaaattaac	agcaatgatg	atcgaaagtt	1200
gctggtttca	tatctgccc	ccactgtatc	agctaaaaca	gacatcagca	tttgttcagg	1260
gcttaagaaa	ggatttgagg	tggttgaaaa	actgaatgga	aaagcttatg	gctctgtgat	1320
gatattagt	accagcggag	atgataagct	tcttggaat	tgcttacc	ctgtgctcag	1380
cagtggttca	acaattcact	ccattgccct	gggttcactc	gcagcccaa	atctggagga	1440
attatcaagt	cttacaggag	gtttaaagt	ctttgttcca	gatataatca	actccaatag	1500
catgattgat	gctttcagta	gaatttcctc	tggaactgga	gacattttcc	agcaacatat	1560
tcagcttgaa	agtacagggtg	aaaatgtcaa	acctcaccat	caattgaaa	acacagtgc	1620
tgtggataat	actgtgggca	acgacactat	gtttctagtt	acgtggcagg	ccagtggtcc	1680
tcctgagatt	atattatttg	atcctgatgg	acgaaaatac	tacacaaata	attttatcac	1740
caatctaact	tttcggacag	ctagtctttg	gattccagga	acagctaagc	ctgggcaactg	1800
gacttacacc	ctgaacaata	cccatcattc	tctgcaagcc	ctgaaagtga	cagtgcctc	1860
tcgcgcctcc	aactcagctg	tgccccagc	cactgtggaa	gcctttgtgg	aaagagacag	1920
cctccatttt	cctcatcctg	tgatgattta	tgccaatgtg	aaacagggat	tttatcccat	1980
tcttaatgcc	actgtcactg	ccacagttga	gccagagact	ggagatcctg	ttacgctgag	2040
actccttgat	gatggagcag	gtgctgatgt	tataaaaaat	gatggaattt	actcgaggta	2100
ttttttctcc	tttgctgcaa	atggtagata	tagcttgaaa	gtgcatgtca	atcactctcc	2160
cagcataagc	acccagccc	actctattcc	agggagtc	gctatgtatg	taccaggtta	2220
cacagcaaac	ggtaattatc	agatgaatgc	tccaaggaaa	tcagtaggca	gaaatgagga	2280
ggagcgaaa	tggggcttta	gccgagtcag	ctcaggaggc	tccttttcag	tgctgggagt	2340
tcagctggc	ccccaccctg	atgtgtttcc	accatgcaaa	attattgacc	tggaagctgt	2400
aaatagaaga	ggaattgacc	ctatcttgga	cagcacctgg	agaagacttt	gatcagggcc	2460
aggctacaag	ctatgaaata	agaatgagta	aaagtctaca	gaatatccaa	gatgacttta	2520
acaatgctat	tttagtaaat	acatcaaagc	gaaatcctca	gcaagctggc	atcagggaga	2580
tattttacgtt	ctcaccccaa	atttccacga	atggacctga	acatcagcca	aatggagaaa	2640
cacatgaaag	ccacagaatt	tatgttgcaa	tacgagcaat	ggataggaac	tccttacagt	2700
ctgctgtatc	taacattgcc	caggcgctc	tgtttattcc	ccccattct	gatcctgtac	2760

ctgccagaga ttatcttata ttga

2784

<210> 169

<211> 592

<212> PRT

<213> Homo sapien

<400> 169

Met	Thr	Gln	Arg	Ser	Ile	Ala	Gly	Pro	Ile	Cys	Asn	Leu	Lys	Phe	Val
1				5					10					15	
Thr	Leu	Leu	Val	Ala	Leu	Ser	Ser	Glu	Leu	Pro	Phe	Leu	Gly	Ala	Gly
			20					25					30		
Val	Gln	Leu	Gln	Asp	Asn	Gly	Tyr	Asn	Gly	Leu	Leu	Ile	Ala	Ile	Asn
		35					40					45			
Pro	Gln	Val	Pro	Glu	Asn	Gln	Asn	Leu	Ile	Ser	Asn	Ile	Lys	Glu	Met
		50				55					60				
Ile	Thr	Glu	Ala	Ser	Phe	Tyr	Leu	Phe	Asn	Ala	Thr	Lys	Arg	Arg	Val
65					70				75					80	
Phe	Phe	Arg	Asn	Ile	Lys	Ile	Leu	Ile	Pro	Ala	Thr	Trp	Lys	Ala	Asn
			85					90					95		
Asn	Asn	Ser	Lys	Ile	Lys	Gln	Glu	Ser	Tyr	Glu	Lys	Ala	Asn	Val	Ile
			100					105					110		
Val	Thr	Asp	Trp	Tyr	Gly	Ala	His	Gly	Asp	Asp	Pro	Tyr	Thr	Leu	Gln
		115					120						125		
Tyr	Arg	Gly	Cys	Gly	Lys	Glu	Gly	Lys	Tyr	Ile	His	Phe	Thr	Pro	Asn
	130					135					140				
Phe	Leu	Leu	Asn	Asp	Asn	Leu	Thr	Ala	Gly	Tyr	Gly	Ser	Arg	Gly	Arg
145					150				155					160	
Val	Phe	Val	His	Glu	Trp	Ala	His	Leu	Arg	Trp	Gly	Val	Phe	Asp	Glu
			165						170					175	
Tyr	Asn	Asn	Asp	Lys	Pro	Phe	Tyr	Ile	Asn	Gly	Gln	Asn	Gln	Ile	Lys
			180					185					190		
Val	Thr	Arg	Cys	Ser	Ser	Asp	Ile	Thr	Gly	Ile	Phe	Val	Cys	Glu	Lys
		195					200					205			
Gly	Pro	Cys	Pro	Gln	Glu	Asn	Cys	Ile	Ile	Ser	Lys	Leu	Phe	Lys	Glu
	210					215					220				
Gly	Cys	Thr	Phe	Ile	Tyr	Asn	Ser	Thr	Gln	Asn	Ala	Thr	Ala	Ser	Ile
225					230				235					240	
Met	Phe	Met	Gln	Ser	Leu	Ser	Ser	Val	Val	Glu	Phe	Cys	Asn	Ala	Ser
			245					250					255		
Thr	His	Asn	Gln	Glu	Ala	Pro	Asn	Leu	Gln	Asn	Gln	Met	Cys	Ser	Leu
		260						265					270		
Arg	Ser	Ala	Trp	Asp	Val	Ile	Thr	Asp	Ser	Ala	Asp	Phe	His	His	Ser
		275					280					285			
Phe	Pro	Met	Asn	Gly	Thr	Glu	Leu	Pro	Pro	Pro	Pro	Thr	Phe	Ser	Leu
	290					295					300				
Val	Glu	Ala	Gly	Asp	Lys	Val	Val	Cys	Leu	Val	Leu	Asp	Val	Ser	Ser
305					310				315					320	
Lys	Met	Ala	Glu	Ala	Asp	Arg	Leu	Leu	Gln	Leu	Gln	Gln	Ala	Ala	Glu
			325					330					335		
Phe	Tyr	Leu	Met	Gln	Ile	Val	Glu	Ile	His	Thr	Phe	Val	Gly	Ile	Ala
		340					345						350		
Ser	Phe	Asp	Ser	Lys	Gly	Glu	Ile	Arg	Ala	Gln	Leu	His	Gln	Ile	Asn
	355					360					365				
Ser	Asn	Asp	Asp	Arg	Lys	Leu	Leu	Val	Ser	Tyr	Leu	Pro	Thr	Thr	Val

370	375	380
Ser Ala Lys Thr Asp Ile	Ser Ile Cys Ser Gly Leu Lys Lys Gly Phe	
385	390	395
Glu Val Val Glu Lys Leu Asn Gly Lys Ala Tyr Gly Ser Val Met Ile		400
	405	410
Leu Val Thr Ser Gly Asp Asp Lys Leu Gly Asn Cys Leu Pro Thr		415
	420	425
Val Leu Ser Ser Gly Ser Thr Ile His Ser Ile Ala Leu Gly Ser Ser		430
	435	440
Ala Ala Pro Asn Leu Glu Glu Leu Ser Arg Leu Thr Gly Gly Leu Lys		445
	450	455
Phe Phe Val Pro Asp Ile Ser Asn Ser Asn Ser Met Ile Asp Ala Phe		460
465	470	475
Ser Arg Ile Ser Ser Gly Thr Gly Asp Ile Phe Gln Gln His Ile Gln		480
	485	490
Leu Glu Ser Thr Gly Glu Asn Val Lys Pro His His Gln Leu Lys Asn		495
	500	505
Thr Val Thr Val Asp Asn Thr Val Gly Asn Asp Thr Met Phe Leu Val		510
	515	520
Thr Trp Gln Ala Ser Gly Pro Pro Glu Ile Ile Leu Phe Asp Pro Asp		525
	530	535
Gly Arg Lys Tyr Tyr Thr Asn Asn Phe Ile Thr Asn Leu Thr Phe Arg		540
545	550	555
Thr Ala Ser Leu Trp Ile Pro Gly Thr Ala Lys Pro Gly His Trp Thr		560
	565	570
Tyr Thr Leu Met Cys Phe His His Ala Lys Leu Leu Thr Trp Lys Leu		575
	580	585
		590

<210> 170

<211> 791

<212> PRT

<213> Homo sapien

<400> 170

Met Thr Gln Arg Ser Ile Ala Gly Pro Ile Cys Asn Leu Lys Phe Val	
1	5
Thr Leu Leu Val Ala Leu Ser Ser Glu Leu Pro Phe Leu Gly Ala Gly	
	20
Val Gln Leu Gln Asp Asn Gly Tyr Asn Gly Leu Leu Ile Ala Ile Asn	
	35
Pro Gln Val Pro Glu Asn Gln Asn Leu Ile Ser Asn Ile Lys Glu Met	
	50
Ile Thr Glu Ala Ser Phe Tyr Leu Phe Asn Ala Thr Lys Arg Arg Val	
65	70
Phe Phe Arg Asn Ile Lys Ile Leu Ile Pro Ala Thr Trp Lys Ala Asn	
	85
Asn Asn Ser Lys Ile Lys Gln Glu Ser Tyr Glu Lys Ala Asn Val Ile	
	100
Val Thr Asp Trp Tyr Gly Ala His Gly Asp Asp Pro Tyr Thr Leu Gln	
	115
Tyr Arg Gly Cys Gly Lys Glu Gly Lys Tyr Ile His Phe Thr Pro Asn	
	130
Phe Leu Leu Asn Asp Asn Leu Thr Ala Gly Tyr Gly Ser Arg Gly Arg	
145	150
Val Phe Val His Glu Trp Ala His Leu Arg Trp Gly Val Phe Asp Glu	
	155
	160

					165					170					175				
Tyr	Asn	Asn	Asp	Lys	Pro	Phe	Tyr	Ile	Asn	Gly	Gln	Asn	Gln	Ile	Lys				
			180					185						190					
Val	Thr	Arg	Cys	Ser	Ser	Asp	Ile	Thr	Gly	Ile	Phe	Val	Cys	Glu	Lys				
		195					200					205							
Gly	Pro	Cys	Pro	Gln	Glu	Asn	Cys	Ile	Ile	Ser	Lys	Leu	Phe	Lys	Glu				
	210					215					220								
Gly	Cys	Thr	Phe	Ile	Tyr	Asn	Ser	Thr	Gln	Asn	Ala	Thr	Ala	Ser	Ile				
225					230					235					240				
Met	Phe	Met	Gln	Ser	Leu	Ser	Ser	Val	Val	Glu	Phe	Cys	Asn	Ala	Ser				
			245					250						255					
Thr	His	Asn	Gln	Glu	Ala	Pro	Asn	Leu	Gln	Asn	Gln	Met	Cys	Ser	Leu				
		260						265				270							
Arg	Ser	Ala	Trp	Asp	Val	Ile	Thr	Asp	Ser	Ala	Asp	Phe	His	His	Ser				
		275					280					285							
Phe	Pro	Met	Asn	Gly	Thr	Glu	Leu	Pro	Pro	Pro	Pro	Thr	Phe	Ser	Leu				
	290					295					300								
Val	Glu	Ala	Gly	Asp	Lys	Val	Val	Cys	Leu	Val	Leu	Asp	Val	Ser	Ser				
305					310						315				320				
Lys	Met	Ala	Glu	Ala	Asp	Arg	Leu	Leu	Gln	Leu	Gln	Gln	Ala	Ala	Glu				
			325								330				335				
Phe	Tyr	Leu	Met	Gln	Ile	Val	Glu	Ile	His	Thr	Phe	Val	Gly	Ile	Ala				
		340					345					350							
Ser	Phe	Asp	Ser	Lys	Gly	Glu	Ile	Arg	Ala	Gln	Leu	His	Gln	Ile	Asn				
	355					360					365								
Ser	Asn	Asp	Asp	Arg	Lys	Leu	Leu	Val	Ser	Tyr	Leu	Pro	Thr	Thr	Val				
	370					375					380								
Ser	Ala	Lys	Thr	Asp	Ile	Ser	Ile	Cys	Ser	Gly	Leu	Lys	Lys	Gly	Phe				
385					390					395					400				
Glu	Val	Val	Glu	Lys	Leu	Asn	Gly	Lys	Ala	Tyr	Gly	Ser	Val	Met	Ile				
			405							410					415				
Leu	Val	Thr	Ser	Gly	Asp	Asp	Lys	Leu	Leu	Gly	Asn	Cys	Leu	Pro	Thr				
		420						425					430						
Val	Leu	Ser	Ser	Gly	Ser	Thr	Ile	His	Ser	Ile	Ala	Leu	Gly	Ser	Ser				
		435					440					445							
Ala	Ala	Pro	Asn	Leu	Glu	Glu	Leu	Ser	Arg	Leu	Thr	Gly	Gly	Leu	Lys				
	450					455													

Ala Phe Val Glu Arg Asp Ser Leu His Phe Pro His Pro Val Met Ile
 610 615 620
 Tyr Ala Asn Val Lys Gln Gly Phe Tyr Pro Ile Leu Asn Ala Thr Val
 625 630 635 640
 Thr Ala Thr Val Glu Pro Glu Thr Gly Asp Pro Val Thr Leu Arg Leu
 645 650 655
 Leu Asp Asp Gly Ala Gly Ala Asp Val Ile Lys Asn Asp Gly Ile Tyr
 660 665 670
 Ser Arg Tyr Phe Phe Ser Phe Ala Ala Asn Gly Arg Tyr Ser Leu Lys
 675 680 685
 Val His Val Asn His Ser Pro Ser Ile Ser Thr Pro Ala His Ser Ile
 690 695 700
 Pro Gly Ser His Ala Met Tyr Val Pro Gly Tyr Thr Ala Asn Gly Asn
 705 710 715 720
 Ile Gln Met Asn Ala Pro Arg Lys Ser Val Gly Arg Asn Glu Glu Glu
 725 730 735
 Arg Lys Trp Gly Phe Ser Arg Val Ser Ser Gly Gly Ser Phe Ser Val
 740 745 750
 Leu Gly Val Pro Ala Gly Pro His Pro Asp Val Phe Pro Pro Cys Lys
 755 760 765
 Ile Ile Asp Leu Glu Ala Val Asn Arg Arg Gly Ile Asp Pro Ile Leu
 770 775 780
 Asp Ser Thr Trp Arg Arg Leu
 785 790

<210> 171

<211> 1491

<212> DNA

<213> Homo sapien

<400> 171

cctcctgcc	gccaagtga	gacatgctta	cttccccttc	accttccttc	atgatgtggg	60
aagagtgtg	caaccagcc	ctagccaacg	cgcctagaga	gggagtgtgc	cgagggttc	120
tgagaaggtt	tctctcatat	ctagaaaaga	gcgcttaaga	tgtggcagcc	cctcttcttc	180
aagtggctct	tgtcctgttg	ccctgggagt	tctcaaattg	ctgcagcagc	ctccaccag	240
cctgaggatg	acatcaatac	acagaggaag	aagagtcagg	aaaagatgag	agaagttaca	300
gactctcctg	ggcgaccccg	agagcttacc	attcctcaga	cttcttcaca	tggtgctaac	360
agatttggtc	ctaaaagtaa	agctctagag	gccgtcaa	at	tggtgctaac	420
caccatattg	attctgcaca	tgtttaca	aatgaggagc	aggttggact	ggccatccga	480
agcaagattg	cagatggcag	tgtgaagaga	gaagacatat	tctacacttc	aaagctttgg	540
agcaattccc	atcgaccaga	gttggtccga	ccagccttgg	aaaggtcact	gaaaaatctt	600
caattggact	atgttgacct	ctatcttatt	cattttccag	tgtctgtaaa	gccaggtgag	660
gaagtgatcc	caaaagatga	aaatggaaaa	atactatttg	acacagtggg	tctctgtgcc	720
acatgggagg	ccatggagaa	gtgtaaagat	gcaggattgg	ccaagtccat	cggggtgtcc	780
aacttcaacc	acaggctgct	ggagatgac	ctcaacaagc	cagggtctca	gtacaagcct	840
gtctgcaacc	aggtggaatg	tcattcctac	ttcaaccaga	gaaaactgct	ggatttctgc	900
aagtcaaaag	acattgttct	ggttgcttat	agtgtctctg	gatcccatcg	agaagaacca	960
tgggtggacc	cgaactcccc	ggtgctcttg	gaggaccag	tcctttgtgc	cttggcaaaa	1020
aagcacaagc	gaacccagc	cctgattgcc	ctgcgctacc	agctgcagcg	tgggggtgtg	1080
gtcctggcca	agagctacaa	tgagcagcgc	atcagacaga	acgtgcaggt	gtttgaattc	1140
cagttgactt	cagaggagat	gaaagccata	gatggcctaa	acagaaatgt	gcgatatttg	1200
acccttgata	tttttgctgg	ccccctaat	tatccatttt	ctgatgaata	ttaacatgga	1260
gggcattgca	tgaggtctgc	cagaaggccc	tgcgtgtgga	tggtgacaca	gaggatggct	1320
ctatgctggt	gactggacac	atcgctctg	gttaaatactc	tctgcttg	cgacttcagt	1380
aagctacagc	taagccatc	ggcggaaaa	gaaagacaat	aattttgttt	ttcattttga	1440


```
<210> 172
<211> 364
<212> PRT
<213> Homo sapien
```

<400> 172																
Met	Trp	Gln	Pro	Leu	Phe	Phe	Lys	Trp	Leu	Leu	Ser	Cys	Cys	Pro	Gly	
1				5					10					15		
Ser	Ser	Gln	Ile	Ala	Ala	Ala	Ala	Ser	Thr	Gln	Pro	Glu	Asp	Asp	Ile	
			20					25					30			
Asn	Thr	Gln	Arg	Lys	Lys	Ser	Gln	Glu	Lys	Met	Arg	Glu	Val	Thr	Asp	
			35				40					45				
Ser	Pro	Gly	Arg	Pro	Arg	Glu	Leu	Thr	Ile	Pro	Gln	Thr	Ser	Ser	His	
			50			55				60						
Gly	Ala	Asn	Arg	Phe	Val	Pro	Lys	Ser	Lys	Ala	Leu	Glu	Ala	Val	Lys	
65				70						75					80	
Leu	Ala	Ile	Glu	Ala	Gly	Phe	His	His	Ile	Asp	Ser	Ala	His	Val	Tyr	
				85					90					95		
Asn	Asn	Glu	Glu	Gln	Val	Gly	Leu	Ala	Ile	Arg	Ser	Lys	Ile	Ala	Asp	
			100					105					110			
Gly	Ser	Val	Lys	Arg	Glu	Asp	Ile	Phe	Tyr	Thr	Ser	Lys	Leu	Trp	Ser	
			115				120					125				
Asn	Ser	His	Arg	Pro	Glu	Leu	Val	Arg	Pro	Ala	Leu	Glu	Arg	Ser	Leu	
						135				140						
Lys	Asn	Leu	Gln	Leu	Asp	Tyr	Val	Asp	Leu	Tyr	Leu	Ile	His	Phe	Pro	
145					150					155					160	
Val	Ser	Val	Lys	Pro	Gly	Glu	Glu	Val	Ile	Pro	Lys	Asp	Glu	Asn	Gly	
				165					170					175		
Lys	Ile	Leu	Phe	Asp	Thr	Val	Asp	Leu	Cys	Ala	Thr	Trp	Glu	Ala	Met	
			180					185					190			
Glu	Lys	Cys	Lys	Asp	Ala	Gly	Leu	Ala	Lys	Ser	Ile	Gly	Val	Ser	Asn	
			195				200					205				
Phe	Asn	His	Arg	Leu	Leu	Glu	Met	Ile	Leu	Asn	Lys	Pro	Gly	Leu	Lys	
	210					215				220						
Tyr	Lys	Pro	Val	Cys	Asn	Gln	Val	Glu	Cys	His	Pro	Tyr	Phe	Asn	Gln	
225					230					235					240	
Arg	Lys	Leu	Leu	Asp	Phe	Cys	Lys	Ser	Lys	Asp	Ile	Val	Leu	Val	Ala	
				245					250					255		
Tyr	Ser	Ala	Leu	Gly	Ser	His	Arg	Glu	Glu	Pro	Trp	Val	Asp	Pro	Asn	
			260					265					270			
Ser	Pro	Val	Leu	Leu	Glu	Asp	Pro	Val	Leu	Cys	Ala	Leu	Ala	Lys	Lys	
			275				280					285				
His	Lys	Arg	Thr	Pro	Ala	Leu	Ile	Ala	Leu	Arg	Tyr	Gln	Leu	Gln	Arg	
	290					295				300						
Gly	Val	Val	Val	Leu	Ala	Lys	Ser	Tyr	Asn	Glu	Gln	Arg	Ile	Arg	Gln	
305					310					315					320	
Asn	Val	Gln	Val	Phe	Glu	Phe										

<210> 173
 <211> 1988
 <212> DNA
 <213> Homo sapiens

<400> 173
 cgggagcgcg cccccgcgg cctcttcgct tttgtggcgg cgcccgcgct cgcaggccac 60
 tctctgtgtg cgcccgctcc ggcgctcct ccgaccgct cgcctcogct cgcctcggcc 120
 ccgcgcgccc cgtcaacatg atccgctgag gcctggcctg cgagcgctgc cgctggatcc 180
 tgccccgtgt cctactcagc gccatcgctt tgcacatcat cgcgctggcc ggccgcggtc 240
 ggttgagtc tagcgaccac ggccagagct cctcgctgtg gtggaaatgc tcccaaggag 300
 gcggcgccag cgggtcctac gaggagggct gtcagagcct catggagtag gcgtggggta 360
 gagcagcgcc tgccatgtct ttctgtggct tcatcatcct ggtgatctgt ttcattcctc 420
 ccttcttcgc cctctgtgga cccagatgc ttgtcttctt gagagtgtat ggaggtctcc 480
 ttgccttggc tgctgtgttc cagatcatct ccctggtaat ttaccccgct aagtagaccc 540
 agaccttcac ccttcatgcc aacctgctg tcacttacat ctataactgg gcctacggct 600
 ttgggtgggc agccacgatt atcctgatcg gctgtgcctt cttcttctgc tgcctcccca 660
 actacgaaga tgaccttctg ggcaatgcca agcccaggta cttctacaca tctgcctaac 720
 ttgggaatga atgtgggaga aaatcgctgc tgctgagatg gactccagaa gaagaaactg 780
 tttctccagg cgactttgaa cccatttttt ggcagtgttc atattattaa actagtcaaa 840
 aatgctaaaa taatttggga gaaaatattt ttaagtagt gttatagttt catgtttatc 900
 ttttattatg ttttgtgaag ttgtgtcttt tcactaatta cctatactat gccaatattt 960
 ccttatactt atccataaca ttatactac atttgaaga gaatatgcac gtgaaactta 1020
 acactttata aggtaaaaat gaggtttcca agatttaata atctgatcaa gttcttgtaa 1080
 tttccaaata gaatggactt ggtctgttaa gggctaagga gaagaggaag ataaggttaa 1140
 aagttgttaa tgaccaaaca ttctaaaaga aatgcacaaa aaaagtttat tttcaagcct 1200
 tcgaactatt taaggaaagc aaaatcattt cctaaatgca tatcatttgt gagaatttct 1260
 cattaatata ctgaatcatt catttcagct aaggcttcat gttgactcga tatgtcatct 1320
 aggaaagtag tatttcagtg tccaaacctg ttgccatagt tggtaaggct ttcctttaag 1380
 tgtgaaatat ttagatgaaa ttttctcttt taaagtctt tatagggtta ggggtgtggg 1440
 aaatgctata ttaataaatc tgtagtgttt tgtgtttata tgttcagaac cagagtagac 1500
 tggattgaaa gatggactgg gtctaattta tcatgactga tagatctggt taagtgtgtg 1560
 agtaaagcat taggagggc attcytgtca caaaagtgc actaaaacag cctcaggaga 1620
 ataaatgact tgcttttcta aatctcaggt ttatctgggc tctatcatat agacaggctt 1680
 ctgatagttt gcarctgtaa gcagaaacct acatatagtt aaaatcctgg tcttctcttg 1740
 taaacagatt ttaaattgtc gatataaaac atgccacagg agaattcggg gatttgagtt 1800
 tctctgaata gcatatatat gatgcacgg ataggtcatt atgatttttt accatttcga 1860
 cttacataat gaaaaccaat tcatttttaa tatcagatta ttattttgta agttgtggaa 1920
 aaagctaatt gtagttttca ttatgaagtt ttcccaataa accagggtatt ctaaaaaaa 1980
 aaaaaaa 1988

<210> 174
 <211> 238
 <212> PRT
 <213> Homo sapiens

<400> 174
 Gly Ala Ala Ser Pro Arg Pro Leu Arg Phe Cys Gly Gly Ala Arg Ala
 5 10 15
 Arg Arg Pro Leu Ser Ala Val Ala Arg Pro Ala Arg Ser Ser Asp Pro
 20 25 30
 Leu Arg Ser Ala Pro Leu Gly Pro Ala Pro Pro Val Asn Met Ile Arg

35	40	45
Cys Gly Leu Ala Cys Glu Arg Cys Arg Trp Ile Leu Pro Leu Leu Leu		
50	55	60
Leu Ser Ala Ile Ala Phe Asp Ile Ile Ala Leu Ala Gly Arg Gly Trp		
65	70	75 80
Leu Gln Ser Ser Asp His Gly Gln Thr Ser Ser Leu Trp Trp Lys Cys		
	85	90 95
Ser Gln Glu Gly Gly Gly Ser Gly Ser Tyr Glu Glu Gly Cys Gln Ser		
	100	105 110
Leu Met Glu Tyr Ala Trp Gly Arg Ala Ala Ala Ala Met Leu Phe Cys		
	115	120 125
Gly Phe Ile Ile Leu Val Ile Cys Phe Ile Leu Ser Phe Phe Ala Leu		
	130	135 140
Cys Gly Pro Gln Met Leu Val Phe Leu Arg Val Ile Gly Gly Leu Leu		
145	150	155 160
Ala Leu Ala Ala Val Phe Gln Ile Ile Ser Leu Val Ile Tyr Pro Val		
	165	170 175
Lys Tyr Thr Gln Thr Phe Thr Leu His Ala Asn Pro Ala Val Thr Tyr		
	180	185 190
Ile Tyr Asn Trp Ala Tyr Gly Phe Gly Trp Ala Ala Thr Ile Ile Leu		
	195	200 205
Ile Gly Cys Ala Phe Phe Phe Cys Cys Leu Pro Asn Tyr Glu Asp Asp		
	210	215 220
Leu Leu Gly Asn Ala Lys Pro Arg Tyr Phe Tyr Thr Ser Ala		
225	230	235

<210> 175
 <211> 4181
 <212> DNA
 <213> Homo sapiens

<220>
 <221> unsure
 <222> (3347)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3502)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3506)
 <223> n=A,T,C or G

<221> unsure
 <222> (3520)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3538)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3549)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3646)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3940)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3968)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3974)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4036)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4056)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4062)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4080)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4088)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4115)
 <223> n=A,T,C or G

<400> 175

```

ggtggatgcg tttgggttgt agctaggctt tttcttttct ttctctttta aaacacatct 60
agacaaggaa aaaacaagcc tcggatctga tttttcactc ctcgttcttg tgcttggttc 120
ttactgtgtt tgtgtatttt aaaggcgaga agacgagggg aacaaaacca gctggatcca 180
tccatcacccg tgggtggttt taatttttcg ttttttctcg ttattttttt ttaaacaacc 240
actcttcaca atgaacaaac tgtatatcgg aaacctcagc gagaacgcgc cccctcggga 300
cctagaaaagt atcttcaagg acgccaagat cccgggtgctg ggacccttcc tggatgaagac 360
tggctacgcg ttogtggact gcccggaaga gagctgggac ctcaaggcca tcgaggcgct 420
ttcaggtaaa atagaactgc acgggaaacc catagaagtt gagcactcgg tcccaaaaag 480
gcaaaggatt cggaaacttc agatacgaat tatccgcct catttacagt gggagggtgct 540
ggatagttta ctagtccagt atggagtggg ggagagctgt gagcaagtga acactgactc 600
ggaaactgca gttgtaaatg taacctattc cagtaaggac caagctagac aagcactaga 660
caaactgaat ggatttcagt tagagaattt caccttgaaa gtagcctata tccctgatga 720
aatggccgcc cagcaaaaacc ccttcagca gccccgaggt cgcggggggc ttgggcagag 780
gggctcctca aggcaggggt ctccaggatc cgtatccaag cagaaaccat gtgatttgcc 840
  
```

tctgcgcctg	ctgggtccca	cccaatttgt	tggagccatc	ataggaaaag	aaggtgccac	900
cattcggaac	atcaccaaac	agacccagtc	taaaatcgat	gtccaccgta	aagaaaatgc	960
gggggctgct	gagaagtcga	ttactatcct	ctctactcct	gaaggcacct	ctgcggcttg	1020
taagtctatt	ctggagatta	tgcataagga	agctcaagat	ataaaattca	cagaagagat	1080
ccccttgaag	attttagctc	ataataaact	tgttggacgt	cttattggta	aagaaggaag	1140
aaatctttaa	aaaattgagc	aagacacaga	cactaaaatc	acgatatctc	cattgcagga	1200
attgacgctg	tataatccag	aaagcactat	tacagttaaa	ggcaatgttg	agacatgtgc	1260
caaagctgag	gaggagatca	tgaagaaaat	cagggagtct	tatgaaaatg	atattgcttc	1320
tatgaatctt	caagcacatt	taattcctgg	attaaatctg	aacgccttgg	gtctgttccc	1380
accacttca	gggatgccac	ctcccacctc	agggccccct	tcagccatga	ctcctcccta	1440
cccgagttt	gagcaatcag	aaacggagac	tgttcatcag	tttatcccag	ctctatcagt	1500
cggtgccatc	atcggcaagc	agggccagca	catcaagcag	ctttctcgct	ttgctggagc	1560
ttcaattaag	attgctccag	cgggaagcacc	agatgctaaa	gtgaggatgg	tgattatcac	1620
tggaccacca	gaggctcagt	tcaaggctca	gggaagaatt	tatggaaaaa	ttaaagaaga	1680
aaactttgtt	agtcctaaag	aagaggtgaa	acttgaagct	catatcagag	tgccatcctt	1740
tgctgctggc	agagttattg	gaaaaggagg	caaaaagggtg	aatgaacttc	agaatttgtc	1800
aagtgcagaa	gttgttgtcc	ctcgtgacca	gacacctgat	gagaatgacc	aagtggttgt	1860
caaaataact	ggtcacttct	atgcttgcca	ggttgcccag	agaaaaatc	aggaaattct	1920
gactcaggtg	aagcagcacc	aacaacagaa	ggctctgcaa	agtggaccac	ctcagtcaag	1980
acggaagtaa	aggctcagga	aacagcccac	cacagaggca	gatgccaaac	caaagacaga	2040
ttgcttaacc	aacagatggg	cgctgacccc	ctatccagaa	tcacatgcac	aagtttttac	2100
ctagccagtt	gtttctgagg	accaggcaac	ttttgaaact	ctgtctctgt	gagaaatgat	2160
actttatgct	ctctgaaatg	tatgacaccc	agctttaaaa	caaaacaaac	aacaaacaaa	2220
aaaaggggtg	gggaggagg	gaaagagaag	agctctgcac	ttccctttgt	tgtagtctca	2280
cagtataaca	gatattctaa	ttcttcttaa	tattccccca	taatgccaga	aattggctta	2340
atgatgcttt	cactaaattc	atcaaataga	ttgctcctaa	atccaattgt	taaaattgga	2400
tcagaataat	tatcacagga	acttaaatgt	taagccatta	gcatagaaaa	actgttctca	2460
gttttatttt	tacctaacac	taacatgagt	aacctaaagg	aagtgtctgaa	tggtgttggc	2520
aggggtatta	aacgtgcatt	tttactcaac	tacctcaggt	attcagtaat	acaatgaaaa	2580
gcaaaattgt	tccttttttt	tgaaaaattt	atatacttta	taatgataga	agtccaaccg	2640
ttttttaaaa	aataaattta	aaatttaaca	gcaatcagct	aacaggcaaa	ttaagatttt	2700
tacttctggc	tggtgacagt	aaagctggaa	aattaatttc	agggtttttt	gaggcttttg	2760
acacagttat	tagttaaatc	aaatgttcaa	aaatacggag	cagtgcctag	tatctggaga	2820
gcagcactac	catttattct	ttcattttata	gttgggaaag	tttttgacgg	tactaacaaa	2880
gtggctcgag	gagatttttg	aacggctggg	ttaaatggct	tcaggagact	tcagtttttt	2940
gttttagctac	atgattgaat	gcataataaa	tgctttgtgc	ttctgactat	caatacctaa	3000
agaaaagtga	tcagtgaaga	gatgcaagac	tttcaactga	ctggcaaaaa	gcaagcttta	3060
gcttctctta	taggatgctt	agtttgccac	tacacttcag	accaatggga	cagtcataga	3120
tggtgtgaca	gtgttttaac	gcaacaaaag	gctacatttc	catggggcca	gcactgtcat	3180
gagcctcact	aagctatttt	gaagattttt	aagcactgat	aaattaaaaa	aaaaaaaaaa	3240
aaattagact	ccaccttaag	tagtaaagta	taacaggatt	tctgtatact	gtgcaatcag	3300
ttctttgaaa	aaaaagtcac	aagatagaga	atacaagaaa	agtttttngg	atataatttg	3360
aatgactgtg	aaaacatag	acctttgata	acgaactcat	ttgctcactc	cttgacagca	3420
aagcccagta	cgtacaattg	tgttgggtgt	gggtgggtctc	caaggccacg	ctgctctctg	3480
aattgatttt	ttgagttttg	gnttgnaaga	tgatcacagn	catgttacac	tgatcttnaa	3540
ggacatatnt	tataaccctt	taaaaaaaaa	atccccctgc	tcattcttat	ttcgagatga	3600
atttcgatac	agactagatg	tctttctgaa	gatcaattag	acattntgaa	aatgatttaa	3660
agtgttttcc	ttaatgttct	ctgaaaacaa	gtttcttttg	tagttttaac	caaaaaagtg	3720
ccctttttgt	cactggtttc	tcctagcatt	catgattttt	ttttcacaca	atgaattaaa	3780
attgctaaaa	tcattggactg	gctttctggg	tggatttcag	gtaagatgtg	tttaaggcca	3840
gagcttttct	cagtatttga	tttttttccc	caatatttga	ttttttaaaa	atatacacat	3900
aggagctgca	tttaaaacct	gctgggttaa	attctgtcan	atttcacttc	tagcctttta	3960
gtatggcnaa	tcanaattta	cttttactta	agcatttgta	atttgaggta	tctgggtacta	4020
gctaagaaat	aattcnataa	ttgagttttg	tactcnccaa	anatgggtca	ttcctcatgn	4080
ataatgtnc	cccaatgcag	cttcattttc	caganacctt	gacgcaggat	aaattttttc	4140

atcatttagg tccccaaaaa aaaaaaaaaa aaaaaaaaaa a

4181

<210> 176

<211> 580

<212> PRT

<213> Homo sapiens

<400> 176

Met Asn Lys Leu Tyr Ile Gly Asn Leu Ser Glu Asn Ala Ala Pro Ser
5 10 15

Asp Leu Glu Ser Ile Phe Lys Asp Ala Lys Ile Pro Val Ser Gly Pro
20 25 30

Phe Leu Val Lys Thr Gly Tyr Ala Phe Val Asp Cys Pro Asp Glu Ser
35 40 45

Trp Ala Leu Lys Ala Ile Glu Ala Leu Ser Gly Lys Ile Glu Leu His
50 55 60

Gly Lys Pro Ile Glu Val Glu His Ser Val Pro Lys Arg Gln Arg Ile
65 70 75 80

Arg Lys Leu Gln Ile Arg Asn Ile Pro Pro His Leu Gln Trp Glu Val
85 90 95

Leu Asp Ser Leu Leu Val Gln Tyr Gly Val Val Glu Ser Cys Glu Gln
100 105 110

Val Asn Thr Asp Ser Glu Thr Ala Val Val Asn Val Thr Tyr Ser Ser
115 120 125

Lys Asp Gln Ala Arg Gln Ala Leu Asp Lys Leu Asn Gly Phe Gln Leu
130 135 140

Glu Asn Phe Thr Leu Lys Val Ala Tyr Ile Pro Asp Glu Met Ala Ala
145 150 155 160

Gln Gln Asn Pro Leu Gln Gln Pro Arg Gly Arg Arg Gly Leu Gly Gln
165 170 175

Arg Gly Ser Ser Arg Gln Gly Ser Pro Gly Ser Val Ser Lys Gln Lys
180 185 190

Pro Cys Asp Leu Pro Leu Arg Leu Leu Val Pro Thr Gln Phe Val Gly
195 200 205

Ala Ile Ile Gly Lys Glu Gly Ala Thr Ile Arg Asn Ile Thr Lys Gln
210 215 220

Thr Gln Ser Lys Ile Asp Val His Arg Lys Glu Asn Ala Gly Ala Ala
225 230 235 240

Glu Lys Ser Ile Thr Ile Leu Ser Thr Pro Glu Gly Thr Ser Ala Ala
245 250 255

Cys Lys Ser Ile Leu Glu Ile Met His Lys Glu Ala Gln Asp Ile Lys
 260 265 270
 Phe Thr Glu Glu Ile Pro Leu Lys Ile Leu Ala His Asn Asn Phe Val
 275 280 285
 Gly Arg Leu Ile Gly Lys Glu Gly Arg Asn Leu Lys Lys Ile Glu Gln
 290 295 300
 Asp Thr Asp Thr Lys Ile Thr Ile Ser Pro Leu Gln Glu Leu Thr Leu
 305 310 315 320
 Tyr Asn Pro Glu Arg Thr Ile Thr Val Lys Gly Asn Val Glu Thr Cys
 325 330 335
 Ala Lys Ala Glu Glu Glu Ile Met Lys Lys Ile Arg Glu Ser Tyr Glu
 340 345 350
 Asn Asp Ile Ala Ser Met Asn Leu Gln Ala His Leu Ile Pro Gly Leu
 355 360 365
 Asn Leu Asn Ala Leu Gly Leu Phe Pro Pro Thr Ser Gly Met Pro Pro
 370 375 380
 Pro Thr Ser Gly Pro Pro Ser Ala Met Thr Pro Pro Tyr Pro Gln Phe
 385 390 395 400
 Glu Gln Ser Glu Thr Glu Thr Val His Gln Phe Ile Pro Ala Leu Ser
 405 410 415
 Val Gly Ala Ile Ile Gly Lys Gln Gly Gln His Ile Lys Gln Leu Ser
 420 425 430
 Arg Phe Ala Gly Ala Ser Ile Lys Ile Ala Pro Ala Glu Ala Pro Asp
 435 440 445
 Ala Lys Val Arg Met Val Ile Ile Thr Gly Pro Pro Glu Ala Gln Phe
 450 455 460
 Lys Ala Gln Gly Arg Ile Tyr Gly Lys Ile Lys Glu Glu Asn Phe Val
 465 470 475 480
 Ser Pro Lys Glu Glu Val Lys Leu Glu Ala His Ile Arg Val Pro Ser
 485 490 495
 Phe Ala Ala Gly Arg Val Ile Gly Lys Gly Gly Lys Thr Val Asn Glu
 500 505 510
 Leu Gln Asn Leu Ser Ser Ala Glu Val Val Val Pro Arg Asp Gln Thr
 515 520 525
 Pro Asp Glu Asn Asp Gln Val Val Val Lys Ile Thr Gly His Phe Tyr
 530 535 540

Ala Cys Gln Val Ala Gln Arg Lys Ile Gln Glu Ile Leu Thr Gln Val
 545 550 555 560

Lys Gln His Gln Gln Gln Lys Ala Leu Gln Ser Gly Pro Pro Gln Ser
 565 570 575

Arg Arg Lys

<210> 177

<211> 401

<212> DNA

<213> Homo sapiens

<400> 177

atgccccgta aatgtcttca gtgttcttca gggtagttgg gatctcaaaa gatttggttc 60
 agatccaaac aaatacacat tctgtgtttt agctcagttg tttctaaaaa aagaaactgc 120
 cacacagcaa aaaattgttt actttgttgg acaaaccaaa tcagttctca aaaaatgacc 180
 ggtgcttata aaaagttata aatatcgagt agctctaaaa caaaccacct gaccaagagg 240
 gaagtgaagt tgtgcttagt atttacattg gatgccagtt ttgtaatcac tgacttatgt 300
 gcaaactggt gcagaaattc tataaactct ttgctgtttt tgataacctgc tttttgttgc 360
 attttgtttt gttttgtaaa aatgataaaa cttcagaaaa t 401

<210> 178

<211> 561

<212> DNA

<213> Homo sapiens

<400> 178

acgcctttca aggggtgtacg caaagcactc attgataccc ttttggatgg ctatgaaaca 60
 gcccgctatg ggacaggggt ctttggccag aatgagtacc tacgctatca ggaggccctg 120
 agtgagctgg ccaactgagg taaagcacga attgggagct ctcagcgaca tcaccagtca 180
 gcagccaaag acctaactca gtcccctgag gtctcccca caaccatcca ggtgacatac 240
 ctcccctcca gtcagaagag taaacgtgcc aagcacttcc ttgaattgaa gagctttaag 300
 gataactata acacattgga gagtactctg tgacggagct gaaggactct tgccgtagat 360
 taagccagtc agttgcaatg tgcaagacag gctgcttgcc gggccgcctt cggaacatct 420
 ggcccagcag gccagactg tatccatcca agttcccggt gtatccagag ttcttagagc 480
 ttgtgtctaa agggtaattc cccaaccctt ccttatgagc attttttagaa cattggctaa 540
 gactattttc cccagtagc g 561

<210> 179

<211> 521

<212> DNA

<213> Homo sapiens

<400> 179

cccaacgcgt ttgcaaata tcccctggta gcctacttcc ttacccccga atattggtaa 60
 gatcgagcaa tggcttcagg acatgggttc tcttctctg tgatcattca agtgctcact 120
 gcatgaagac tggcttgtct cagtgtttca acctcaccag ggctgtctct tgggtccacac 180
 ctegtccctt gttagtgcg tatgacagcc cccatcaaat gaccttggcc aagtcacggg 240
 ttctctgtgg tcaaggttgg ttggctgatt ggtggaaagt aggggtggacc aaaggaggcc 300
 acgtgagcag tcagcaccag ttctgcacca gcagcgcctc cgtcctagtg ggtgttctct 360
 tttctcctgg ccttgggtgg gctagggcct gattcgggaa gatgcctttg cagggagggg 420
 aggataagtg ggatctacca attgattctg gcaaaacaat ttctaagatt tttttgcttt 480

atgtgggaaa cagatctaaa tctcatttta tgctgtattt t 521

<210> 180

<211> 417

<212> DNA

<213> Homo sapiens

<400> 180

ggtggaattc gccgaagatg gcggaggtgc aggtcctggt gcttgatggt cgaggccatc 60
tcttggggccg cctggcgccg atcgtggcta aacagggtact gctgggcccgg aagggtggtgg 120
tcgtacgctg tgaaggcatc aacatttctg gcaatttcta cagaaacaag ttgaagtacc 180
tggttttctt ccgcaagcgg atgaacacca acccttcccg agggccctac cacttccggg 240
ccccagccg catcttctgg cggaccgtgc gaggtatgct gcccacaaa accaagcgag 300
gccaggccgc tctggaccgt ctcaagggtg ttgacggcat cccaccgccc tacgacaaga 360
aaaagcggat ggtggttctt gctgccctca aggtcgtgcy tctgaagcct acaagaa 417

<210> 181

<211> 283

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (35)

<223> n=A,T,C or G

<400> 181

gatttcttct aaataggatg taaaacttct ttcanattac tcttcctcag tctgcctgc 60
caagaactca agtgaactg tgataaaata acctttccca ggtatattgg caggtatgtg 120
tgtaatctca gaatacacag gtgacataga tatgatatga caactggtaa tgggtggattc 180
atttacattg tttaacttc tatgaccagg ccttaaggga aggtcagttt tttaaaaaac 240
caagtagtgt cttcctacct atctccagat acatgtcaaa aaa 283

<210> 182

<211> 401

<212> DNA

<213> Homo sapiens

<400> 182

atattcttgc tgcttatgca gctgacattg ttgccctccc taaagcaacc aagtagcctt 60
tatttccac agtgaaagaa aacgctggcc tatcagttac attacaaaag gcagatttca 120
agaggattga gtaagtagtt ggatggcttt cataaaaaca agaattcaag aagaggattc 180
atgctttaag aaacatttgt tatacattcc tcacaaatta tacctgggat aaaaactatg 240
tagcaggcag tgtgttttcc ttccatgtct ctctgcacta cctgcagtgt gtcctctgag 300
gctgcaagtc tgtcctatct gaattcccag cagaagcact aagaagctcc accctatcac 360
ctagcagata aaactatggg gaaaacttaa atctgtgcat a 401

<210> 183

<211> 366

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (325)

<223> n=A,T,C or G

<400> 183

```
accgtgtcca agtttttaga acccttggtta gccagaccga ggtgtcctgg tcaccgtttc 60
accatcatgc tttgatgttc cctgtctctt ctctctcttg ctctcaagag caaagggttaa 120
tttaaggaca aagatgaagt cactgtaaac taactgtgca ttgtttttac ctcccttttc 180
tttttcagtg cagaaattaa aagtaagtat aaagcacagt gattgggagt gtttttgagt 240
gtgtcggaat cactggtaaa tggtggctga gaacaatccc tccccttgca cttgtgaaaa 300
cactttgagc gctttaagag attancctga gaaataatta aatatctttt ctcttcaaaa 360
aaaaaa 366
```

<210> 184

<211> 370

<212> DNA

<213> Homo sapiens

<400> 184

```
tcttacttca aaagaaaaat aaacataaaa aataagttgc tggttcctaa caggaaaaat 60
tttaataatt gtactgagag aaactgctta cgtacacatt gcagatcaaa tatttgaggt 120
taaaatgtta gtctacatag atgggtgatt gtaactttat tgccattaaa agatttcaaa 180
ttgcattcat gcttctgtgt acacataatg aaaaatgggc aaataatgaa gatctctcct 240
tcagtctgct ctgtttaatt ctgctgtctg ctctctctta atgctgogtc cctaattgta 300
cacagtttag tgatatctag gagtataaag ttgtcgccca tcaataaaaa tcacaaagtt 360
ggtttaaaaa 370
```

<210> 185

<211> 107

<212> DNA

<213> Homo sapiens

<400> 185

```
ctcatattat tttccttttg agaaattgga aactctttct gttgctatta tattaataaa 60
gttgggtgtt atttctgtgt agtcaccttc cccatttaaa aaaaaaa 107
```

<210> 186

<211> 309

<212> DNA

<213> Homo sapiens

<400> 186

```
gaaaggatgg ctctggttgc cacagagctg ggacttcatg ttcttctaga gagggccaca 60
agagggccac aggggtggcc gggagttgtc agctgatgcc tgctgagagg caggaattgt 120
gccagtgagt gacagtcagc agggagtgtc tcttcttggg gaggaaagaa ggtagagcct 180
ttctgtctga atgaaaggcc aaggctacag tacagggccc cgccccagcc aggggtgtta 240
tgccacagta gtggaggcct ctggcagatc ctgcattcca aggtcactgg actgtacgtt 300
tttatggtt 309
```

<210> 187

<211> 477

<212> DNA

<213> Homo sapiens

<400> 187

```
ttcagtccta gcaagaagcg agaattctga gatcctccag aaagtcgagc agcaccacc 60
tccaacctcg ggccagtgtc ttcaggcttt actggggacc tgcgagctgg cctaattgtg 120
```

```

tggcctgcaa gccaggccat ccctgggccc cacagacgag ctccgagcca ggtcaggctt 180
cggaggccac aagctcagcc tcaggcccag gcaactgattg tggcagaggg gccactaccc 240
aaggtctagc taggcccagg acctagttac ccagacagtg agaagcccct ggaaggcaga 300
aaagtgtgga gcatggcaga caggggaaggg aaacattttc agggaaaaga catgtatcac 360
atgtcttcag aagcaagtca ggtttcatgt aaccgagtgt cctcttgctg gtccaaaagt 420
agcccagggc tgtagcacag gcttcacagt gattttgtgt tcagccgtga gtcacac 477

```

<210> 188

<211> 220

<212> DNA

<213> Homo sapiens

<400> 188

```

taaataatggc agatattaat attcctctta gatgaccagt gattccaatt gtcccaagtt 60
ttaaataagt accctgtgag tatgagataa attagtaca atcagaacaa gtttcagtat 120
cagatgttca agaggaagtt gctattgcat tgattttaat attgtacat aaacactgat 180
ttttttgagc attattttgt attgtttgta ctttaatacc 220

```

<210> 189

<211> 417

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (76)

<223> n=A,T,C or G

<221> unsure

<222> (77)

<223> n=A,T,C or G

<400> 189

```

accatcttga cagaggatac atgtcccaa aacgtttggt accacactta aaaatcactg 60
ccatcattaa gcatcnnttt caaaattata gccattcatg atttactttt tccagatgac 120
tatcattatt ctagtctttt gaatttgtaa ggggaaaaaa aacaaaaaqa aaaactttacg 180
atgcactttt ctccagcaca tcagatttca aattgaaaat taaagacatg ctatggtaat 240
gcacttgcta gtactacaca ctttgtacaa caaaaaacag aggcagaaga caacggaaag 300
agaaaagcct tcctttgttg gcccttaaac tgagtcaaga tctgaaatgt agagatgatc 360
tctgacgata cctgtatggt cttattgtgt aaataaaatt gctggtatga aatgaca 417

```

<210> 190

<211> 497

<212> DNA

<213> Homo sapiens

<400> 190

```

gcactgcggc gctctcccggt ccgcgggtgg ttgctgctgc tgccgctgct gctgggcctg 60
aacgcaggag ctgtcattga ctggcccaca gaggagggca aggaagtatg ggattatgtg 120
acggtccgca aggatgccta catgttcttg tggtctatt atgccacaa ctctgcaag 180
aacttctcag aactgcccct ggtcatgtgg cttcagggcg gtccaggcgg ttctagcact 240
ggatttggaa actttgagga aattgggccc cttgacagtg atctcaaac accggaaacc 300
atttggctcc aggtgcccag tctcctattt gtgataatc ccgtgggcac tgggttcagt 360
tatgtgaatg gtagtggtgc ctatgccaaag gacctggcta tgggtggctt agacatgatg 420
gttctcctga agacctctt cagttgccac aaagaattcc agacagttcc attctacatt 480
ttctcagagt cctatgg 497

```

<210> 191

<211> 175

<212> DNA

<213> Homo sapiens

<400> 191

```

atgttgaata ttttgcttat taactttggt tattgtcttc tccctcgatt agaattattag 60
ctacttgagt acaaggattt gagcctgtta cattcactgc tgaatttttag gtccttgga 120
gatacccgagc attcaataga gaccacacaa taaatatatg tcaaataaaa aaaaa 175

```

<210> 192

<211> 526

<212> DNA

<213> Homo sapiens

<400> 192

```

agtaaaccatt attatTTTTT ttatatttgc aaaggaaaca tatctaattcc ttcctataga 60
aagaacagta ttgctgtaat tccttttctt ttcttctca ttctctctgc cccttaaaag 120
attgaagaaa gagaaacttg tcaactcata tccacgttat ctacgaaagt acataagaat 180
ctatcactaa gtaatgtatc cttcagaatg tggttggtta ccagtgacac cccatattca 240
tcacaaaatt aaagcaagaa gtccatagta atttatttgc taatagtga tttttaatgc 300
tcagagtttc tgagggtcaa ttttatcttt tcacttacaa gctctatgat cttaaataat 360
ttacttaatg tattttgggtg tttttcctc aaattaatat tgggtgtcaa gactatatct 420
aattcctctg atcactttga gaaacaaact tttattaaat gtaaggcact tttctatgaa 480
ttttaaatat aaaaataaat attgttctga ttattactga aaaaaa 526

```

<210> 193

<211> 553

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (290)

<223> n=A,T,C or G

<221> unsure

<222> (300)

<223> n=A,T,C or G

<221> unsure

<222> (411)

<223> n=A,T,C or G

<221> unsure

<222> (441)

<223> n=A,T,C or G

<400> 193

```

tccattgtgg tggaattcgc tctctggtaa aggcgtgcag gtgttgcccg cggcctctga 60
gctgggatga gccgtgctcc cgggtggaagc aagggagccc agccggagcc atggccagta 120
cagtggtagc agttggactg accattgctg ctgcaggatt tgcaggccgt tacgttttgc 180
aagccatgaa gcatatggag cctcaagttaa aacaagtttt tcaaagccta ccaaaatctg 240
ccttcagtgg tggctattat agaggtgggt ttgaacccaa aatgacaaan cgggaagcan 300
cattaatact aggtgtaagc cctactgcca ataaagggaa aataagagat gctcatcgac 360
gaattatgct tttaaatcat cctgacaaag gaggatctcc ttatatagca nccaaaatca 420
atgaagctaa agatttacta naaggtcaag ctaaaaaatg aagtaaatgt atgatgaatt 480

```

ttaagttcgt attagtttat gtatatgagt actaagtttt tataataaaa tgcctcagag 540
ctacaattttt aaa 553

<210> 194

<211> 320

<212> DNA

<213> Homo sapiens

<400> 194

cccttcccaa tccatcagta aagaccccat ctgccttgtc catgccgttt cccaacaggg 60
atgtcacttg atatgagaat ctcaaattctc aatgccttat aagcattcct tctgtgtcc 120
attaagactc tgataattgt ctccctccca taggaatttc tcccaggaaa gaaatatatc 180
cccatctccg tttcatatca gaactaccgt ccccgatatt cccttcagag agattaaaga 240
ccagaaaaaa gtgagcctct tcatctgcac ctgtaatagt ttcagttcct attttcttcc 300
attgacccat atttatacct 320

<210> 195

<211> 320

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (203)

<223> n=A,T,C or G

<221> unsure

<222> (218)

<223> n=A,T,C or G

<400> 195

aagcatgacc tggggaaatg gtcagacctt gtatttgttt tttggccttg aaagtagcaa 60
gtgaccagaa tctgccatgg caacaggctt taaaaaagac ccttaaaaag acactgtctc 120
aactgtggtg ttagcaccag ccagctctct gtacatttgc tagctttagt ttttctaaga 180
ctgagtaaac ttcttatttt tanaaagggg aggctggntt gtaactttcc ttgtacttaa 240
ttgggtaaaa gtcttttcca caaaccacca tctattttgt gaactttggt agtcactctt 300
tatttggtaa attatgaact 320

<210> 196

<211> 357

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (36)

<223> n=A,T,C or G

<400> 196

atataaaata atacgaaact ttaaaaagca ttggantgtc agtatgttga atcagtagtt 60
tcaactttaac tgtaaaacaat ttcttaggac accatttggt ctagtttctg tgtaagtgtg 120
aatactacaa aaacttattt atactgttct tatgtcattt gttatattca tagatttata 180
tgatgatatg acatctggct aaaaagaaat tattgcaaaa ctaaccacta tgtacttttt 240
tataaatact gtatggacaa aaaatggcat tttttatatt aaattgttta gctctggcaa 300
aaaaaaaaa ttttaagagc tgggtactaat aaaggattat tatgactgtt aaaaaaa 357

<210> 197
<211> 565
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (27)
<223> n=A,T,C or G

<400> 197
tcagctgagt accatcagga tatttanccc tttaagtgtt gttttgggag tagaaaacta 60
aagcaacaat acttcctctt gacagctttg attggaatgg gggtattaga tcattcacct 120
tggtcctaca ctttttagga tgcttggtga acataacacc acttataatg aacatccctg 180
gttcctatat tttgggctat gtgggtagga attgttactt gttactgcag cagcagccct 240
agaaagtaag ccaggggctt cagatctaag ttagtccaaa agctaaatga tttaaagtca 300
agttgtaatg ctaggcataa gcactctata atacattaaa ttataggccg agcaattagg 360
gaatgtttct gaaacattaa acttgatttt atgtcactaa aattctaaca caaacttaaa 420
aaatgtgtct catacatatg ctgtactagg ctcatcatg catttctaaa tttgtgtatg 480
atgtgaatat atgaaagaat ttatacaaga gtgttattta aaattattaa aaataaatgt 540
atataatttg tacctattgt aaaaa 565

<210> 198
<211> 484
<212> DNA
<213> Homo sapiens

<400> 198
tatgtaagta ttggtgtctg ctttaaaaaa ggagaccag acttcacctg tcctttttta 60
acatttgaga acagtgttac tctgagcagt tgggccacct tcaccttacc cgacagctga 120
ctgttggtatg tgtccattgt cgcagtttg gctgttgccc ggacaggaca ggacctccat 180
tgggcgagc agcaggtggc aggggtgtgg cttgaggtgg gtggcagcgt ctggctctcc 240
tctctggtgc tttctgagag ggtctctaaa gcagagtgtg gttggcctgg gggaaggcag 300
agcacgtatt tctccctctt agtacctctg catttgtgag tgttccctct ggctttctga 360
agggcagcag actcttgagt atactgcaga ggacatgctt tatcagtagg tctgagggc 420
tccaggggct caactgacca agtaacacag aagttggggg atgtggccta tttgggtcgg 480
aaac 484

<210> 199
<211> 429
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (77)
<223> n=A,T,C or G
<221> unsure
<222> (88)
<223> n=A,T,C or G
<221> unsure
<222> (134)
<223> n=A,T,C or G
<221> unsure
<222> (151)

<223> n=A,T,C or G

<221> unsure

<222> (189)

<223> n=A,T,C or G

<221> unsure

<222> (227)

<223> n=A,T,C or G

<221> unsure

<222> (274)

<223> n=A,T,C or G

<221> unsure

<222> (319)

<223> n=A,T,C or G

<400> 199

```
gcttatgttt tttgttttaa cttttgtttt ttaacattta gaatattaca ttttgtatta 60
tacagtacct ttctcanaca ttttgtanaa ttcatttcgg cagctcacta ggattttgct 120
gaacattaaa aagngtgata gcgatattag ngccaatcaa atggaaaaaa ggtagtctta 180
ataaacaana cacaacgttt ttatacaaca tactttaaaa tattaanaaa actccttaat 240
attgtttcct attaatgatt attccttggg caanattttc tgatgetttt gattttctct 300
caatttagca tttgcttng gtttttttct ctatttagca ttctgttaag gcacaaaaac 360
tatgtactgt atgggaaatg ttgtaaatat taccttttcc acattttaaa cagacaactt 420
tgaatccaa 429
```

<210> 200

<211> 279

<212> DNA

<213> Homo sapiens

<400> 200

```
gcttttttga ggaattacag ggaagctcct ggaattgtac atggatatct ttatccctag 60
ggggaaatca aggagctggg caccctaat tctttatgga agtgtttaaa actattttta 120
ttttattaca agtattacta gagtagtggt tctactctaa gatttcaaaa gtgcatttaa 180
aatcatacat gttccgcct gcaaatatat tgttattttg gtggagaaaa aaatagtata 240
ttctacataa aaaattaaag atattaacta agaaaaaaa 279
```

<210> 201

<211> 569

<212> DNA

<213> Homo sapiens

<400> 201

```
taggtcagta tttttagaaa ctcttaatag ctcatactct tgataccaaa agcagccctg 60
attgttaaag cacacacctg cacaagaagc agtgatgggt gcattttacat ttctgggtg 120
cacaaaaaaa aattctcaa aagcaaggac ttacgctttt tgcaaaacct ttgagaagtt 180
actggatcat aggaagctta taacaagaat ggaagattct taaataactc actttctttg 240
gtatccagta acagtagatg ttcaaaatat gtagctgatt aataccagca ttgtgaacgc 300
tgtacaacct tgtggttatt actaagcaag ttactactag cttctgaaaa gtagcttcat 360
aattaatggt atttatacac tgccttccat gacttttact ttgccctaag ctaatctcca 420
aaatctgaaa tgctactcca atatcagaaa aaaaggggga ggtggaatta tatttctctg 480
gattttaaga gtacagagaa tcatgcacat ctctgattag ttcatatatg tctagtgtgt 540
aataaaagtc aaagatgaac tctcaaaaa 569
```

<210> 202

<211> 501

<212> DNA

<213> Homo sapiens

<400> 202

```
attaataggc ttaataattg ttggcaagga tccttttggc ttctttggca tgcaagctcc 60
tagcatctgg cagtggggcc aagaaaataa ggtttatgca tgtatgatgg ttttcttctt 120
gagcaacatg attgagaacc agtgtatgtc aacagggtgca tttgagataa ctttaaataga 180
tgtacctgtg tggcttaagc tggaatctgg tcaccttcca tccatgcaac aacttggtca 240
aattcttgac aatgaaatga agctcaatgt gcatatggat tcaatccac accatcgatc 300
atagcaccac ctatcagcac tgaaaactct tttgcattaa gggatcattg caagagcagc 360
gtgactgaca ttatgaaggc ctgtactgaa gacagcaagc tgtagtaca gaccagatgc 420
tttcttggca ggctcgttgt acctcttggg aaacctcaat gcaagatagt gtttcagtgc 480
tggcatattt tggaattctg c 501
```

<210> 203

<211> 261

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (36)

<223> n=A,T,C or G

<221> unsure

<222> (96)

<223> n=A,T,C or G

<400> 203

```
gacaagctcc tggctctgag atgtcttctc gttaangaga tgggcctttt ggaggtaaag 60
gataaaatga atgagttctg tcatgattca ctatntata acttgcata cttttactgt 120
gttagctctt tgaatgttct tgaaatttta gactttcttt gtaaacaaat gatatgtcct 180
tatcattgta taaaagctgt tatgtgcaac agtgtggaga ttcttgtctt gatttaataa 240
aataacttaa cactgaaaaa a 261
```

<210> 204

<211> 421

<212> DNA

<213> Homo sapiens

<400> 204

```
agcatctttt ctacaacgtt aaaattgcag aagtagctta tcattaaaaa acaacaacaa 60
caacaataac aataaatcct aagtgtaaat cagttattct accccctacc aaggatatca 120
gcctgttttt tccctttttt ctctgggaa taattgtggg cttcttcca aatttctaca 180
gcctctttcc tcttctcatg cttgagcttc cctgtttgca cgcagcgtg tgcaggactg 240
gcttgtgtgc ttggaactcg ctccaggtgg aagcatgctt tcccttgta ctgttggaga 300
aactcaaacc ttcaagccct aggtgtagcc attttgtcaa gtcatacaact gtatttttgt 360
actggcatta acaaaaaaag aagataaaat attgtaccat taaacttta taaaacttta 420
a 421
```

<210> 205

<211> 460

<212> DNA

<213> Homo sapiens

<400> 205


```

tactctcaca atgaaggacc tggaaatgaaa aatctgtgtc taaacaagtc ctcttttagat 60
tttagtgcaa atccagagcc agcgtcgggt gcctcgagta attctttcat gggtagcctt 120
ggaaaagctc tcaggagacc tcacctagat gcctattcaa gctttggaca gccatcagat 180
tgtcagccaa gagcctttta tttgaaagct cattcttccc cagacttgga ctctgggtca 240
gaggaagatg ggaaagaaag gacagatttt caggaagaaa atcacatttg tacctttaaa 300
cagacttttag aaaactacag gactccaaat tttcagtctt atgacttgga cacatagact 360
gaatgagacc aaaggaaaag cttaacatac tacctcaagg tgaactttta tttaaaagag 420
agagaatctt atgtttttta aatggagtta tgaattttta 460

```

<210> 206

<211> 481

<212> DNA

<213> Homo sapiens

<400> 206

```

tgtggtggaa ttogggacgc cccagacccc tgacttttct ctgcgtgggc cgtctctctc 60
tgcggaagca gtgacctctg acccctgggt accttcgctt tgagtgcctt ttgaacgctg 120
gtcccgcggt acttggtttt ctcaagctct gtctgtccaa agacgctcgg gtcgaggtcc 180
cgctgcctct ggggtggatac ttgaacccca gacgcccctc tgtgtgctgt tgcctggagg 240
cgcccttccc atctgectgc ccacccggag ctctttccgc cggcgcaggg tcccaagccc 300
acctcccgcc ctcagtctct cgggtgtgct ctgggcacgt cctgcacaca caatgcaagt 360
cctggcctcc gcgccgccc gccacgcga gccgtaccgg ccgccaactc tgttatttat 420
ggtgtgaccc cctggagggt ccctcgcccc accggggcta tttattgttt aatttatttg 480
t 481

```

<210> 207

<211> 605

<212> DNA

<213> Homo sapiens

<400> 207

```

accctttttg gattcagggc tcctcacaat taaaatgagt gtaatgaaac aaggtagaaa 60
tatagaagca tccctttgta tactgttttg ctacttacag tgtacttggc attgctttat 120
ctcactggat tctcacggtg ggatttctga gatcttaac taagctccaa agttgtctac 180
ttttttgatc ctagggtgct ccttttgttt tacagagcag ggtcacttga ttgttagct 240
gggtggcagaa ttggcaccat taccagggtc tgactgacca ccagtcagag gcactttatt 300
tgtatcatga aatgatttga aatcatttga aagcagcgaa gtctgataat gaatgccagc 360
tttctttgtg ctttgataac aaagactcca aatattctgg agaacctgga taaaagtgtg 420
aagggtcaga ttgggatttg aagacaaaat ttagggaaat cttacatttt tgcaataaca 480
aacattaatg aaagcaaaac attataaaaag taattttaat tcaccacata cttatcaatt 540
tcttgatgct tccaaatgac atctaccaga tatgggtttg tggacatctt tttctgttta 600
cataa 605

```

<210> 208

<211> 655

<212> DNA

<213> Homo sapiens

<400> 208

```

ggcgttggtc tggattcccg tcgtaactta aagggaact ttcacaatgt ccggagccct 60
tgatgtcctg caaatgaagg aggaggatgt ccttaagttc cttgcagcag gaaccactt 120
agggtgcacc aatcttgact tccagatgga acagtacatc tataaaagga aaagtgatgg 180
catctatata ataaatctca agaggacctg ggagaagctt ctgctggcag ctggtgcaat 240
tgttgccatt gaaaaccctg ctgatgtcag tggtatatcc tccaggaata ctggccagag 300
ggctgtgctg aagtttgctg ctgccactgg agccactcca attgctggcc gcttactctc 360

```

```

tggaaccttc actaaccaga tccaggcagc cttccgggag ccaaggcttc ttgtgggttac 420
tgaccccagg gctgaccacc agcctctcac ggaggcatct tatgttaacc tacctaccat 480
tgcgctgtgt aacacagatt ctctctgcg ctatgtggac attgccatcc catgcaacaa 540
caagggagct cactcagtg gtttgatgtg gtggatgctg gctcgggaag ttctgcgcat 600
gcgtggcacc atttcccggtg aacacccatg ggaggatcatg cctgatctgt acttc 655

```

<210> 209

<211> 621

<212> DNA

<213> Homo sapiens

<400> 209

```

catttagaac atggttatca tccaagacta ctctaccctg caacattgaa ctcccaagag 60
caaatccaca ttctcttga gttctgcagc ttctgtgtaa atagggcagc tgcgtctat 120
gccgtagaat cacatgatct gaggaccatt catggaagct gctaaatagc ctagtctggg 180
gagtcttcca taaagttttg catggagcaa acaaacagga ttaaactagg tttggttctt 240
tcagccctct aaaagcatag ggcttagcct gcaggcttcc ttgggcttcc tctgtgtgtg 300
tagttttgta aacactatag catctgttaa gatccagtgt ccatggaaac cttcccat 360
gcgctgactc tggactatat cagtttttgg aaagcagggt tcctctgcct gctaacaagc 420
ccacgtggac cagtctgaat gtctttcctt tacacctatg tttttaaata gtcaaaacttc 480
aagaaacaat ctaaaacaagt ttctgttgca tatgtgtttg tgaacttgta tttgtattta 540
gtaggcttct atattgcatt taacttgttt ttgtaactcc tgattcttcc ttttcggata 600
ctattgatga ataaagaaat t 621

```

<210> 210

<211> 533

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (20)

<223> n=A,T,C or G

<221> unsure

<222> (21)

<223> n=A,T,C or G

<221> unsure

<222> (61)

<223> n=A,T,C or G

<400> 210

```

cgccttgggg agccggcggn ngagtccggg acgtggagac ccgggggtccc ggagccggg 60
nggcccgcgg gccaggggtg gggatgcacc gccgcggggt gggagctggc gccatcgcca 120
agaagaaact tgcagaggcc aagtataagg agcgaggagc ggtcttggt gaggaccagc 180
tagccagat gtcaaagcag ttggacatgt tcaagaccaa cctggaggaa ttgccagca 240
aacacaagca ggagatccgg aagaatcctg agttccgtgt gcagttccag gacatgtgtg 300
caaccattgg cgtggatccg ctggcctctg gaaaaggatt ttggtctgag atgctgggcg 360
tgggggactt ctattacgaa ctagggtgtcc aaattatcga agtgtgctg gcgctgaagc 420
atcggaatgg aggtctgata actttggagg aactacatca acagggtgtg aagggagggg 480
gcaagttcgc ccaggatgtc agtcaagatg acctgatcag agccatcaag aaa 533

```

<210> 211

<211> 451

<212> DNA

<213> Homo sapiens

<400> 211
 ttagcttgag ccgagaacga ggcgagaaag ctggagaccg aggagaccgc cttagagcgga 60
 gtgaacgggg aggggaccgt ggggacgggc ttgatcgtgc gcggacacct gctaccaagc 120
 ggagcttcag caaggaagtg gaggagcgga gtagagaacg gccctcccag cctgaggggc 180
 tgcgcaaggc agctagcctc acggaggatc gggaccgtgg gcgggatgcc gtgaagcgag 240
 aagctgcctt acccccagtg agccccctga aggcggctct ctctgaggag gagttagaga 300
 agaaatccaa ggctatcatt gaggaatata tccatctcaa tgacatgaaa gaggcagtcc 360
 agtgcgtgca ggagctggcc tcacctcctt tgctcttcat ctttgtacgg catggtgtcg 420
 agtctacgct ggagcgagcgt gccattgtct g 451

<210> 212
 <211> 471
 <212> DNA
 <213> Homo sapiens

<220>
 <221> unsure
 <222> (54)
 <223> n=A,T,C or G

<400> 212
 gtgattattc ttgatcaggg agaagatcat ttagatttgt tttgcattcc ttanaatgga 60
 gggcaacatt ccacagctgc cctggctgtg atgagtgtcc ttgcaggggc cggagtagga 120
 gcactggggg gggggcgga ttggggttac tcgatgtaag ggattccttg ttgttgtgtt 180
 gagatccagt gcagttgtga tttctgtgga tcccagcttg gttccaggaa ttttgtgtga 240
 ttggcttaaa tccagttttc aatcttcgac agctgggctg gaacgtgaac tcagtagctg 300
 aacctgtctg acccggtcac gttcttggat cctcagaact ctttgcctct gtccgggtgg 360
 ggggtgggaac tcacgtgggg agcgggtggc gagaaaatgt aaggattctg gaatacatat 420
 tccatgggac tttccttccc tctcctgctt cctcttttcc tgcctcctaa c 471

<210> 213
 <211> 511
 <212> DNA
 <213> Homo sapiens

<220>
 <221> unsure
 <222> (27)
 <223> n=A,T,C or G
 <221> unsure
 <222> (63)
 <223> n=A,T,C or G
 <221> unsure
 <222> (337)
 <223> n=A,T,C or G
 <221> unsure
 <222> (442)
 <223> n=A,T,C or G

<400> 213
 ctaattagaa acttgctgta ctttttnttt tcttttaggg gtcaaggacc ctctttatag 60
 ctncattttg cctacaataa attattgcag cagtttgcaa tactaaaata ttttttatag 120
 actttatatt tttccttttg ataaagggat gctgcatagt agagttggtg taattaaact 180
 atctcagcgg tttcctgctt ttcccttctg ctccatagc ctcattgtcc ttccagggag 240

```

ctcttttaat cttaaagttc tacatttcat gctcttagtc aaattctggt acctttttta 300
taactcttcc cactgcatat ttccatcttg aattggnggt tctaaattct gaaactgtag 360
ttgagataca gctatttaat atttctggga gatgtgcac cctcttcttt gtgggtgccc 420
aagggttggtt tgcgtaactg anactccttg atatgcttca gagaatttag gcaaactg 480
gccatggccg tgggagtact gggagtaaaa t 511

```

```

<210> 214
<211> 521
<212> DNA
<213> Homo sapiens

```

```

<400> 214
agcattgcc aataatccct aattttccac taaaaatata atgaaatgat gttaagcttt 60
ttgaaaagtt taggttaaac ctactgttgt tagattaatg tatttggtgc ttccctttat 120
ctggaatgtg gcattagctt ttttatttta accctcttta attcttattc aattccatga 180
cttaagggtg gagagctaaa cactgggatt ttgggataac agactgacag ttttgcataa 240
ttataatcgg cattgtacat agaaaggata tggctacctt ttgttaaata tgcactttct 300
aaatatcaaa aaagggaat gaagtataaa tcaatttttg tataatctgt ttgaaacatg 360
agttttatatt gcttaatat agggccttgc cccttttctg taagtctctt gggatcctgt 420
gtagaagctg ttctcattaa acaccaaaca gttaagtcca ttctctggta ctagctacaa 480
attcgggttc atattctact taacaattta aataaactga a 521

```

```

<210> 215
<211> 381
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> unsure
<222> (17)
<223> n=A,T,C or G
<221> unsure
<222> (20)
<223> n=A,T,C or G
<221> unsure
<222> (60)
<223> n=A,T,C or G
<221> unsure
<222> (61)
<223> n=A,T,C or G
<221> unsure
<222> (365)
<223> n=A,T,C or G

```

```

<400> 215
gagcggagag cggaccngtn agagccctga gcagcccccac cgccgcccgc ggccctagtt 60
ncatcacacc cggggaggag ccgcagctgc cgcagccggc cccagtcacc atcacgcaa 120
ccatgagcag cgaggccgag acccagcagc cgcccgcgc ccccccgcc gccccgccc 180
tcagcgcgc cgacaccaag ccggcacta cgggcagcgc cgcagggagc ggtggccgg 240
ggggcctcac atcggcggcg cctgcggcg gggacaagaa ggtcatcgca acgaagggtt 300
tggaacagt aaaatggtt aatgtaagga acggatatgg ttcatcaac aggaatgaca 360
ccaangaaga tgtatttga c 381

```

```

<210> 216
<211> 425

```

<212> DNA

<213> Homo sapiens

<400> 216

```

ttactaacta ggtcattcaa ggaagtcaag ttaacttaaa catgtcacct aaatgcactt 60
gatgggtgtg aaatgtccac cttcttaaat ttttaagatg aacttagttc taaagaagat 120
aacaggccaa tcctgaaggc actccctgtt tgctgcagaa tgtcagatat tttggatgtt 180
gcataagagt cctatttgcc ccagttaatt caacttttgt ctgectgttt tgtggactgg 240
ctggctctgt tagaactctg tccaaaaagt gcatggaata taacttgtaa agcttccac 300
aattgacaat atatatgcat gtgtttaaac caaatccaga aagcttaaac aatagagctg 360
cataatagta tttattaaag aatcacaact gtaaacaatga gaataactta aggattctag 420
tttag                                     425

```

<210> 217

<211> 181

<212> DNA

<213> Homo sapiens

<400> 217

```

gagaaaccaa atgatagggt gtagagcctg atgactccaa acaaagccat caccgcatt 60
cttctcctt cttctgggtg tacagctcca agggcccttc accttcattg ctgaaatgga 120
actttggctt tttcagtggg agaatatgtt gaaggtttca ttttgttcta gaaaaaaaaa 180
a                                     181

```

<210> 218

<211> 405

<212> DNA

<213> Homo sapiens

<400> 218

```

caggccttcc agttcactga caaacatggg gaagtgtgcc cagctggctg gaaacctggc 60
agtgatacca tcaagcctga tgtccaaaag agcaaagaat atttctccaa gcagaagtga 120
gcgctgggct gttttagtgc caggctgcgg tgggcagcca tgagaacaaa acctcttctg 180
tattttttt ttccattagt aaaacacaag acttcagatt cagccgaatt gtggtgtctt 240
acaaggcagg cctttcctac aggggggtgga gagaccagcc tttcttctt tggttaggaat 300
ggcctgagtt ggcgttggtg gcaggctact ggtttgtag atgtattagt agagcaaccc 360
attaatctt ttagtattgt attaaacttg aactgagaaa aaaaaa 405

```

<210> 219

<211> 216

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (207)

<223> n=A,T,C or G

<221> unsure

<222> (210)

<223> n=A,T,C or G

<400> 219

```

actccaagag ttagggcagc agagtggagc gatttagaaa gaacatttta aaacaatcag 60
ttaatttacc atgtaaaatt gctgtaaatg ataatgtgta cagattttct gttcaaatat 120
tcaattgtaa acttctgtt aagactgtta cgtttctatt gcttttgat gggatattgc 180

```

aaaaataaaa aggaaagaac cctcttnaan aaaaaa

216

<210> 220

<211> 380

<212> DNA

<213> Homo sapiens

<400> 220

cttacaaatt gcccccatgt gtaggggaca cagaaccctt tgagaaaact tagatttttg 60
tctgtacaaa gtctttgect ttttccttct tcattttttt ccagtacatt aaatttgtca 120
atttcattct tgagggaac tgattagatg ggttgtgttt gtgttctgat ggagaaaaca 180
gcacccaag gactcagaag atgattttta cagttcagaa cagatgtgtg caatattggt 240
gcatgtaata atgttgagtg gcagtcaaaa gtcattgatt ttatcttagt tcttcattac 300
tgcattgaaa aggaaaacct gtctgagaaa atgcctgaca gtttaattta aaactatggt 360
gtaagtcttt gacaaaaaaa 380

<210> 221

<211> 398

<212> DNA

<213> Homo sapiens

<400> 221

ggttagtaag ctgtcgactt tgtaaaaaag ttaaaaatga aaaaaaaagg aaaaatgaat 60
tgtatattta atgaatgaac atgtacaatt tgccactggg aggaggttcc tttttgttgg 120
gtgagtctgc aagtgaattt cactgatgtt gatattcatt gtgtgtagtt ttatttcggt 180
cccagccccg tttcctttta ttttgagct aatgccagct gcgtgtctag ttttgagtgc 240
agtaaaatag aatcagcaaa tcactcttat ttttcatect ttcccggtat tttttgggtt 300
gtttctgtgg gagcagtgt caccaactct tctgtatat tgcccttttg ctggaaaatg 360
ttgtatgttg aataaaattt tctataaaaa ttaaaaaa 398

<210> 222

<211> 301

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (49)

<223> n=A,T,C or G

<221> unsure

<222> (64)

<223> n=A,T,C or G

<400> 222

ttcgataatt gatctcatgg gctttccctg gaggaaggt ttttttgnr gtttattttt 60
taanaacttg aaacttgtaa actgagatgt ctgtagcttt ttgcccac tgtagtgtat 120
gtgaagattt caaaaacctg gagcactttt tctttgttta gaattatgag aaaggcacta 180
gatgacttta ggatttgcac ttttcctttt attgectcat ttcttgtgac gccttgttgg 240
ggagggaat ctgtttattt tttcctacaa ataaaaagct aagattctat atcgcaaaaa 300
a 301

<210> 223

<211> 200

<212> DNA

<213> Homo sapiens

<400> 223
 gtaagtgttt aggaagaaac ttgcaaaca tttaatgagg atacactgtt cattttttaa 60
 attccttcac actgtaattt aatgtgtttt atattctttt gtagtaaaac aacataactc 120
 agatttctac aggagacagt ggttttattt ggattgtctt ctgtaatagg tttcaataaa 180
 gctggatgaa cttaaaaaaa 200

<210> 224
 <211> 385
 <212> DNA
 <213> Homo sapiens

<400> 224
 gaaaggtttg atccggactc aaagaaagca aaggagtgtg agccgccatc tgctggagca 60
 gctgtaactg caagacctgg acaagagatt cgtcagcgaa ctgcagctca aagaaacctt 120
 tctccaacac cagcaagccc taaccagggc cctcctccac aagttccagt atctcctgga 180
 ccaccaaagg acagttctgc ccctggtgga cccccagaaa ggactgttac tccagcccta 240
 tcatcaaagt tgttaccaag acatcttgga tcccctgcta cttcagtgcc tggaatgggt 300
 aaacagagca cttaatgtta tttacagttt atattgtttt ctctgggttac caataaaacg 360
 ggccattttc aggtggtaaa aaaaa 385

<210> 225
 <211> 560
 <212> PRT
 <213> Homo sapien

<400> 225
 Met Glu Cys Leu Tyr Tyr Phe Leu Gly Phe Leu Leu Leu Ala Ala Arg
 1 5 10 15
 Leu Pro Leu Asp Ala Ala Lys Arg Phe His Asp Val Leu Gly Asn Glu
 20 25 30
 Arg Pro Ser Ala Tyr Met Arg Glu His Asn Gln Leu Asn Gly Trp Ser
 35 40 45
 Ser Asp Glu Asn Asp Trp Asn Glu Lys Leu Tyr Pro Val Trp Lys Arg
 50 55 60
 Gly Asp Met Arg Trp Lys Asn Ser Trp Lys Gly Gly Arg Val Gln Ala
 65 70 75 80
 Val Leu Thr Ser Asp Ser Pro Ala Leu Val Gly Ser Asn Ile Thr Phe
 85 90 95
 Ala Val Asn Leu Ile Phe Pro Arg Cys Gln Lys Glu Asp Ala Asn Gly
 100 105 110
 Asn Ile Val Tyr Glu Lys Asn Cys Arg Asn Glu Ala Gly Leu Ser Ala
 115 120 125
 Asp Pro Tyr Val Tyr Asn Trp Thr Ala Trp Ser Glu Asp Ser Asp Gly
 130 135 140
 Glu Asn Gly Thr Gly Gln Ser His His Asn Val Phe Pro Asp Gly Lys
 145 150 155 160
 Pro Phe Pro His His Pro Gly Trp Arg Arg Trp Asn Phe Ile Tyr Val
 165 170 175
 Phe His Thr Leu Gly Gln Tyr Phe Gln Lys Leu Gly Arg Cys Ser Val
 180 185 190
 Arg Val Ser Val Asn Thr Ala Asn Val Thr Leu Gly Pro Gln Leu Met
 195 200 205
 Glu Val Thr Val Tyr Arg Arg His Gly Arg Ala Tyr Val Pro Ile Ala

210	215	220
Gln Val Lys Asp Val Tyr Val Val Thr Asp Gln Ile Pro Val Phe Val		
225	230	235
Thr Met Phe Gln Lys Asn Asp Arg Asn Ser Ser Asp Glu Thr Phe Leu		240
	245	250
Lys Asp Leu Pro Ile Met Phe Asp Val Leu Ile His Asp Pro Ser His		255
	260	265
Phe Leu Asn Tyr Ser Thr Ile Asn Tyr Lys Trp Ser Phe Gly Asp Asn		270
	275	280
Thr Gly Leu Phe Val Ser Thr Asn His Thr Val Asn His Thr Tyr Val		285
	290	295
Leu Asn Gly Thr Phe Ser Leu Asn Leu Thr Val Lys Ala Ala Ala Pro		300
305	310	315
Gly Pro Cys Pro Pro Pro Pro Pro Pro Pro Arg Pro Ser Lys Pro Thr		320
	325	330
Pro Ser Leu Gly Pro Ala Gly Asp Asn Pro Leu Glu Leu Ser Arg Ile		335
	340	345
Pro Asp Glu Asn Cys Gln Ile Asn Arg Tyr Gly His Phe Gln Ala Thr		350
	355	360
Ile Thr Ile Val Glu Gly Ile Leu Glu Val Asn Ile Ile Gln Met Thr		365
	370	375
Asp Val Leu Met Pro Val Pro Trp Pro Glu Ser Ser Leu Ile Asp Phe		380
385	390	395
Val Val Thr Cys Gln Gly Ser Ile Pro Thr Glu Val Cys Thr Ile Ile		400
	405	410
Ser Asp Pro Thr Cys Glu Ile Thr Gln Asn Thr Val Cys Ser Pro Val		415
	420	425
Asp Val Asp Glu Met Cys Leu Leu Thr Val Arg Arg Thr Phe Asn Gly		430
	435	440
Ser Gly Thr Tyr Cys Val Asn Leu Thr Leu Gly Asp Asp Thr Ser Leu		445
	450	455
Ala Leu Thr Ser Thr Leu Ile Ser Val Pro Asp Arg Asp Pro Ala Ser		460
465	470	475
Pro Leu Arg Met Ala Asn Ser Ala Leu Ile Ser Val Gly Cys Leu Ala		480
	485	490
Ile Phe Val Thr Val Ile Ser Leu Leu Val Tyr Lys Lys His Lys Glu		495
	500	505
Tyr Asn Pro Ile Glu Asn Ser Pro Gly Asn Val Val Arg Ser Lys Gly		510
	515	520
Leu Ser Val Phe Leu Asn Arg Ala Lys Ala Val Phe Phe Pro Gly Asn		525
	530	535
Gln Glu Lys Asp Pro Leu Leu Lys Asn Gln Glu Phe Lys Gly Val Ser		540
545	550	555
		560

<210> 226

<211> 9

<212> PRT

<213> Homo sapien

<400> 226

Ile Leu Ile Pro Ala Thr Trp Lys Ala

1

5

<210> 227

<211> 9

<212> PRT
<213> Homo sapien

<400> 227

Phe Leu Leu Asn Asp Asn Leu Thr Ala
1 5

<210> 228
<211> 9
<212> PRT
<213> Homo sapien

<400> 228

Leu Leu Gly Asn Cys Leu Pro Thr Val
1 5

<210> 229
<211> 10
<212> PRT
<213> Homo sapien

<400> 229

Lys Leu Leu Gly Asn Cys Leu Pro Thr Val
1 5 10

<210> 230
<211> 10
<212> PRT
<213> Homo sapien

<400> 230

Arg Leu Thr Gly Gly Leu Lys Phe Phe Val
1 5 10

<210> 231
<211> 9
<212> PRT
<213> Homo sapien

<400> 231

Ser Leu Gln Ala Leu Lys Val Thr Val
1 5

<210> 232
<211> 20
<212> PRT
<213> Homo sapiens

<400> 232

Ala Gly Ala Asp Val Ile Lys Asn Asp Gly Ile Tyr Ser Arg Tyr Phe
5 10 15

Phe Ser Phe Ala
20

114

<210> 233
<211> 21
<212> PRT
<213> Homo sapiens

<400> 233
Phe Phe Ser Phe Ala Ala Asn Gly Arg Tyr Ser Leu Lys Val His Val
5 10 15

Asn His Ser Pro Ser
20

<210> 234
<211> 20
<212> PRT
<213> Homo sapiens

<400> 234
Phe Leu Val Thr Trp Gln Ala Ser Gly Pro Pro Glu Ile Ile Leu Phe
5 10 15

Asp Pro Asp Gly
20

<210> 235
<211> 20
<212> PRT
<213> Homo sapiens

<400> 235
Leu Gln Ser Ala Val Ser Asn Ile Ala Gln Ala Pro Leu Phe Ile Pro
5 10 15

Pro Asn Ser Asp
20

<210> 236
<211> 20
<212> PRT
<213> Homo sapiens

<400> 236
Ile Gln Asp Asp Phe Asn Asn Ala Ile Leu Val Asn Thr Ser Lys Arg
5 10 15

Asn Pro Gln Gln
20

<210> 237

<211> 21

<212> PRT

<213> Homo sapiens

<400> 237

Arg Asn Ser Leu Gln Ser Ala Val Ser Asn Ile Ala Gln Ala Pro Leu
5 10 15

Phe Ile Pro Pro Asn
20

<210> 238

<211> 20

<212> PRT

<213> Homo sapiens

<400> 238

Thr His Glu Ser His Arg Ile Tyr Val Ala Ile Arg Ala Met Asp Arg
5 10 15

Asn Ser Leu Gln
20

<210> 239

<211> 20

<212> PRT

<213> Homo sapiens

<400> 239

Arg Asn Pro Gln Gln Ala Gly Ile Arg Glu Ile Phe Thr Phe Ser Pro
5 10 15

Gln Ile Ser Thr
20

<210> 240

<211> 21

<212> PRT

<213> Homo sapiens

<400> 240

Gly Gln Ala Thr Ser Tyr Glu Ile Arg Met Ser Lys Ser Leu Gln Asn
5 10 15

Ile Gln Asp Asp Phe
20

<210> 241

<211> 20

<212> PRT

<213> Homo sapiens

<400> 241

Glu Arg Lys Trp Gly Phe Ser Arg Val Ser Ser Gly Gly Ser Phe Ser
5 10 15

Val Leu Gly Val
20

<210> 242

<211> 20

<212> PRT

<213> Homo sapiens

<400> 242

Gly Ser His Ala Met Tyr Val Pro Gly Tyr Thr Ala Asn Gly Asn Ile
5 10 15

Gln Met Asn Ala
20

<210> 243

<211> 20

<212> PRT

<213> Homo sapiens

<400> 243

Val Asn His Ser Pro Ser Ile Ser Thr Pro Ala His Ser Ile Pro Gly
5 10 15

Ser His Ala Met
20

<210> 244

<211> 20

<212> PRT

<213> Homo sapiens

<400> 244

Ala Val Pro Pro Ala Thr Val Glu Ala Phe Val Glu Arg Asp Ser Leu
5 10 15

His Phe Pro His
20

<210> 245

<211> 20

<212> PRT

<213> Homo sapiens

<400> 245

Lys Pro Gly His Trp Thr Tyr Thr Leu Asn Asn Thr His His Ser Leu

117

5 10 15
Gln Ala Leu Lys
20

<210> 246
<211> 20
<212> PRT
<213> Homo sapiens

<400> 246
Asn Leu Thr Phe Arg Thr Ala Ser Leu Trp Ile Pro Gly Thr Ala Lys
5 10 15

Pro Gly His Trp
20

<210> 247
<211> 20
<212> PRT
<213> Homo sapiens

<400> 247
Leu His Phe Pro His Pro Val Met Ile Tyr Ala Asn Val Lys Gln Gly
5 10 15

Phe Tyr Pro Ile
20

<210> 248
<211> 20
<212> PRT
<213> Homo sapiens

<400> 248
Pro Glu Thr Gly Asp Pro Val Thr Leu Arg Leu Leu Asp Asp Gly Ala
5 10 15

Gly Ala Asp Val
20

<210> 249
<211> 20
<212> PRT
<213> Homo sapiens

<400> 249
Gly Phe Tyr Pro Ile Leu Asn Ala Thr Val Thr Ala Thr Val Glu Pro
5 10 15

Glu Thr Gly Asp

20

<210> 250

<211> 20

<212> PRT

<213> Homo sapiens

<400> 250

Phe Asp Pro Asp Gly Arg Lys Tyr Tyr Thr Asn Asn Phe Ile Thr Asn
 5 10 15

Leu Thr Phe Arg
 20

<210> 251

<211> 20

<212> PRT

<213> Homo sapiens

<400> 251

Leu Gln Ala Leu Lys Val Thr Val Thr Ser Arg Ala Ser Asn Ser Ala
 5 10 15

Val Pro Pro Ala
 20

<210> 252

<211> 153

<212> PRT

<213> Homo sapien

<400> 252

Met Ala Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala
 1 5 10 15
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val
 20 25 30
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly
 35 40 45
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys
 50 55 60
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp
 65 70 75 80
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Ile Thr
 85 90 95
 Pro Glu Ala Phe Glu Lys Leu Gly Phe Pro Ala Ala Lys Glu Ile Ala
 100 105 110
 Asn Met Cys Arg Phe Tyr Glu Met Lys Pro Asp Arg Asp Val Asn Leu
 115 120 125
 Thr His Gln Leu Asn Pro Lys Val Lys Ser Phe Ser Gln Phe Ile Ser
 130 135 140
 Glu Asn Gln Gly Ala Phe Lys Gly Met
 145 150

<210> 253

<211> 462

<212> DNA

<213> Homo sapien

<400> 253

atggccagtg	tccgcgtggc	ggcctacttt	gaaaactttc	tccgcggcgtg	gcggcccggtg	60
aaagcctctg	atggagatta	ctacaccttg	gctgtacoga	tgggagatgt	accaatggat	120
ggtatctctg	ttgctgatat	tggagcagcc	gtctctagca	tttttaattc	tccagaggaa	180
tttttaggca	aggccgtggg	gctcagtga	gaagcactaa	caatacagca	atatgctgat	240
gttttgtcca	aggctttggg	gaaagaagtc	cgagatgcaa	agattacccc	ggaagctttc	300
gagaagctgg	gattccctgc	agcaaaggaa	atagccaata	tgtgtcgttt	ctatgaaatg	360
aagccagacc	gagatgtcaa	tctcaccac	caactaaatc	ccaaagtcaa	aagcttcagc	420
cagtttatct	cagagaacca	gggagccttc	aagggcattgt	ag		462

<210> 254

<211> 8031

<212> DNA

<213> Homo sapien

<400> 254

tggcgaatgg	gacgcgccct	gtagcggcgc	attaagcgcg	gcgggtgtgg	tggttacgcg	60
cagcgtgacc	gctacacttg	ccagcgccct	agcgcgcgct	cctttcgcgt	tcttcccttc	120
ctttctcgcc	acgttcgcgc	gctttccccg	tcaagctcta	aatcgggggc	tccctttagg	180
gttccgattt	agtgccttac	ggcacctcga	ccccaaaaa	cttgattagg	gtgatggttc	240
acgtagtggg	ccatcgccct	gatagacggg	ttttcgccct	ttgacgttgg	agtccacggt	300
ctttaatagt	ggactcttgt	tccaaactgg	aacaacactc	aacctatct	cgtctatttc	360
ttttgattta	taagggattt	tgcgatttcc	ggcctattgg	ttaaaaaatg	agctgattta	420
acaaaaat	aacgcgaatt	ttaacaaaat	attaacgttt	acaatttcag	gtggcacttt	480
tccggggaaat	gtgcgcggaa	cccctatttg	tttatttttc	taaatacatt	caaatatgta	540
tccgctcatg	aattaattct	tagaaaaact	catcgagcat	caaatgaaac	tgcaatttat	600
tcatatcagg	attatcaata	ccatattttt	gaaaaagccg	tttctgtaat	gaaggagaaa	660
actcaccgag	gcagttccat	aggatggcaa	gaccttggtg	tccgtctgcg	attccgactc	720
gtccaacatc	aatacaacct	attaatttcc	cctcgtcaaa	aataagggtta	tcaagtgaga	780
aatcaccatg	agtgcgact	gaatccgggtg	agaatggcaa	aagtttatgc	atttctttcc	840
agacttggtc	aacaggccag	ccattacgct	cgtcatcaaa	atcactcgca	tcaaccaaac	900
cgttattcat	tccgtgattgc	gcctgagcga	gacgaaatac	gcgatcgtgc	ttaaaaggac	960
aattacaacac	aggaatcgaa	tgcaaccggc	gcaggaacac	tgccagcgca	tcaacaatat	1020
tttcacctga	atcaggatat	tcttctaata	cctgggaatgc	tgttttcccg	gggatcgcag	1080
tggtgagtaa	ccatgcacat	tcaggagtac	ggataaaatg	cttgatggtc	ggaagaggca	1140
taaattccgt	cagccagttt	agtctgacca	tctcatctgt	aacatcattg	gcaacgctac	1200
ctttgccatg	tttcagaaac	aactctggcg	catcgggctt	cccatacaat	cgatagattg	1260
tccacactga	ttgcgcgaca	ttatcgcgag	cccatttata	cccatataaa	tcagcatcca	1320
tggttgaatt	taatcgcggc	ctagagcaag	acgtttcccg	ttgaatatgg	ctcataaacac	1380
cccttgattt	actgtttatg	taagcagaca	gttttattgt	tcatgaccaa	aatcccttaa	1440
cgtgagtttt	cgttccactg	agcgtcagac	cccgtagaaa	agatcaaagg	atcttcttga	1500
gacccctttt	ttctgcgcgt	aatctgctgc	ttgcaaacaa	aaaaaccacc	gctaccagcg	1560
gtggtttgtt	tgccggatca	agagctacca	actctttttc	cgaaggtaac	tggttccagc	1620
agagcgcaga	taccaaatac	tgtccttcta	gtgtagccgt	agttaggcca	ccacttcaag	1680
aactctgtag	caccgcctac	atacctcgct	ctgctaatac	tgttaccagt	ggctgctgcc	1740
agtggcgata	agtcgtgtct	taccgggttg	gactcaagac	gatagttacc	ggataaggcg	1800
cagcggtcgg	gctgaacggg	gggttcgtgc	acacagccca	gcttggagcg	aacgacctac	1860
accgaactga	gatacctaca	gcgtgagcta	tgagaaagcg	ccacgcttcc	cgaagggaga	1920
aaggcggaca	ggtatccggt	aagcggcagg	gtcggaaacag	gagagcgcac	gagggagctt	1980

ccagggggaa	acgcctggta	tctttatagt	cctgtcgggt	ttcgccacct	ctgacttgag	2040
cgtcgatttt	tgtgatgctc	gtcagggggg	cggagcctat	ggaaaaacgc	cagcaacgcg	2100
gcctttttac	ggttcctggc	cttttgctgg	ccttttgctc	acatgttctt	tctgctgta	2160
tccctgatt	ctgtggataa	cgtattacc	gcctttgagt	gagctgatac	cgctcgccgc	2220
agccgaacga	ccgagcgcag	cgagtcagt	agcgaggaag	cggaagagcg	cctgatgcgg	2280
tattttctcc	ttacgcattc	gtgcggtatt	tcacacccga	tatatgggtc	actctcagta	2340
caatctgctc	tgatgccgca	tagttaagcc	agtatacact	ccgctatcgc	tacgtgactg	2400
ggctcatggct	gcgcccgac	acccgccaac	acccgctgac	gcgccctgac	gggcttgctc	2460
gtcccgga	tccgcttaca	gacaagctgt	gaccgtctcc	gggagctgca	tgtgtcagag	2520
gttttcaccg	tcacacccga	aacgcgcgag	gcagctgcgg	taaagctcat	cagcgtgggtc	2580
gtgaagcgat	tcacagatgt	ctgcctgttc	atccgcgtcc	agctcgttga	gtttctccag	2640
aagcgttaat	gtctggcttc	tgataaagcg	ggccatgtta	agggcggttt	tttctgttt	2700
ggctactgat	gcctcgtgt	aagggggatt	tctgttcatg	ggggtaatga	taccgatgaa	2760
acgagagagg	atgctcacga	tacgggttac	tgatgatgaa	catgcccggt	tactggaaacg	2820
ttgtgagggg	aaacaactgg	cggatggat	gcgccgggac	cagagaaaaa	tactcagggg	2880
tcaatgccag	cgcttcgtta	atacagatgt	aggtgttcca	cagggtagcc	agcagcatcc	2940
tgcatgag	atccggaaca	taatggtgca	gggcgctgac	ttccgcgttt	ccagacttta	3000
cgaaacacgg	aaaccgaaga	ccattcatgt	tggtgctcag	gtcgagacg	ttttgcagca	3060
gcagtcgctt	cagttcgct	cgcgtatcgg	tgattcattc	tgctaaccag	taaggcaacc	3120
ccgccagcct	agccgggtcc	tcaacgacag	gagcacgac	atgcgcaccc	gtggggccgc	3180
catgccggcg	ataatggcct	gcttctcgcc	gaaacgtttg	gtggcgggac	cagtgaacgaa	3240
ggcttgagcg	agggcgtgca	agattccgaa	taccgcaagc	gacaggccga	tcacgtcgcc	3300
gctccagcga	aagcggctcc	cgcgaaaaat	gaccagagc	gctgcgggca	cctgtcctac	3360
gagttgcatg	ataaagaaga	cagtcataag	tgccggcgacg	atagtcatgc	cccgcccca	3420
ccggaaggag	ctgactgggt	tgaaggctct	caagggcatc	ggtcgagatc	ccggtgccta	3480
atgagtgagc	taacttacat	taattgcgtt	gcgctcactg	cccgctttcc	agtcgggaaa	3540
cctgtcgtgc	cagctgcatt	aatgaatcgg	ccaacgcgcg	gggagaggcg	gtttgcgtat	3600
tgggcccag	ggtggttttt	cttttcacca	gtgagacggg	caacagctga	ttgcccttca	3660
ccgcctggcc	ctgagagagt	tgagcaagc	gggtccacgt	ggtttgcccc	agcaggcgaa	3720
aatcctgttt	gatggtggtt	aacggcgggg	tataacatga	gctgtcttcg	gtatcgtcgt	3780
atcccactac	cgagatatcc	gcaccaacgc	gcagcccgga	ctcggtaatg	gcgcgcattg	3840
cgcccagcgc	catctgatcg	ttggcaacca	gcacgcaggt	gggaacgatg	ccctcattca	3900
gcatttgcat	ggtttgttga	aaaccggaca	tggcactcca	gtcgccctcc	cgttccgcta	3960
tcggctgaat	ttgattgcga	gtgagatatt	tatgccagcc	agccagacgc	agacgcgcgcg	4020
agacagaact	taatgggccc	gctaacagcg	cgatttgctg	gtgacccaat	gcgaccgat	4080
gtccacgcc	cagtcgcgta	cgtcttcat	gggagaaaat	aatactgttg	atgggtgtct	4140
ggtcagagac	atcaagaaat	aacgcgggaa	cattagtgcg	ggcagcttcc	acagcaatgg	4200
catcctggtc	atccagcgga	tagttaatga	tcagcccact	gacgcgttgc	gcgagaagat	4260
tgtgcaccgc	cgctttacag	gcttcgacgc	cgcttcgctc	taccatcgac	accaccacgc	4320
tggcaccag	ttgatcggcg	cgagatttaa	tcgcgcgcgac	aatttgcgac	ggcgcggtgca	4380
gggcccagact	ggaggtggca	acgccaatca	gcaacgactg	tttgcccgcc	agttgttggtg	4440
ccacgcgggtt	gggaatgtaa	ttcagctccg	ccatcgccgc	ttccactttt	tccgcggttt	4500
tcgcagaaac	gtggctggcc	tggttcacca	cgcgggaaac	ggctctgataa	gagacaccgg	4560
catactctgc	gacatcgtat	aacgttactg	gtttcacatt	caccaccctg	aattgactct	4620
cttcggggcg	ctatcatgcc	ataccgcgaa	aggttttgctg	ccattcgatg	gtgtccggga	4680
tctcgacgct	ctcccttatg	cgactcctgc	attaggaagc	agccagtag	taggttgagg	4740
ccgttgagca	ccgcgcgcgc	aaggaatggt	gcagtcgaag	agatggcgcc	caacagtccc	4800
ccggccacgg	ggcctgccac	catacccaag	ccgaaacaag	cgctcatgag	cccgaagtgg	4860
cgagcccgat	cttccccatc	ggtgatgtcg	gcgatatagg	cgccagcaac	cgcacctgtg	4920
gcgcgggtga	tgccggccac	gatgcgtccg	gcgtagagga	tcgagatctc	gatcccgcgga	4980
aattaatacg	actcactata	ggggaattgt	gagcggataa	caattcccct	ctagaaataa	5040
ttttgtttaa	ctttaagaag	gagatataca	tatgcagcat	caccaccatc	accacggagt	5100
acagcttcaa	gacaatgggt	ataatggatt	gctcattgca	attaatcctc	aggtacctga	5160
gaatcagaac	ctcatctcaa	acattaagga	aatgataact	gaagcttcat	tttacctatt	5220
taatgtctacc	aagagaagag	tatttttcag	aaatataaag	attttaatac	ctgccacatg	5280

gaaagcta	aat	aaataaa	agaatcat	gaaaagg	atgtcatagt	5340
gactgact	tatgggg	atggagat	tccatac	ctacaata	gaggggtgtg	5400
aaaagagg	aaatacat	atttcac	taatttc	ctgaatga	acttaacag	5460
tggctacg	tcacgagg	gagtgttg	ccatgaat	gccacctc	gttgggggtg	5520
gttcgatg	tataaca	acaaacct	ctacataa	gggcaaat	aaattaaag	5580
gacaaggt	tcactctg	tcacaggc	ttttgtgt	gaaaaagg	cttgcccca	5640
agaaaact	attattag	agctttta	agaaggat	acctttat	acaatagc	5700
ccaaaatg	actgcat	taatgttc	gcaaagtt	tcttctgt	ttgaattttg	5760
taatgca	accaca	aagaagc	aaacctac	aaccagat	gcagcctc	5820
aagtgc	gatgta	cagactct	tgactttc	cacagctt	ccatgaac	5880
gactgag	ccacctc	ccacattc	gctttaga	gctggtga	aagtgtctg	5940
tttagtg	gatgtgt	gcaagatg	agaggctg	agactcct	aactaca	6000
agccgcag	ttttattg	tgcatatt	tgaaattc	accttcgt	gcattgcc	6060
tttcgac	aaaggaga	tcagagcc	gctacac	attaacag	atgatgat	6120
aaagttg	gtttcat	tgccacc	tgtatcag	aaaacaga	tcagcat	6180
ttcagggt	aagaaagg	ttgagggt	tgaaaa	aatggaaa	cttatggc	6240
tgtgatga	ttagtga	gcggagat	taagcttc	ggcaattg	taccactg	6300
gctcagc	ggttca	ttcactcc	tgccctgg	tcatctgc	ccccaa	6360
ggagga	tcacgtc	caggaggt	aaagttct	gttcagata	tatcaa	6420
caatagc	attgatg	tcagtaga	ttctctgg	actggaga	ttttccag	6480
acatactc	cttgaa	caggtgaa	tgtaaa	caccatca	tgaaaa	6540
agtgactg	gataact	tgggca	cactatgt	ctagttac	ggcaggcc	6600
tggtcctc	gagattat	tatttgat	tgatggac	aaatacta	caaata	6660
tatcacca	ctaacttt	ggacagct	tctttgg	ccaggaac	ctaagc	6720
gcactgg	tacacctg	acaatacc	tcattctc	caagccct	aagtga	6780
gacctctg	gcctcca	cagctgtg	cccagcca	gtggaag	ttgtgg	6840
agacagc	cattttct	atcctgtg	gatttatg	aatgtgaa	agggattt	6900
tccattct	aatgcc	tcactgcc	agttgag	gagactgg	atcctgtt	6960
gctgagac	cttgatg	gagcaggt	tgatgtta	aaaaatg	gaatttac	7020
gaggatatt	ttctcctt	ctgcaaat	tagatat	ttgaaagt	atgtcaat	7080
ctctccag	ataagcac	cagccact	tattccag	agtcatg	tgtatgt	7140
aggttac	gcaaacg	atattcag	gaatgct	aggaaat	taggcaga	7200
tgaggagg	cgaaagt	gctttag	agtcagct	ggaggctc	tttcagt	7260
gggagttc	gctggccc	acctgat	gtttccac	tgcaaat	ttgacctg	7320
agctgta	gtagaag	aattgacc	atcttgga	gcacctgg	aagacttt	7380
tcagggcc	gctaca	atgaaata	aatgagta	agtcacag	atatcca	7440
tgacttta	aatgctat	tagtaaat	atcaaag	aatcctc	aagctggc	7500
caggga	ttacgttc	cacccaa	ttccacga	ggacctga	atcagcca	7560
tgga	catgaa	acagaatt	tgttgca	cgagcaat	atagga	7620
cttacagt	gctgtat	acattgcc	gggcctct	tttattcc	ccaattct	7680
tcctgtac	gccagag	atcttat	gaaaggag	ttaacag	tggtttg	7740
aggaatc	tgcttata	tagttgtg	acatcata	ttaagcag	aaaagag	7800
agacaaga	gagaatg	caaaatt	ataatga	ctgcagat	ccatcac	7860
ggcgccg	cgagcacc	caccacc	actgagat	ggctgcta	aaagccc	7920
aggaagct	gttggtg	gccacg	agcaata	agcataa	cttgggg	7980
ctaaacgg	cttgaggg	tttttg	aaggagga	tatatccg	t	8031

<210> 255

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 255

gtggccagng actagaaggc gaggcgcgcg gggaccatgg cggcggcggc ggacgagcgg	60
agtccanagg acggagaaga cgaggaagag gaggagcagt tggttctggg ggaattatca	120
ggaattattg attcagactt cctctcaaaa tgtgaaaata aatgcaagg tttgggcatt	180
gacactgaga ggcccattct gcaagtggac agctgtgtct ttgctgggga gtatgaagac	240
actctangga cctgtgttat atttgaagaa aatgntnaac atgctgatac agaaggcaat	300
aataaaacag tgctaaaata taaatgccat acaatgaaga agctcagcat gacaagaact	360
ctcctgacag agaagaagga aggagaagaa aacatangtg g	401

<210> 256

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 256

tgggtgncct gggatgggga accgcggtgg ctcccgngga gggttcggca ntggcatecg	60
gggcgggggt cgcggccgng gacggggcgg gggccnangc cgnnganctc gcggangcaa	120
ggccgaggat aaggagtggg tgcccgtcac caacttgggc cgcttgacca aggacatgaa	180
nancaagccc ctgnaggaga tctatntctt ctccctgcc ccattaagga atcaagagat	240
catttgattt ctccctgggg gcctctctca aggatnagg ttttgaagat tatgccagt	300
canaaannan accccgttgc ccngtccatc tncacccaac ncttccaagg gcnatttttg	360
tttaggcctc attncngggg ggaaccttaa cccaatttgg g	401

<210> 257

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 257

atgtatgtaa aacacttcat aaaatgtaaa gggctataac aaatatgtta taaagtgatt	60
ctctcagccc tgaggatatac agaatcattt gcctcagact gctgttggat tttaaaattt	120
ttaaaatata tgctaagtaa tttgctatgt cttctccac actatcaata tgctgcttc	180
taacaggctc cccactttct tttaatgtgc tgttatgagc tttggacatg agataaccgt	240
gcctgttcag agtgtctaca gtaagagctg gacaaactct ggagggacac agtctttgag	300
acagctcttt tggttgcttt ccactttctt gaaaggttca cagtaacctt ctagataata	360
gaaactccca gttaaagcct angctancaa ttttttttag t	401

<210> 258

<211> 401

<212> DNA

<213> Homo sapien

<400> 258

```

ggagcgctag gtcggtgtac gaccgagatt aggggtgcgtg ccagctccgg gaggcgcgg      60
tgagggggccg ggcccaagct gccgaccga gccgatcgtc agggtcgcca gcgcctcagc      120
tctgtggagg agcagcagta gtcggagggg gcaggatatt agaaatggct actccccagt      180
caattttcat ctttgcaatc tgcattttta tgataacaga attaattctg gcctcaaaaa      240
gtactatga tatcttaggt gtgccaaaat cggcatcaga gcgccaaatc aagaaggcct      300
ttcacaagtt ggccatgaag taccaccctg acaaaaataa gaccagatg ctgaagcaaa      360
attcagagag attgcagaag catatgaaac actctcagat g                               401

```

<210> 259

<211> 401

<212> DNA

<213> Homo sapien

<400> 259

```

attgggtttg gagggaggat gatgacagag gaatgccctt tggccatcac ggttttgatt      60
ctccagaata ttgtgggttt gatcatcaat gcagtcattg taggctgcat tttcatgaaa      120
acagctcagg ctcacagaag ggcagaaact ttgattttca gccgccatgc tgtgattgcc      180
gtccgaaatg gcaagctgtg cttcatgttc cgagtgggtg acctgaggaa aagcatgatc      240
attagtcct ctgtgcgcat ccaggtgggc aagaaaacaa ctacacctga aggggaggtg      300
gttcctatcc accaactgga cattcctgtt gataaccocaa tcgagagcaa taacattttt      360
ctggtggccc ctttgatcat ctgccacgtg attgacaagc g                               401

```

<210> 260

<211> 363

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (363)

<223> n = A,T,C or G

<400> 260

```

aggaganang gagggggana tgaatagga tggagagga natagtggat gagcagggca      60
caggagagg aancagaaag gagaggcaag acaggagag acacancaca nangangana      120
caggtggggg ctgggggtgg gcattggagag ccttttnangt cncacaggcc accctgctct      180
cgctggnetg ttgaaaccca ctccatggct tcctgccact gcagttgggc ccagggtctg      240
cttatnctg gaatgcaagt ggctgtggct tggagcctcc cctctggnnn anggaaannn      300
attgtccct tatctgctt gaatatctga gtttttccan ccgggaaata aaacacacac      360
aca                               363

```

<210> 261

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (401)

<223> n = A,T,C or G

<400> 261

```

cggctctccg ccgctctccc ggggtttcgg ggcacttggg tcccacagtc tggctctgct      60
tcaccttccc ctgacctgag tagtcgccat ggcacaggtt ctgagaggca ctgngactga      120

```

```

cttcctgga tttgatgagc gggctgatgc anaaactctt cggaaggcta tgaaaggctt 180
gggcacagat gaggagagca tcctgactct gttgacatcc cgaagtaatg ctcagcgcca 240
ggaaatctct gcagctttta agactctgtt tggcagggat cttctggatg acctgaaatc 300
agaactaact ggaaaatttg aaaaattaat tgtggctctg atgaaaccct ctcggcttta 360
tgatgcttat gaactgaaac atgccttgaa gggagctgga a 401

```

<210> 262

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 262

```

agtctanaac atttctaata ttttngcctt tcatatatca aaggagatta tgtgaaacta 60
tttttaataa ctgtaaagtg acatatagtt ataagatata tttctgtaca gtagagaaag 120
agtttataac atgaagaata ttgtaccatt atacattttc attctcgatc tcataagaaa 180
ttcaaaagaa taatgataga ggtgaaaata tgtttacttt ctctaaatca agcctagttg 240
tcaactcaaa aattatgntg catagtttta ttttgaattt aggttttggg actacttttt 300
tccancttca atgagaaaat aaaatctaca actcaggagt tactacagaa gttctaanta 360
tttttttgct aannagcnaa aaatataaac atatgaaaat g 401

```

<210> 263

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 263

```

ctgtccgacc aagagaggcc ggccgagccc gaggcttggg cttttgcttt ctggcggagg 60
gatctgoggc ggtttaggag gcggcgctga tcctgggagg aagaggcagc tacggcggcg 120
goggcggttg cggctagggc ggcggcgaat aaaggggccc cgcgcgggtg atgcggtgac 180
cactgcgcca ggcccaggag ctgagtgggc cccggccctc agcccgtccc gncggaccgc 240
ctttcctcaa ctctccatct tctcctgcgc accgagatcg ccgaggcggn ctcaggctcc 300
ctanccctt ccccgtecc tcccncccc cgtccccgcc ccgggggccc ccgccaccgc 360
cctcccacca tggctctgaa ganaatccac aaggaattga a 401

```

<210> 264

<211> 401

<212> DNA

<213> Homo sapien

<400> 264

```

aacaccagcc actccaggac ccctgaaggc ctctaccagg tcaccagtgt tctgcgccta 60
aagccacccc ctggcagaaa ctccagctgt gtgttctgga atactcacgt gagggaaactt 120
actttggcca gcattgacct tcaaagtcag atggaaccca ggaccatcc aacttggtg 180
cttcacattt teateccctc ctgcacatt gctttcattt tcatagccac agtgatagcc 240
ctaagaaaac aactctgtca aaagctgtat tcttcaaaag acacaacaaa aagacctgtc 300

```

accacaacaa agaggggaagt gaacagtgct gtgaatctga acctgtgggc ttgggagcca 360
gggtgacctg atatgacatc taaagaagct tctggactct g 401

<210> 265

<211> 271

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(271)

<223> n = A,T,C or G

<400> 265

gccacttct gtggacatgg gcagagcgct gctgccagtt cctggtagcc ttgaccacna 60
cgctgggggg tctttgtgat ggtcatgggt ctcatattgca cttgggggtg tgggattcaa 120
gttagaagtt tctagatctg gccgggcgca gtggctcaca cctgtaatcc cagcacttta 180
ggaggctgag gcaggcggat catgaggtca ggagatcgag accgtcctgg ctaacacagt 240
gaaaccccg ctctactaaa aatacaaaaa a 271

<210> 266

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 266

attcataaat ttagctgaaa gatactgatt caatttgtat acagngaata taaatgagac 60
gacagcaaaa ttttcatgaa atgtaaaata tttttatagt ttgttcatac tatatgaggt 120
tctattttta atgactttct ggatttttaa aaatttcttt aaatacaatc atttttgtaa 180
tattttattt atgcttatga tctagataat tgcagaatat cattttatct gactctgtct 240
tcataagaga gctgtggccg aattttgaac atctgttata gggagtgatc aaattagaag 300
gcaatgtgga aaaacaattc tgggaaagat ttctttatat gaagtccttg ccactagcca 360
gccatcctaa ttgatgaaag ttatctgttc acaggcctgc a 401

<210> 267

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 267

gaagaggcat cacctgatcc cggagacctt tggagttaag aggcggcgga agcgagggcc 60
tgtggagtcg gatcctcttc ggggtgagcc agggctggcg cgcgcggctg tctcanaact 120
catgcagctg ttcccgcgag gcctgtttga ggacgcgctg ccgcccatcg tgctgaggag 180
ccagggtgtac agccttgtgc ctgacaggac cgtggcgac cgcgagctga aggagcttca 240
agagcanggg gagacaaaat cgtccagctg ggcttcnact tggatgcccc tgggaanttat 300

tctttcnctt ganggactta cnngggaccc aagaancctt tncaaggggc ccttngtgga 360
 tgggncccgga aaccccnnta tttgcccttg ggggggncca a 401

<210> 268

<211> 223

<212> DNA

<213> Homo sapien

<400> 268

tgcgcatgtt ggccaggctg gtcttgaact cctgacttta agtgatccac ccgcctcaac 60
 ctcccaaagt gctgggatta cagggtgtgag ccaccgcgc tggcctgata catactttta 120
 gaatcaagta gtcacgact ttttctgttc atttttctaa aaagtaaata tacaaatgtt 180
 ttgttttttg tttttttgt ttgtttgtt ctgtttttt ttt 223

<210> 269

<211> 401

<212> DNA

<213> Homo sapien

<400> 269

actatgtaaa ccacattgta ctttttttta ctttggcaac aaatatttat acatacaaga 60
 tgctagttca tttgaatatt tctcccaact tatccaagga tctccagctc taacaaaatg 120
 gtttattttt atttaaatgt caatagttgt tttttaaaat ccaaatacaga ggtgcaggcc 180
 accagttaaa tgccgtctat cagggtttgt gccttaagag actacagagt caaagctcat 240
 ttttaaagga gtaggacaaa gttgtcacag gtttttggtt ttgtttttat tgccccaaa 300
 attacatgtt aatttcatt tatatcaggg attctattta cttgaagact gtgaagttgc 360
 cattttgtct cattgttttc tttgacataa ctaggatcca t 401

<210> 270

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (401)

<223> n = A,T,C or G

<400> 270

tggtctgtga ttcacctcag cactgcttgg tatctgcacc ctacctctct ttagaggctg 60
 ccttgtcaac tgaaaaatgc acctgacttc gagcaagact ctttccttag gttctggatc 120
 tgtttgagcc ccatggcact gagctggaat ctgagggtct tgtccaagg atgtgatgat 180
 gtgggagaat gttccttgaa agagcagaaa tccagtctgc atggaaacag cctgtagagn 240
 agaagtttcc agtgataagt gtctactgtt ctaaggagggt acaccacagc tacctgaatt 300
 tccccaaaat gagtgcttct gtgcgttaca actggccttt gtacttgact gtgatgactt 360
 tgttttttct tttcaattct anatgaacat gggaaaaaat g 401

<210> 271

<211> 329

<212> DNA

<213> Homo sapien

<400> 271

ccacagcctc caagtcaggt ggggtggagt cccagagctg cacagggttt ggcccaagtt 60
 tctaagggag gcacttcctc cctcgcacca tcagtgccag ccctgctgg ctggtgcctg 120

```

agcccctcag acagcccccct gccccgcagg cctgccttct cagggacttc tgcggggcct 180
gaggcaagcc atggagtgag acccaggagc eggacacttc tcaggaaatg gcttttccca 240
acccccagcc cccacccggg ggttcttctt gttctgtgac tgtgtatagt gccaccacag 300
cttatggcat ctcatcgagg acaaaaaaa 329

```

<210> 272

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (401)

<223> n = A,T,C or G

<400> 272

```

nggctgntaa cntcggaggt naacttcttg actatcctgg agaccccttc cgcttccacg 60
mncatnatat cncatcngc tgggcccctn angacacnat cccactccaa cacctgngng 120
atgctggncn cctnggaacc ancntcagaa ngaccctgnt cntntgtntt ccgcaanctg 180
aagnnaangc gggntacacc tncntgcant gmcacacnt gcngggaact ntacacacct 240
acgggatgtg gctgcgccan gagccaagag cntttctgga tgattcccca gcctcttgnn 300
agggantcta caacattgct nntaccttt ntcnncngc nntntntgga ntacaggngn 360
tnntaacact acatcttttt tactgcncn tncctgggtgg g 401

```

<210> 273

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (401)

<223> n = A,T,C or G

<400> 273

```

cagcaccatg aagatcaaga tcctgcacc cccagagcgc aagtactcgg tgtggatcgg 60
tggctccatc ctggcctcac tgccacctt ccagcagatg tggattagca agcaggagta 120
cgagagtcg ggcctcca tcgtccaccg caaatgttc taaacggact cagcagatgc 180
gtagcatttg ctgcatgggt taattgagaa tagaaatttg cccctggcaa atgcacacac 240
ctcatgctag cctcacgaaa ctggaataag ccttcgaaaa gaaattgtcc ttgaagcttg 300
tatctgatat cagcactgga ttgtagaact tgttgctgat tttgacctg tattgaagtt 360
aactgttccc cttgtatta acgtgtcagg gctgagtnt c 401

```

<210> 274

<211> 401

<212> DNA

<213> Homo sapien

<400> 274

```

ccaccacac ccaccgcgc ctcgttcgcc tcttctccgg gagccagtc gcgccaccgc 60
cgccgccag gccatcgcca ccctccgcag ccatgtccac caggtccgtg tctcgtcct 120
cctaccgcag gatgttcggc ggcccgggca ccgcagccgc gccagctcc agcggagct 180
acgtgactac gtccaccgc acctacagcc tgggcagcgc gctgcgccc agcaccagcc 240
gcagccteta cgctcgtcc ccggcgccg tgtatgccac gcgtcctct gccgtgcgcc 300
tgcggagcag cgtgcccggt gtgcggctcc tgcaggactc ggtggacttc tcgtggccg 360

```

acgccatcaa caccgagttc aagaacaccc gcaccaacga g 401

<210> 275

<211> 401

<212> DNA

<213> Homo sapien

<400> 275

ccacttccac cactttgttg agcagtgcct tcagcgcaac ccgcatgccca ggtatccctg 60
ctggcctggg cctgggcttc gggagagcag aggggtgctca ggagggttaag gccaggggtg 120
gaagggaactt acctcccaa ggttctgcag gggaaatctgg agctacacac aggagggatc 180
agctcctggg tgtgtcagag gccagcctgg ggagctctgg ccactgcttc ccatgagctg 240
agggagaggg agaggggacc cgaggctgag gcataagtgg caggatttcg ggaagctggg 300
gacacggcag tgatgtgcg gtctctctc ccttttccct ccaggcccag tgccagcacc 360
ctcctgaacc actctttctt caagcagatc aagcgacgtg c 401

<210> 276

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)... (401)

<223> n = A,T,C or G

<400> 276

tctgatattg ntacccttga gccacctaag ttagaagaaa ttggaaatca agaagttgtc 60
attgttgaag aagcacagag ttcagaagac tttaacatgg gctcttcctc tagcagccag 120
tatactttct gtcagccaga aactgtatct tcatctcagc ctagtgtatga tgaatcaagt 180
agtgtatgaaa ccagtaatca gccagtcct gccttttagac gacgcctgac taggaagaag 240
accgtttctg cttcagaatc tgaagaccgg ctagtgtggg aacaagaaac tgaaccttct 300
aaggagttga gtaaactgca gttcagtagt ggtctcaata agtgtgttat acttgctttg 360
gtgattgcaa tcagcatggg atttggccat ttctatggca c 401

<210> 277

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)... (401)

<223> n = A,T,C or G

<400> 277

aactttggca acatatctca gcaaaaacta cagctatggt attcatgccca aaataaaagc 60
tgtgcagagg agtggctgca atgaggtcac aacgggtggg gatgtaaaag agatcttcaa 120
gtctcatca cccatccctc gaactcaagt cccgctcatt acaaattctt cttgccagt 180
tccacacatc ctgccccatc aagatgttct catcatgtgt tacgagnggc gctcaaggat 240
gatgcttctt gaaaattgct tagttgaaaa atggagagat cagcttagta aaagatccat 300
acagtgggaa gagaggtgc aggaacagcg ganaacagtt caggacaaga agaaaacagc 360
cgggcgcacc agtcgtatga atcccccaa accaaagga a 401

<210> 278

<211> 401
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (401)
 <223> n = A,T,C or G

<400> 278

aatgagtgtg agaccacaaa tgaatgccgg gaggatgaaa tgtgttggaa ttatcatggc	60
ggcttcogtt gttatccacg aaatccttgt caagatccct acattctaac accagagAAC	120
cgatgtgttt gccagctctc aaatgccatg tgccgagAAC tgcccagtc aatagtctac	180
aaatacatga gcatccgacg tgataggtct gtgccatcag acatcttcca gatacaggcc	240
acaactatTT atgccaacac catcaatact ttccggatta aatctggaaa tgaaaatgga	300
gagtctacct acgacaacaa anccctgtaa gtgcaatgct tgtgctcgtg aagncattat	360
caggaccaag agaacatata gtggacctgg agatgctgac a	401

<210> 279
 <211> 401
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (401)
 <223> n = A,T,C or G

<400> 279

aaattattgc ctctgataca tacctaagtn aacanaacat taatacctaa gtaaacataa	60
cattacttgg agggttgcag nttctaantg aaactgtatt tgaaactttt aagtataactt	120
taggaaacaa gcatgaacgg cagtctagaa taccagaaac atctacttgg gtagcttggn	180
gccattatcc tgtggaatct gatagtctg gnagcatgtc attgatggga catgaagaca	240
tctttggaaa tgatgagatt atttcctgtg ttaaaaaaaaa aaaaaatctt aaattcctac	300
aatgtgaaac tgaaactaat aattttgatc ctgatgtatg ggacagcgta tctgtaccag	360
gctctaaata acaaaagnta gggngacaag nacatgttcc t	401

<210> 280
 <211> 326
 <212> DNA
 <213> Homo sapien

<400> 280

gaagtggAat tgtataattc aattcgataa ttgatctcat gggctttccc tggaggaaag	60
gttttttttg ttgttttttt tttagaact tgaaacttgt aaactgagat gtctgtagct	120
tttttgccca tctgtagtgt atgtgaagat ttcaaaacct gagagcactt tttctttgtt	180
tagaattatg agaaaggcac tagatgactt taggatttgc atttttcctt ttattgcctc	240
atttcttgtg acgccttgtt ggggaggga atctgtttat tttttcctac aaataaaaag	300
ctaagattct atatcgcaaa aaaaaa	326

<210> 281
 <211> 374
 <212> DNA
 <213> Homo sapien

<400> 281

caacgcgttt gcaaatttc ccttggtagc ctacttcctt acccccgaaat attggtaaga	60
tcgagcaatg gcttcaggac atgggtttctc ttctcctgtg atcattcaag tgctcactgc	120
atgaagactg gcttgtctca gtgtttcaac ctcaccaggg ctgtctcttg gtccacacct	180
cgctccctgt tagtgccgta tgacagcccc catcaaataga ccttggccaa gtcaagggtt	240
ctctgtggtc aaggttgggt ggctgattgg tggaaagtag ggtggaccaa aggaggccac	300
gtgagcagtc agcaccagtt ctgcaccagc agcgccctcg tcctagtggg tgttcctgtt	360
tctcctggcc ctgg	374

<210> 282

<211> 404

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(404)

<223> n = A,T,C or G

<400> 282

agtgtggtgg aattcccgca tcctanncgc cgactcacac aaggcagagt ngccatggag	60
aaaattccag tgtcagcatt cttgtctcct gtggccctct cctacactct ggccagagat	120
accacagtca aacctgnagc caaaaaggac acaaaggact ctcgacccaa actgccccan	180
accctctcca gaggttgggg tgaccaactc atctggactc anacatatga agaagctcta	240
tataaatcca agacaagcaa caaaccttg atgattattc atcacttga tgagtgccca	300
cacagtcaag ctttaaagaa agtgtttgct gaaaataaag aaatccagaa attggcagag	360
cagtttgtcc tcctcaatct ggtttatgaa acaactgaca aaca	404

<210> 283

<211> 184

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(184)

<223> n = A,T,C or G

<400> 283

agtgtggtgg aattcacttg cttaanttgt gggcaaaaga gaaaaagaag gattgatcag	60
agcattgtgc aatacagttt cattaactcc ttccctcgct ccccaaaaaa tttgaatttt	120
tttttaaca ctcttacacc tgttatggaa aatgtcaacc tttgtaagaa aaccaaata	180
aaaa	184

<210> 284

<211> 421

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(421)

<223> n = A,T,C or G

<400> 284

```

ctattaatcc tgcacaata tttttaatta cgtacaaaga tctgacatgt caccagggga      60
cccatttcac ccactgctct gtttgccgc cagtcttttg tctctctctt cagcaatggg      120
gaggcggata ccctttctctc ggggaanana aatccatggg ttgttgccct tgccaataac      180
aaaaatgttg gaaagtcgag tggcaaagct gttgccattg gcatctttca cgtgaaccac      240
gtcaaaagat ccaggggtgcc tctctctgtt ggtgatcaca ccaattcttc ctaggttagc      300
acctccagtc accatacaca ggttaccagt gtcgaacttg atgaaatcag taatcttgcc      360
agtctctaaa tcaatctgaa tggatcatt caccttgatg aggggatcgg ggtagcggat      420
g                                                                                   421

```

<210> 285

<211> 361

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (361)

<223> n = A,T,C or G

<400> 285

```

ctgggtggta actctttatt tcattgtcgg gaanaaagat gggagtggga acaggggtgga      60
cactgtgcag gcttcagctt ccactccggg caggattcag gctatctggg accgcagggga      120
ctgccagggtg cacagccctg gctcccgagg caggcaggca aggtgacggg actggaagcc      180
cttttcanag ccttgaggga gctggtcogt ccacaagcaa tgagtgccac tctgcagttt      240
gcaggggatg gataaaacagg gaaacactgt gcattcctca cagccaacag tgtaggtctt      300
ggtgaagccc cggcgctgag ctaagctcag gctgttcag ggagccacga aactgcagggt      360
a                                                                                   361

```

<210> 286

<211> 336

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (336)

<223> n = A,T,C or G

<400> 286

```

tttgagtggc agcgcttta tttgtggggg cttcaagggn agggtcgtgg ggggcagcgg      60
ggaggaanag cgganaaact gtgtgaccgg ggcctcaggt ggtgggcatt gggggctcct      120
cttgcanatg ccattggca tcacgggtgc agccattggg ggcagcgggt accggtcctt      180
tcttgttcaa catagggtag gtggcagcca cgggtccaac tcgcttgagg ctgggccttg      240
ggcgctccat tttgtgttcc angagcatgt ggttctgtgg cgggagcccc acgcaggccc      300
tgaggatggt ctgatgcag ctgcgctggc ggaaaaa                                     336

```

<210> 287

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (301)

<223> n = A,T,C or G

<400> 287

tggttacaa	atttntttat	ttgaaggaat	ggnacaaatc	aaanaactta	agnggatggt	60
ttggtacaac	ttatanaaaa	ggnaaaggaa	accccaacat	gcatgcncgt	ccttgngac	120
caggaagtc	accccaoggc	tatggggaaa	ttancccgag	gcttancttt	cattatcact	180
gtctcccagg	gngngcttgt	caaaaanata	ttccnccaag	ccaaattcgg	gcgtcccat	240
nttgcnaag	ttggtcacgt	ggtcacccaa	ttctttgatg	gctttcacct	gctcattcag	300
g						301

<210> 288

<211> 358

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (358)

<223> n = A,T,C or G

<400> 288

aagtttttaa	actttttatt	tgcatattaa	aaaaattgng	cattccaata	attaaaatca	60
tttgaacaaa	aaaaaaaaatg	gcactctgat	taaactgcat	tacagcctgc	aggacacctt	120
gggccagctt	ggttttactc	tanatttcac	tgctgtccca	ccccacttct	tccacccccc	180
ttcttccttc	accaacatgc	aagttctttc	cttccctgcc	agccanatag	atagacagat	240
gggaaaggca	ggcgggcct	tcgttgtcag	tagttctttg	atgtgaaagg	ggcagcacag	300
tcatttaaac	ttgatccaac	ctctttgcat	cttacaaagt	taaacagcta	aaagaagt	358

<210> 289

<211> 462

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (462)

<223> n = A,T,C or G

<400> 289

ggcatcagaa	atgctgttta	tttctctgct	gctcccaagc	tggtgggect	ttgcagagga	60
gcagacaaca	gatgcatagt	tgggganaaa	gggaggacag	gttccaggat	agagggtgca	120
ggctgaggga	ggaagggtaa	naggaaggaa	ggccatcctg	gatccccaca	tttcagtctc	180
anatgaggac	aaagggactc	ccaagcccc	aaatcatcan	aaaacaccaa	ggagcaggag	240
gagcttgagc	aggccccagg	gagcctcana	gccataccag	ccactgtcta	cttcccatcc	300
tcctctccca	ttccctgtct	gcttcanacc	acctccacgc	taagccccag	ctccattccc	360
ccaatcctgg	cccttgccag	cttgacagtc	acagtgcctg	gaattccacc	actgaggctt	420
ctcccagttg	gattaggacg	tcgccctgtt	agcatgctgc	cc		462

<210> 290

<211> 481

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (481)

<223> n = A,T,C or G

<400> 290

tacttttcta aacttttatta aagaaaaaag caataagcaa tggnggtaaa tctctanaac	60
ataccecaatt ttctgggctt cctcccccca gaatgtgaca ttttgatttc caaacatgcc	120
anaagtgtat gggtcccaac tgtactaaag taggtganaa gctgaagtcc tcaagtgttc	180
atcttccaac ttttccagc ctgtgggtctg tctttggatc agcaataatt gcctgaacag	240
ctactatggc ttctgttgatt tttgtctgta gctctctgag ctctctatg tgcagcaatc	300
gcanaatttg agcagcttca ttaanaactg catctctgtg gtcaaaacca anaatatgtt	360
tgtctaaagc aacaggtaag cctcttttgg tttgatttgc cttancaact gcatcctgtg	420
tcaggcgctc ctgaaccaa atccgaattg ccttaagcat taccaggtaa tcatcatgac	480
g	481

<210> 291

<211> 381

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (381)

<223> n = A,T,C or G

<400> 291

tcataagtaat gtaaaacat ttgtttaatt ctaaatacaa tcactttcac aacagtgaag	60
attagtgtact ggttaaggng tgccactgta catatcatca ttttctgact ggggtcagga	120
cctgggtccta gtccacaagg gtggcaggag gaggggtggag gctaanaaca cagaaaacac	180
acaaaanaaa ggaaagctgc cttggcanaa ggatgaggng gtgagcttgc cgaaggatgg	240
tggaagggg gctccctgtt ggggcccagc caggagtccc aagtcagctc tcctgcctta	300
cttagctcct ggcanagggt gagtggggac ctacgaggtt caaaatacaa tggcatttgg	360
ccagcctggc ttactaaca g	381

<210> 292

<211> 371

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (371)

<223> n = A,T,C or G

<400> 292

gaaaaaataa tccgtttaat tgaaaaacct gnaggatact attccactcc cccanatgag	60
gaggctgagg anaccaaacc cctacatcac ctctagacca cttctgatac tcttcacgag	120
gcagcaggca aagacaattc ccaaaacctc nacaagaagca attccaaggg ctgctgcagc	180
taccaccanc acatttttcc tcagccagcc cccaatcttc tccacacagc cctccttatg	240
gatgccttc tcgttgaaat taatcccaca gccacagta acattaatgc ancaggagtc	300
ggggactcgg ttcttcgaca tggaagggat tttctcccaa tctgtgtagt tagcagcccc	360
acagcactta a	371

<210> 293

<211> 361

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (361)
 <223> n = A,T,C or G

<400> 293
 gattttaaag aaaacacttt attgttcagc aattaaaagt tagccaaata tgtatttttc 60
 tccataattt attgngatgt tatcaacatc aagtaaaatg ctcatTTtca tcatttgctt 120
 ctgttcatgt tttcttgaac acgtcttcaa ttttccttcc aaaatgctgc atgccacact 180
 tgaggtaacg aagcanaagt atttttaaac atgacagcta anaacattca tctacagcaa 240
 cctatatgct caatacatgc cgcgtgatcc tagtagtttt ttcacaacct tctacaagtt 300
 tttggaaaac atctgttatg atgactttca tacaccttca cctcaaaggc tttcttgcac 360
 c 361

<210> 294
 <211> 391
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (391)
 <223> n = A,T,C or G

<400> 294
 tatttttaaag tttaattatg attcanaaaa aatcgagcga ataactttct ctgaaaaaat 60
 atattgactc tgtatanacc acagttattg gggganaagg gctggtaggt taaattatcc 120
 tattttttat tctgaaaatg atattaatan aaagtcctcg ttccagtctg attataaaga 180
 tacatatgcc caaaatggct ganaataaat acaacaggaa atgcaaaagc tgtaaagcta 240
 agggcatgca ananaaaatc tcanaatacc caaagnggca acaaggaacg tttggctgga 300
 atttgaagtt atttcagtca tctttgtctt tggctccatg tttcaggatg cgtgtgaact 360
 cgatgtaatt gaaattcccc tttttatcaa t 391

<210> 295
 <211> 343
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (343)
 <223> n = A,T,C or G

<400> 295
 ttcttttggt ttattgataa cagaaactgt gcataattac agatttgatg aggaatctgc 60
 aaataataaa gaatgtgtct actgccagca aaatacaatt attccatgcc ctctcaacat 120
 acaaatatag agttcttcac accanatggc tctgggtgtaa caaagccatt ttanatgttt 180
 aattgtgctt ctacaaaacc ttcanagcat gaggtagttt cttttaccta cnatattttc 240
 cacatttcca ttattacact ttagtgagc taaaatcctt ttaacatagc ctgcggatga 300
 tctttcacaa aagccaagcc tcatttacaagggtttatt tct 343

<210> 296
 <211> 241
 <212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 296

ttcttggata ttggttggtt ttgtgaaaaa gtttttggtt ttcttctcag tcaactgaat	60
tatttctcta ctttgccttc ctgatgcca catgananaa cttaanataa tttctaacag	120
cttcacttt ggaaaaaaa aaaacctgtt ttctcatgg aaccccagga gttgaaagt	180
gatanatgc tctcaaaatc taaggctctg ttcagcttta cattatgtta cctgacgtt	240
t	241

<210> 297

<211> 391

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(391)

<223> n = A,T,C or G

<400> 297

gttggtgctg anaatgctgg agatgctcag ttctctccct cacaaggtag gccacaaatt	60
cttggtggtg ccctcacatc tgggtcttc aggcaccagc catgctgcc gaggagtgt	120
gtcaggacan accatgtcg tgctaggccc aggcacagcc caaccactcc tcatccaagt	180
ctctcccagg ttctgtgtcc cgatgggcaa ggatgacccc tccagtggct ggtacccac	240
catcccacta cccctcacat gctctcactc tccatcaggt cccaatcct ggctccctc	300
ttcacgaact ctcaaagaaa aggaaggata aaacctaat aaaccagaca gaagcagctc	360
tggaaaagta caaaaagaca gccagagggtg t	391

<210> 298

<211> 321

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(321)

<223> n = A,T,C or G

<400> 298

caagccaaac tgtntccagc ttatttaaan atactttcca taaacaatca tggattttca	60
ggcaggacat gggcanacaa tcgttaacag tataacaaca ctttcaaact ccttnttca	120
atggactacc aaaaatcaaa aagccactat aaaacccaat gaagtettca tctgatgtc	180
tgaacagga aagtttaag ngagggtga catttcacat ttagcatgtt gtttaacaac	240
ttttcacaag cggacctga ctttcaggaa gtgaaatgaa aatggcanaa tttatctgaa	300
natccacaat ctaaaaatgg a	321

<210> 299

<211> 401

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(401)
 <223> n = A,T,C or G

<400> 299
 tatcataaag agtgttgaag tttattttatt atagcaccat tgagacattt tgaaattgga 60
 attggtaaaa aaataaaaca aaaagcattt gaattgtatt tggnggaaca gcaaaaaaag 120
 agaagtatca tttttctttg tcaaattata ctgtttccaa acattttgga aataaataac 180
 tggaaattttg tcggtcactt gcaactggtt acaagattag aacaagagga acacatatgg 240
 agttaaattt tttttgttgg gatttcanat agagtttggg ttataaaaag caaacagggc 300
 caacgtccac accaaattct tgatcaggac caccaatgtc ataggnggca atatctacaa 360
 taggtagtct cacagccttg cgtgttcgat attcaaagac t 401

<210> 300
 <211> 188
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(188)
 <223> n = A,T,C or G

<400> 300
 tgaatgcttt gtcataataa gaaagttaaa gtgcaataat gtttgaanac aataagtggg 60
 ggtgtatctt gtttctaata agataaactt ttttgtcttt gctttatctt attagggagt 120
 tgtatgtcag tgtataaaac atactgtgtg gtataacagg cttataaat tctttaaaag 180
 gaaaaaaa 188

<210> 301
 <211> 291
 <212> DNA
 <213> Homo sapien

<400> 301
 aagattttgt tttattttat tatggctaga aagacactgt tatagccaaa atcggcaatg 60
 acactaaaaga aatcctctgt gcttttcaat atgcaaatat atttcttcca agagttgccc 120
 tgggtgtgact tcaagagttc atgttaactt cttttctgga aacttccttt tcttagttgt 180
 tgtattcttg aagagcctgg gccatgaaga gcttgccaa gttttgggca gtgaactcct 240
 tgatgttctg gcagtaagtg tttatctggc ctgcaatgag cagcgagtcc a 291

<210> 302
 <211> 341
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(341)
 <223> n = A,T,C or G

<400> 302
 tgatttttca taattttatt aaatnatcac tgggaaaact aatggttcgc gtatcacaca 60


```

attacactac aatctgatag gagtggtaaa accagccaat ggaatccagg taaagtacaa 120
aaacgccacc ttttattgtc ctgtcttatt tctcgggaag gaggggttcta ctttacacat 180
ttcatgagcc agcagtggac ttgagttaca atgtgtaggt tccttgtggg tatagctgca 240
gaagaagcca tcaaattctt gaggacttga catctctcgg aaagaagcaa actagtggat 300
cccccgggct gcaggaattc gatatcaagc ttatcgatac c 341

```

```

<210> 303
<211> 361
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (361)
<223> n = A,T,C or G

```

```

<400> 303
tgcagacagt aaatnaattt tatttngtt cacagaacat actaggcgat ctcgacagtc 60
gctccgtgac agcccaccaa ccccacccc tntacctcgc agccacccta aaggcgactt 120
caanaanatg gaaggatctc acggatctca ttctaatgg tccgccgaag tctcacacag 180
tanacagacg gaggttganat gctggaggat gcagtcacct cctaaactta cgaccaccca 240
ccanacttca tcccagccgg gacgtctctc cccacccgag tcttccccat ttcttctctt 300
actttgcccgc agttccaggc gtctgtcttc caccagtccc acaaagctca ataaatacca 360
a 361

```

```

<210> 304
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (301)
<223> n = A,T,C or G

```

```

<400> 304
ctctttacaa cagcctttat ttncggccct tgatcctgct cggatgctgg tggaggccct 60
tagctccgcc cgcaggctc tgtgccgct ccccgaggc gcanattcat gaacacgggtg 120
ctcaggggct tgaggccgta ctccccagc gggagctggt cctccagggg cttccccctg 180
aaggtcagcc anaacaggtc gtctgcaca cctccagcc cgctcacttg ctgcttcagg 240
tgggccacgg tctgctcag ccgcacctcg taggtgctgc tgcggccctt gttattcttc 300
a 301

```

```

<210> 305
<211> 331
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (331)
<223> n = A,T,C or G

```

```

<400> 305
ganaggctag taacatcagt tttattgggt tggggnggca accatagcct ggctgggggn 60

```

ggggctggcc	ctcacagggt	gttgagttcc	agcagggtct	ggccaaggt	ctggtgaatc	120
tcgacgttct	cctccttggc	actggccaag	gtctcttcta	ggcatcgat	ggttttctcc	180
aactttgcca	canacctctc	ggcaaaactct	gctcgggtct	cancctcctt	cagcttctcc	240
tccaacagtt	tgatctctc	ttcatattta	tcttctttgg	gggaatactc	ctcctctgag	300
gccatcaggg	acttgagggc	ctggtccatg	g			331

<210> 306

<211> 457

<212> DNA

<213> Homo sapien

<400> 306

aatatgtaaa	ggtaataact	tttattatat	taaagacaat	gcaaacgaaa	aacagaattg	60
agcagtgcaa	aatttaaagg	actgttttgt	tctcaaagtt	gcaagtttca	aagccaaaag	120
aattatatgt	atcaaata	taagtaaaaa	aaagttagac	tttcaagcct	gtaatcccag	180
cactttggga	ggctgaggca	gggtggatcac	taacattaaa	aagacaacat	tagattttgt	240
cgatttatag	caattttata	aatatataac	tttgtcactt	ggatcctgaa	gcaaaataat	300
aaagtgaatt	tgggattttt	gtacttggtg	aaaagttaa	caccctaaat	tcacaactag	360
tggatcccc	gggctgcagg	aattcgatat	caagcttata	gataccgtcg	acctcgaggg	420
ggggcccggt	acccaattcg	ccctatagtg	agtcgta			457

<210> 307

<211> 491

<212> DNA

<213> Homo sapien

<400> 307

gtgcttgga	ggaaccggc	gtcgttccc	caccccgcc	ggcgcgccat	agccagccct	60
ccgtcacctc	ttcacgcac	cctcggactg	ccccaggcc	cccgccgccg	ctccagcgcc	120
gcgcagccac	cgccgcgcc	gcgcctctc	cttagtcgcc	gccatgacga	ccgcgtccac	180
ctcgcagggt	cgccagaact	accaccagga	ctcagaggcc	gccatcaacc	gccagatcaa	240
cctggagctc	tacgcctcct	acgtttacct	gtccatgtct	tactactttg	accgcgatga	300
tgtggctttg	aagaactttg	ccaaataactt	tcttcaccaa	tctcatgagg	agagggaaca	360
tgctgagaaa	ctgatgaagc	tgcagaacca	acgaggtggc	cgaatcttcc	ttcaggatat	420
caagaaaacca	gactgtgatg	actgggagag	cgggctgaat	gcaatggagt	gtgcattaca	480
tttggaaaaa	a					491

<210> 308

<211> 421

<212> DNA

<213> Homo sapien

<400> 308

ctcagcgctt	cttctttctt	ggtttgatec	tgactgctgt	catggcggtgc	cctctggaga	60
aggccctgga	tgtgatggtg	tccaccttcc	acaagtactc	gggcaaagag	ggtgacaagt	120
tcaagctcaa	caagtcagaa	ctaaaggagc	tgctgaccgg	ggagctgccc	agcttctttg	180
ggaaaaggac	agatgaagct	gctttccaga	agctgatgag	caacttgga	agcaacaggg	240
acaacagaggt	ggacttccaa	gagtactgtg	tcttctgtgc	ctgcatcgcc	atgatgtgta	300
acgaattctt	tgaaggcttc	ccagataagc	agcccaggaa	gaaatgaaaa	ctcctctgat	360
gtggttgggg	ggtctgccag	ctggggccct	ccctgtcgcc	agtgggcact	tttttttttc	420
c						421

<210> 309

<211> 321

<212> DNA

<213> Homo sapien

<400> 309

accaaagtcg	ggatgacg	ggtgcagc	gggggccc	gggccctg	ggccctgg	60
tggggaacc	cggtggct	cgcggagg	tcggcagt	catccggg	cggggtcg	120
gccgtgga	gggcgggg	cgaggccg	gagctcgg	aggcaagg	gaggataa	180
agtggatgc	cgtcacca	ttgggcgc	tggtcaag	catgaagc	aagtcctg	240
aggagatct	tctctctc	ctgccatt	aggaatca	gatcattg	ttcttctg	300
gggcctct	caaggatg	g				321

<210> 310

<211> 381

<212> DNA

<213> Homo sapien

<400> 310

ttaaccag	atattggc	aataaatag	ttcggtaag	agttaatt	cttctagaa	60
tcagtgc	tttttctg	aaactcaat	ttaaatag	caattccat	tgaagcca	120
ctgttg	ctcatc	tgacattc	tcctatga	cccagaag	gcagaaga	180
cacatttt	atttatag	gtttgcac	tttgtatta	aattatttt	aaggggtt	240
ctcattgg	ggcttttt	tttttctc	agggagaag	ggagaaat	acttggaat	300
taatgtat	ttacatct	ttgcaaat	ctgtacat	agatatatt	tttaagtgt	360
aatgtaac	atactgtg	a				381

<210> 311

<211> 538

<212> DNA

<213> Homo sapien

<400> 311

tttgaatt	caacaaga	ttctcaata	aagaaaat	tgaatgct	acaatttca	60
cataccac	gagaagtt	tttcttaac	ttgtgttc	tgattatt	taagacct	120
accaagtt	gatattct	aaagacat	ttcaaaat	cttttgaaa	tctgtatt	180
tgaaaata	cttggtgt	attaggttt	taaatacc	ctaaaggat	acctactg	240
gtcatcag	ccctcctat	cagctccca	agatgatg	tttttgct	ccctaaga	300
ggttttct	ttatttttag	ataattca	tgcttaga	aattatgt	tctttaagt	360
tttatggt	actctttta	agaaaatt	atatgtta	gctgaatc	tttggtact	420
ttaaatct	atcatagac	ctgtacat	gttcaaata	gctgcttg	tgatgtgt	480
atcatcgt	ggatgacag	acaaacat	ttatgatc	gaataatg	ctttgtaa	538

<210> 312

<211> 176

<212> DNA

<213> Homo sapien

<400> 312

ggaggagc	ctgagagat	gggtcagt	atgcggtt	gcctgctac	tctcctgt	60
tcatagaac	attgccttag	aattattgt	tgacacgt	tttgttggt	aagctgta	120
gtttgtct	ttgtgaac	gggtatttt	aggggagg	ggaggagta	gggaag	176

<210> 313

<211> 396

<212> DNA

<213> Homo sapien

<400> 313

ccagcacc	ccccc	caggccctgg	gggacctggg	tctcagact	gccaaagaag	ccttgccatc	60
tggcgctccc	atggctcttg	caacatctcc	ccttcgtttt	tgaggggggtc	atgccggggg		120
agccaccagc	ccctcactgg	gttcggagga	gagtcaggaa	gggccaaagca	cgacaaagca		180
gaaacatcgg	atttggggaa	cgcggtgtcaa	tcccttggtc	cgcaggggctg	ggcggggagag		240
actgtttctgt	tccttggtga	actgtgttgc	tgaaagacta	cctcgtttctt	gtcttgatgt		300
gtcaccggggg	caactgcctg	ggggcgggga	tgggggcagg	gtggaagcgg	ctccccattt		360
tataccaaag	gtgctacatc	tatgtgatgg	gtgggg				396

<210> 314

<211> 311

<212> DNA

<213> Homo sapien

<400> 314

cctcaacatc	ctcagagagg	actggaagcc	agtccttacg	ataaactcca	taatttatgg	60
cctgcagtat	ctcttcttgg	agcccaaccc	cgaggacca	ctgaacaagg	aggccgcaga	120
ggctctgcag	aacaaccggc	ggctgtttga	gcagaacgtg	cagcgctcca	tgccgggtgg	180
ctacatcggc	tccacctact	ttgagcgctg	cctgaaatag	ggttggcgca	taccacccc	240
cgccacggcc	acaagccctg	gcacccctg	caaatattta	ttggggggcca	tgggtagggg	300
tttggggggc	g					311

<210> 315

<211> 336

<212> DNA

<213> Homo sapien

<400> 315

tttagaacat	ggttatcatc	caagactact	ctaccctgca	acattgaact	cccaagagca	60
aatccacatt	cctcttgagt	tctgcagctt	ctgtgtaa	agggcagctg	tcgtctatgc	120
cgtagaatca	catgatctga	ggaccattca	tggaagctgc	taaatagcct	agtctgggga	180
gtcttccata	aagttttgca	tggagcaa	aaacaggatt	aaactaggtt	tggttccttc	240
agccctctaa	aagcataggg	cttagcctgc	aggcttccct	gggctttctc	tgtgtgtgta	300
gttttgtaaa	cactatagca	tctgttaaga	tccagt			336

<210> 316

<211> 436

<212> DNA

<213> Homo sapien

<400> 316

aacatgggtct	gcgtgcctta	agagagacgc	ttcctgcaga	acaggacctg	actacaaaga	60
atgtttccat	tggaattggt	ggtaaagact	tggagtttac	aatctatgat	gatgatgatg	120
tgtctccatt	cctggaagg	cttgaagaaa	gaccacagag	aaaggcacag	cctgctcaac	180
ctgctgatga	acctgcagaa	aaggctgatg	aaccaatgga	acattaagtg	ataagccagt	240
ctatatatgt	attatcaa	atgtaagaat	acaggcacca	catactgatg	acaataatct	300
atactttgaa	ccaaaagt	cagagtgg	gaatgctatg	ttttaggga	cagtcagat	360
gtgagttttt	tccaagcaac	ctcactgaaa	cctatataat	ggaatacatt	tttctttgaa	420
agggtctgta	taatca					436

<210> 317

<211> 196

<212> DNA

<213> Homo sapien

<400> 317

tattccttgt	gaagatgata	tactattttt	gttaagcgtg	tctgtattta	tgtgtgagga	60
gctgctggct	tgcagtgcgc	gtgcacgtgg	agagctgggtg	cccggagatt	ggacggcctg	120
atgtccctc	ccctgccctg	gtccagggaa	gctggccgag	ggtcctggct	cctgaggggc	180
atctgcccc	ccccca					196

<210> 318

<211> 381

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(381)

<223> n = A,T,C or G

<400> 318

gacgcttng	ccgtaacgat	gatcggagac	atcctgctgt	tccggacgtt	gctgatgaat	60
gccggggcgg	tgctgaactt	taagctgaaa	aagaaggaca	cncagggcctt	tggggaggag	120
tncagggagc	ccaacacagg	tgacaacatc	cggaattctt	tgctgancct	cagatacttt	180
cnaatcttca	tcnccctgtg	gaacatcttc	atgatgttct	gcatgattgt	gctgntcggc	240
tcttgaatcc	cancgatgaa	accannaact	cactttcccg	ggatgccgan	tctccattcc	300
tccattcctg	atgacttcaa	naatgttttt	gaccaaaaaa	cgcacaacct	tcccagaaag	360
tccaagctcg	tggtggnggg	a				381

<210> 319

<211> 506

<212> DNA

<213> Homo sapien

<400> 319

ctaagcttta	cgaatggggt	gacaacttat	gataaaaaact	agagctagtg	aattagccta	60
tttgtaaata	cctttgttat	aattgatagg	atacatcttg	gacatggaat	tgtaagcca	120
cctctgagca	gtgtatgtca	ggacttgctt	attagggttg	cagcagaggg	gcagaaggaa	180
ttatacaggt	agagatgtat	gcagatgtgt	ccatatatgt	ccatatttac	atcttgatag	240
ccattgatgt	atgcatctct	tggtgtact	ataagaacac	attaattcaa	tggaaataca	300
ctttgcta	attttaatgg	tatagatctg	ctaatagaatt	ctcttaaaaa	catactgtat	360
tctgttctg	tgtgtttcat	tttaaatga	gcattaaggg	aatgcagcat	ttaaatacaga	420
acttgccaa	tgcttttatc	tagaggcgtg	ttgccatttt	tgctttatat	gaaatttctg	480
tccaagaaa	ggcaggatta	catctt				506

<210> 320

<211> 351

<212> DNA

<213> Homo sapien

<400> 320

ctgacctgca	ggacgaaacc	atgaagagcc	tgatccttct	tgccatcctg	gccgccttag	60
cggtagtaac	tttgtgttat	gaatcacatg	aaagcatgga	atcttatgaa	cttaatccct	120
tcattaacag	gagaaatgca	aataccttca	tatccccctca	gcagagatgg	agagctaaaag	180
tccaagagag	gatccgagaa	cgctctaagc	ctgtccacga	gctcaatagg	gaagcctgtg	240
atgactacag	actttgogaa	cgctaogcca	tggttttatgg	atacaatgct	gcctataatc	300
gctacttcag	gaagcgccga	gggaccaa	gagactgagg	gaagaaaaaa	a	351

<210> 321

<211> 421
 <212> DNA
 <213> Homo sapien

<400> 321
 ctcgaggcg ttcagctgct tcaagatgaa gctgaacatc tccttcccag ccactggctg 60
 ccagaaactc attgaagtgg acgatgaacg caaacttcgt actttctatg agaagcgat 120
 ggccacagaa gttgctgctg acgctctggg tgaagaatgg aagggttatg tggccgaat 180
 cagtgggtggg aacgacaaac aagggttccc catgaagcag ggtgtcttga cccatggccg 240
 tgtccgcctg ctactgagta aggggcattc ctgttacaga ccaaggagaa ctggagaaaag 300
 aaagagaaaa tcagttcgtg gttgcattgt ggatgcaaat ctgagcggtc tcaacttggt 360
 tattgtaaaa aaaggagaga aggatattcc tggactgact gatactacag tgccctcgccg 420
 c 421

<210> 322
 <211> 521
 <212> DNA
 <213> Homo sapien

<400> 322
 agcagctctc ctgccacagc tcctcacccc ctgaaaatgt tcgcctgctc caagtttgctc 60
 tccactccct ccttggtcaa gagcacctca cagctgctga gccgtccgct atctgcagtg 120
 gtgctgaaac gaccggagat actgacagat gagagcctca gcagcttggc agtctcatgt 180
 ccccttacct cacttgctc tagccgcagc ttccaaacca gcgccatttc aaggacatc 240
 gacacagcag ccaagttcat tggagctggg gctgccacag ttgggggtggc tggttctggg 300
 gctgggattg gaactgtgtt tgggagcctc atcattggtt atgccaggaa ccttctctg 360
 aagcaacagc tcttctccta cggcattctg ggctttgccc tctcggaggc catggggctc 420
 ttttgtctga tggtagcctt tctcatcctc tttgccatgt gaaggagcgc tctccacctc 480
 ccatagttct ccgcgctctg gttggccccg tgtgttctt t 521

<210> 323
 <211> 435
 <212> DNA
 <213> Homo sapien

<400> 323
 ccgaggtcgc acgctgaga cttctccgcc gcagacgcgc ccgcgatgcg ctacgtcgcc 60
 tcctacctgc tggctgccct agggggcaac tcctcccca gcgccaagga catcaagaag 120
 atcttgagca gcgtgggtat cgaggcggac gacgaccggc tcaacaaggt tatcagttag 180
 ctgaatggaa aaaacattga agacgtcatt gccagggta ttggcaagct tgccagtgtg 240
 cctgtcgtg gggctgtagc cgtctctgct gccccaggt ctgcagcccc tgctgctggt 300
 tctgcccctg ctgcagcaga ggagaagaaa gatgagaaga aggaggagtc tgaagagtca 360
 gatgatgaca tgggatttgg cctttttgat taaattcctg ctccccctgca aataaagcct 420
 ttttacacat ctcaa 435

<210> 324
 <211> 521
 <212> DNA
 <213> Homo sapien

<400> 324
 aggagatcga ctttcggtgc ccgcaagacc agggctggaa cgccgagatc acgctgcaga 60
 tgggtgcagta caagaatcgt caggccatcc tggcggtcaa atccacgcgg cagaagcagc 120
 agcacctggt ccagcagcag cccccctcgc agccgcagcc gcagccgcag ctccagcccc 180
 aacccagcc tcagcctcag ccgcaacccc agccccaatc acaaccccag cctcagcccc 240

```

aaccceaagcc tcagcccccag cagctccacc cgtatccgca tccacatcca catccacact 300
ctcatcctca ctcgcaccca caccctcacc cgcacccgca tccgcaccaa ataccgcacc 360
cacacccaca gccgcactcg cagccgcacg ggcacccgct tctccgcagc acctccaact 420
ctgcctgaaa ggggcagctc ccgggcaaga caagggtttg aggacttgag gaagtgggac 480
gagcacattt ctattgtctt cacttggatc aaaagcaaaa c 521

```

<210> 325

<211> 451

<212> DNA

<213> Homo sapien

<400> 325

```

attttcattt ccattaacct ggaagctttc atgaatatc tcttctttta aaacatttta 60
acattattta aacagaaaaa gatgggctct ttctggtag ttgttacatg atagcagaga 120
tatttttact tagattactt tgggaatgag agattgttgt cttgaactct ggcactgtac 180
agtgaatgtg tctgtagtgt tgtagtttg cattaagcat gtataacatt caagtatgtc 240
atccaaataa gaggcataata cattgaattg tttttaatcc tctgacaagt tgactcttcg 300
acccccaccc ccaccaaga cattttaata gtaaataagag agagagagaa gagttaatga 360
acatgaggta gtgttccact ggcaggatga cttttcaata gctcaaatca atttcagtgc 420
ctttatcact tgaattatta acttaatttg a 451

```

<210> 326

<211> 421

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (421)

<223> n = A,T,C or G

<400> 326

```

cgcggctgta agggctgagg atttttgggtc cgcacgctcc tgctcctgac tcaccgctgt 60
tcgtctcgc cgaggaaaca gtccgtcagg aagcccgccg gcaacagcca tggcttttaa 120
ggataccgga aaaacacccg tggagccgga ggtggcaatt caccgaattc gaatcacct 180
aacaagccgc aacgtaaaat ccttggaata ggtgtgtgct gacttgataa gaggcgcaaa 240
agaaaagaat ctcaaagtga aaggaccagt tcgaatgcct accaagactt tgagantcac 300
tacaagaaaa actccttgtg gtgaagggtc taagacgtgg gatcgtttcc agatgagaat 360
tcacaagcga ctattgact tgcacagtcc ttctgagatt gttaagcaga ttacttccat 420
c 421

```

<210> 327

<211> 456

<212> DNA

<213> Homo sapien

<400> 327

```

atcttgacga ggctgcggtg tctgctgcta ttctccgagc ttcgcaatgc cgcctaagga 60
cgacaagaag aagaaggacg ctggaaagtc ggccaagaaa gacaaagacc cagtgaacaa 120
atccgggggc aaggccaaaa agaagaagtg gtccaaaggc aaagttcggg acaagctcaa 180
taacttagtc ttgtttgaca aagctaccta tgataaactc tgtaagggaag ttcccaacta 240
taaacttata accccagctg tggctctctga gagactgaag attcgaggct ccttggccag 300
ggcagccctt caggagctcc ttagtaaagg acttatcaaa ctggtttcaa agcacagagc 360
tcaagtaatt tacaccagaa ataccaaggg tggagatgct ccagctgctg gtgaagatgc 420
atgaataggt ccaaccagct gtacatttgg aaaaat 456

```

<210> 328
 <211> 471
 <212> DNA
 <213> Homo sapien

<400> 328
 gtggaagtga catcgtcttt aaaccctgcg tggcaatccc tgacgcaccg ccgtgatgcc 60
 caggggaagac agggcgacct ggaagtccaa ctacttcctt aagatcatcc aactattgga 120
 tgattatccg aaatgtttca ttgtgggagc agacaatgtg ggctccaagc agatgcagca 180
 gatccgcatg tcccttcgcg ggaaggctgt ggtgctgatg ggcaagaaca ccatgatgcg 240
 caaggccatc cgagggcacc tggaaaacaa cccagctctg gagaaactgc tgcctcatat 300
 ccgggggaat gtgggctttg tgttcaccaa ggaggacctc actgagatca gggacatgtt 360
 gctggccaat aaggtgccag ctgctgcccg tgctgggtgcc attgccccat gtgaagtcac 420
 tgtgccagcc cagaacactg gtctcgggccc cgagaagacc tcctttttcc a 471

<210> 329
 <211> 278
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (278)
 <223> n = A,T,C or G

<400> 329
 gtttaaactt aagcttggtg ccgagctcgg atccactagt ccagtgtggt ggaattctag 60
 aaattgagat gccccccag gccagcaaat gttccttttt gttcaaagtc tattttttatt 120
 ccttgatatt tttctttttt tttttttttt ttgnggatgg ggacttggtg attttttctaa 180
 aggtgctatt taacatggga gganagcgtg tgcggtccca gccagccccg ctgctcactt 240
 tccaccctct ctccacctgc ctctggcttc tcaggcct 278

<210> 330
 <211> 338
 <212> DNA
 <213> Homo sapien

<400> 330
 ctcaggcttc aacatcgaat acgccgcagg ccccttcgcc ctattcttca tagccgaata 60
 cacaacatt attataataa acaccctcac cactacaatc ttcctaggaa caacatatga 120
 cgcactctcc cctgaactct acacaacata ttttgtcacc aagaccctac ttctaaccctc 180
 cctgtttctta tgaattcgaa cagcataccc ccgattccgc tacgaccaac tcatacacct 240
 cctatgaaaa aacttcttac cactcacctc agcattactt atatgatatg tctccatacc 300
 cattacaatc tccagcattc cccctcaaac ctaaaaaa 338

<210> 331
 <211> 2820
 <212> DNA
 <213> Homo sapiens

<400> 331
 tggcaaaatc ctggagccag aagaaaggac agcagcattg atcaatctta cagctaacat 60
 gttgtacctg gaaaacaatg cccagactca atttagtgag ccacagtaca cgaacctggg 120


```

gctcctgaac agcatggacc agcagattcg gaacgggtcc tegtccacca gtccctataa 180
cacagaccac ggcgagaaca gcgtcacggc gccctcgccc tacgcacagc ccagcccccac 240
cttogatgct ctctctccat caccogccat cccctccaac accgactacc caggccccgca 300
cagttccgac gtgtccttcc agcagtcgag caccgccaag tcggccacct ggacgtattc 360
cactgaactg aagaaactct actgccaaat tgcaaagaca tgccccatcc agatcaaggt 420
gatgacccca cctcctcagg gagctgttat cgcgcgccat cctgtctaca aaaaagctga 480
gcacgtcacg gaggtggtga agcgggtgcc caaccatgag ctgagccgtg agttcaacga 540
gggacagatt gccctccta gtcatattgat tcgagtagag gggaacagcc atgcccagta 600
tgtagaagat cccatcacag gaagacagag tgtgctggtg ccttatgagc caccacaggt 660
tggcactgaa ttacgacag tcttgtaaca tttcatgtgt aacagcagtt gtgttgagg 720
gatgaaccgc cgtccaattt taatcattgt tactctggaa accagagatg ggcaagtcc 780
gggcccagcg tgctttgagg cccggatctg tgcttgccca ggaagagaca ggaaggcgga 840
tgaagatagc atcagaaagc agcaagtttc ggacagtaca aagaacgggt atggtacgaa 900
gcgcccgttt cgtcagaaca cacatggtat ccagatgaca tccatcaaga aacgaagatc 960
ccagatgat gaactgttat acttaccagt gaggggccgt gagacttatg aaatgctgtt 1020
gaagatcaaa ggtccctgg aactcatgca gtaccttcc cagcacacaa ttgaaacgta 1080
caggcaacag caacagcagc agcaccagca cttacttcag aaacagacct caatacagtc 1140
tccatcttca tatggttaaca gtccccacc tctgaacaaa atgaacagca tgaacaagct 1200
gccttctgtg agccagctta tcaacctca gcagcgcaac gccctcactc ctacaacct 1260
tcttgatggc atgggagcca acattcccat gatgggcacc cacatgcca tggttgaga 1320
catgaatgga ctcagcccc cccaggcact cctccccca ctctccatgc catccacctc 1380
ccactgcaca cccccacctc cgtatccac agattgcagc attgtcagtt tcttagcgag 1440
gttgggctgt tcatcatgtc tggactattt cacgacccag gggctgacca ccatctatca 1500
gattgagcat tactccatgg atgatctggc aagtctgaaa atccctgagc aatttcogaca 1560
tgcatctgg aaggcatcc tggaccaccg gcagctccac gaattctcct ccccttctca 1620
tctcctgagg accccaagca gtgctctac agtcagtgtg ggctccagt agaccgggg 1680
tgagcgtgtt attgatgtg tgcgattcac cctccgccag accatctctt tcccaccccg 1740
agatgagtg aatgacttca actttgacat ggatgctcgc cgcaataagc aacagcgcat 1800
caaagaggag ggggagtgag cctcaccatg tgagctcttc ctatccctct cctaactgcc 1860
agccccctaa aagcactcct gcttaatctt caaagccttc tccctagctc ctcccccttc 1920
tcttgtctga tttcttaggg gaaggagaag taaggaggta cctcttacct aacatctgac 1980
ctggcatcta attctgattc tggctttaag ccttcaaaac tatagcttgc agaactgtag 2040
ctgccatggc taggtagaag tgagcaaaaa agagttgggt gtctccttaa gctgcagaga 2100
ttctctattg acttttataa agcatgttca cccttatagt ctaagactat atatataaat 2160
gtataaatat acagtataga tttttgggtg gggggcattg agtattgttt aaaatgtaat 2220
ttaaatgaaa gaaaattgag ttgcacttat tgaccatttt ttaatttact tgttttggt 2280
ggcttgctca tactccttcc cttagggggt atcatgtatg gtgataggtg tctagagctt 2340
aatgctacat gtgagtgoga tgatgtacag attcttccag ttctttggat tctaaatata 2400
tgccacatca aacctttgag tagatccatt tccattgctt attatgtagg taagactgta 2460
gatatgtatt cttttctcag tgttggtata ttttatatta ctgacatttc ttctagtgt 2520
gatggttcac gttggggtga tttaatccag ttataagaag aagttcatgt ccaaacggtc 2580
ctctttagtt tttggttggg aatgaggaaa attcttaaaa ggcccatagc agccagttca 2640
aaaacacccg acgtcatgta tttgagcata tcagtaaccc ccttaaatat aatacccaga 2700
taccttatct tacaatgttg attgggaaaa catttgctgc ccattacaga ggtattaaaa 2760
ctaaatttca ctactagatt gactaactca aatacacatt tgctactgtt gtaagaattc 2820

```

<210> 332

<211> 2270

<212> DNA

<213> Homo sapiens

<400> 332

```

tcgttgatat caaagacagt tgaaggaaat gaattttgaa acttcacggg gtgccaccct 60
acagtactgc cctgaccctt acatccagcg tttcgtagaa acccagctca tttctcttgg 120

```

```

aaagaaagtt attaccgata caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagagggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaaccatca gaagatggtg cgacaaacaa gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacggctc ctgctccacc 420
agtccttata acacagacca cgcgcagaac agcgtcacgg cgccctcgcc ctacgcacag 480
cccagctcca ccttcgatgc tctctctcca tcaccggcca tcccctccaa caccgactac 540
ccaggcccgc acagtttcga cgtgtccttc cagcagtcga gcaccgcca gtcggccacc 600
tggaactgatt ccactgaact gaagaaactc tactgcaaaa ttgcaaagac atgccccatc 660
cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgccat gcctgtctac 720
aaaaaagctg agcacgtcac ggaggtggtg aagcggtgcc ccaaccatga gctgagccgt 780
gaattcaacg agggacagat tgccctcctt agtcatttga ttcgagtaga ggggaacagc 840
catgcccagt atgtagaaga tcccatcaca ggaagacaga gtgtgctggt accttatgag 900
ccaccccagg ttggcactga attcacgaca gtcttgtaga atttcatgtg taacagcagt 960
tgtgttgagg ggatgaaccg ccgtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagtcc tgggcogacg ctgctttgag gccgggatct gtgcttgccc aggaagagac 1080
aggaaggcgg atgaagatag catcagaaag cagcaagttt cggacagtac aaagaacggt 1140
gatggtacga agcgcgccgtt tcgtcagaac acacatggta tccagatgac atccatcaag 1200
aaacgaagat cccagatga tgaactgtta tacttaccag tgaggggccc tgagacttat 1260
gaaatgctgt tgaagatcaa agagtccctg gaactcatgc agtaccttcc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacagacc 1380
tcaatacagt ctccatcttc atatggtaac agtccccac ctctgaacaa aatgaacagc 1440
atgaacaagg tgcttctgtg gagccagctt atcaaccctc agcagcgcaa cgccctcact 1500
cctacaacca ttctgatgg catgggagcc aacattccca tgatgggcac ccacatgcca 1560
atggctggag acatgaatgg actcagcccc acccaggcac tccctcccc actctccatg 1620
ccatccacct cccactgcac acccccacct ccgtatccaa cagattgcag cattgtcggt 1680
ttcttagcga ggttgggctg ttcatcatgt ctggactatt tcacgacca ggggctgacc 1740
accatctatc agattgagca ttactccatg gatgatctgg caagtctgaa aatccctgag 1800
caatttcgac atgcgatctg gaagggcac ctggaccacc ggcagctcca cgaattctcc 1860
tcccttctc atctcctgog gacccaagc agtgctcta cagtcagtgt gggctccagt 1920
gagaccgggg gtgagcgtgt tattgatgct gtgcgattca cctccgcca gaccatctct 1980
ttcccacccc gagatgagtg gaatgacttc aactttgaca tggatgctcg ccgcaataag 2040
caacagcgca tcaaagagga gggggagtga gcctcaccat gtgagctctt cctatccctc 2100
tcctaactgc cagcccccta aaagcactcc tgcttaatct tcaaagcctt ctccctagct 2160
cctcccttc ctcttgtctg atttcttagg ggaaggagaa gtaagaggct acctcttacc 2220
taacatctga cctggcatct aattctgatt ctggctttaa gccttcaaaa 2270

```

<210> 333

<211> 2816

<212> DNA

<213> Homo sapiens

<400> 333

```

tcgttgatat caaagacagt tgaaggaaat gaattttgaa acttcacggg gtgccaccct 60
acagtactgc cctgaccctt acatccagcg tttcgtagaa acccagctca tttctcttg 120
aaagaaagtt attaccgata caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagagggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaaccatca gaagatggtg cgacaaacaa gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacggctc ctgctccacc 420
agtccttata acacagacca cgcgcagaac agcgtcacgg cgccctcgcc ctacgcacag 480
cccagctcca ccttcgatgc tctctctcca tcaccggcca tcccctccaa caccgactac 540
ccaggcccgc acagtttcga cgtgtccttc cagcagtcga gcaccgcca gtcggccacc 600
tggaactgatt ccactgaact gaagaaactc tactgcaaaa ttgcaaagac atgccccatc 660

```

```

cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgccat gcctgtctac 720
aaaaaagctg agcâcgtcac ggaggtgggtg aagcgggtgcc ccaaccatga gctgagccgt 780
gaattcaacg agggacagat tgcccctcct agtcatttga ttccagtaga ggggaacagc 840
catgcccagt atgtagaaga tcccatcaca ggaagacaga gtgtgctggt accttatgag 900
ccaccccagg ttggcactga attcacgaca gtcttgtaca atttcattgt taacagcagt 960
tgtgttggag ggatgaaccg cegtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagtcc tgggcccagc ctgctttgag gcccgatct gtgcttgccc aggaagagac 1080
aggaaggcgg atgaagatag catcagaaag cagcaagttt cggacagtac aaagaacggt 1140
gatggtacga agcgcctgtt tctgcagaac acacatggta tccagatgac atccatcaag 1200
aaacgaagat cccagatga tgaactgtta tacttaccag tgaggggccc tgagacttat 1260
gaaatgctgt tgaagatcaa agagtccctg gaactcatgc agtaccttcc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacatctc 1380
ctttcagcct gcttcaggaa tgagcttgtg gagcccggga gagaaactcc aaaacaatct 1440
gacgtcttct ttagacattc caagcccccâ aacgatcag tgtaccata gagccctatc 1500
tctatatctt aagtgtgtgt gttgtatttc catgtgtata tgtgagtgtg tgtgtgtgta 1560
tgtgtgtgct tgtgtatcta gccctcataa acaggacttg aagacacttt ggctcagaga 1620
cccaactgct caaaggcaca aagccactag tgagagaatc ttttgaaggg actcaaacct 1680
ttacaagaaa ggatgttttc tgcagatttt gtatccttag accggccatt ggtgggtgag 1740
gaaccactgt gtttgtctgt gagctttctg ttgtttcctg ggagggaggg gtccaggtggg 1800
gaaaggggca ttaagatggt tattggaacc cttttctgtc ttcttctgtt gtttttctaa 1860
aattcacagg gaagcttttg agcaggtctc aaacttaaga tgtcttttta agaaaaggag 1920
aaaaaagttg ttattgtctg tgcataagta agttgtaggt gactgagaga ctccagtcaga 1980
cccttttaat gctggtcatg taataatatt gcaagtagta agaaacgaag gtgtcaagtg 2040
tactgctggg cagcgagggtg atcattacca aaagtaatca actttgtggg tggagagttc 2100
tttgtgagaa cttgcattat ttgtgtcctc cctcatgtg taggtagaac atttcttaat 2160
gctgtgtacc tgcctctgcc actgtatggt ggcactctgt atgctaaagt tttctttgta 2220
catgaaaccc tggagacct actacaaaaa aactgttgtt tggcccccâ agcaggtgaa 2280
ctcattttgt gcttttaata gaaagacaaa tccaccccag taatattgcc cttacgtagt 2340
tgtttaccat tattcaaagc tcaaaataga atttgaagcc ctctcâaaa atctgtgatt 2400
aatttgctta attagagctt ctatccctca agcctaccta ccataaaacc agccatatta 2460
ctgatactgt tcagtgcatt tagccaggag acttacgttt tgagtaagtg agatccaagc 2520
agaogtgta aatcagcac tcttgactg gaaattaaag attgaaaggg tagactactt 2580
ttcttttttt tactcaaaag tttagagaat ctctgtttct ttccatttta aaaacatatt 2640
ttaagataat agcataaaga ctttaaaaat gttcctcccc tccatcttcc cacaccaggt 2700
caccagcact gtattttctg tcaccaagac aatgatttct tgttattgag gctgttgctt 2760
ttgtggatgt gtgattttaa ttttcaataa acttttgcâ ctgtgtttaa aagaaa 2816

```

<210> 334

<211> 2082

<212> DNA

<213> Homo sapiens

<400> 334

```

agatgctaca gcgactgcâc acccaggctg tatgatacag cctattgtctc cggggctgca 60
aacctgtcca gcatgtgatg tgggtgggata ctgaattgaa taccgaatac tgtaggcaat 120
tgtaacacag tggtaaagtct ttgtgtatct aaacatagct aaacacâaaa aggtatagta 180
agaatatggt attataatct tatggaacta tcattgtata tgtggtttgt caaccagaat 240
gtagtatac agcacaggac tgtgcttatg atgtgccâag cacagctctc agtactaact 300
cctttaatct tcatatcaac cctaggagggt aacttcttaa gtagattcat attgtaaggg 360
tctcgggggtg ggggggttgg caaaatcctg gagccagaag aaaggacagc agcattgatc 420
aatcttacag ctaacatggt gtacctggaa aacaatgcc agactcaatt tagtgagcca 480
cagtacacga acctggggct cctgaacagc atggaccagc agattcagaa cggctcctcg 540
tccaccagtc cctataacac agaccacggc cagaacagcg tcacggcgcc ctgcgcctac 600
gcacagccca gctccacctt cgatgctctc tctccatcac ccgccatccc ctccaacacc 660

```

```

gactacccag gccgcacag ttctgacgtg tcttccagc agtcgagcac cgccaagtcg 720
gccacctgga cgtattccac tgaactgaag aaactctact gccaaattgc aaagacatgc 780
cccatccaga tcaaggtgat gacccacact cctcagggag ctgttatccg cgccatgcct 840
gtctacaaaa aagctgagca cgtcacggag gtggtgaagc ggtgccccaa ccatgagctg 900
agccgtgaat tcaacgaggg acagattgcc cctcctagtc atttgattcg agtagagggg 960
aacagccatg cccagtatgt agaagatccc atcacaggaa gacagagtgt gctggtacct 1020
tatgagccac cccaggttg cactgaattc acgacagtct tgtacaattt catgtgtaac 1080
agcagttgtg ttggagggat gaaccgccgt ccaattttaa tcattgttac tctggaaacc 1140
agagatgggc aagtccctggg ccgacgctgc tttagggccc ggatctgtgc ttgcccagga 1200
agagacagga aggcgatga agatagcatc agaaagcagc aagtttogga cagtacaaag 1260
aacggtgatg gtacgaagcg cccgtctcgt cagaacacac atgggtatcca gatgacatcc 1320
atcaagaaac gaagatcccc agatgatgaa ctgttatact taccagttag gggccgtgag 1380
acttatgaaa tgctgttgaa gatcaaagag tccctggaac tcatgcagta ccttcctcag 1440
cacacaattg aaacgtacag gcaacagcaa cagcagcagc accagcactt acttcagaaa 1500
cagtgagtgt atcaacgtgt catttttagga ggcagtagtg acggtgactt tatttggatc 1560
agcaataggg tgattgatga gcaatgtgga acataatggg agatagcaga ttgtcataga 1620
ttcagatgac ctggtatggc aaccctcttt cagttgcaac cttttttacg tgtcttatta 1680
taaccttccc ttcagaattc cacttatgtt ctgaaattaa atacaaacca tttctggtga 1740
attacaaaga aactcacact aacagttctc ttctctatat gcctgggtcca tacacactaa 1800
cagtaagtac acactctatt tggtagtgat gtgtatattt gaaaacatga aatcttttct 1860
catcccaatg gattgtctta taaatctcct gggatgcaca ctatccactt ttgggaataa 1920
cactgtagac cagggatagc aaataggctt tactataata taaagtgaat tgtttgaatg 1980
ctgtaatgag aagaattctg agacctagtg catgataatt ggggaaatat ctgggtgcag 2040
aaggataagg tagcatcatg ttgccgtatt ttagcatctc tg 2082

```

<210> 335

<211> 4849

<212> DNA

<213> Homo sapiens

<400> 335

```

cgttgatatc aaagacagtt gaaggaaatg aattttgaaa cttcacgggtg tgccacccta 60
cagtactgcc ctgacctta cctccagcgt ttcttagaaa ccccgactca tttctcttgg 120
aaagaaagtt attacogac caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagaggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaaccatca gaagatgggtg cgacaaacaa gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacggctc ctctgccacc 420
agtccctata acacagacca cgcgcagaa cagcgtcacgg cgccctcgcc ctacgcacag 480
cccagctcca ccttcgatgc tctctctcca tccccgcc cccctccaa caccgactac 540
ccaggcccg cagctttoga cgtgtccttc cagcagtcga gcaccgcaa gtcggccacc 600
tggacgtatt ccaactgaact gaagaaatc tactgccaaa ttgcaaagac atgccccatc 660
cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgccat gcctgtctac 720
aaaaaagctg agcacgtcac ggaggtggtg aagcgggtgc ccaaccatga gctgagccgt 780
gaattcaacg agggacagat tgccccctc agtcatttga ttcgagtaga ggggaacagc 840
catgcccagt atgtagaaga tcccatcaca ggaagacaga gtgtgctggt acctatgag 900
ccaccccagg ttggcactga attcacgaca gtctgttaca atttcatgtg taacagcagt 960
tgtgttggag ggatgaaccg ccgtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagctc ttggccgacg ctgctttgag gcccggtatc gtgcttgccc aggaagagac 1080
aggaaggcgg atgaagatag catcagaaag cagcaagttt cggacagtac aaagaacggg 1140
gatggtacga agcgcctgtt tcgtcagaac acacatggta tccagatgac atccatcaag 1200
aaacgaagat cccagatga tgaactgtta tacttaccag tgagggggcg tgagacttat 1260
gaaatgctgt tgaagatcaa agagtccttg gaactcatgc agtaccttcc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacagacc 1380

```

tcaatacagt ctccatcttc atatggtaac agctccccac ctctgaacaa aatgaacagc 1440
atgaacaagc tgccttctgt gagccagctt atcaaccctc agcagcgcaa cgcctcact 1500
cctacaacca ttcctgatgg catgggagcc aacattccca tgatgggcac ccacatgcca 1560
atggctggag acatgaatgg actcagcccc acccaggcac tccctcccc actctccatg 1620
ccatccacct cccagtgcac acccccacct ccttatccca cagattgcag cattgtcagt 1680
ttcttagcga ggttgggctg ttcatcatgt ctggactatt tcacgaccca ggggctgacc 1740
accatctatc agattgagca ttactccatg gatgatctgg caagtctgaa aatccctgag 1800
caatttcgac atgcgatctg gaagggcac ctggaccacc ggcagctcca cgaattctcc 1860
tcccccttc atctcctgag gaccccaagc agtgcctcta cagtcagtgt gggctccagt 1920
gagaccoggg gtgagcgtgt tattgatgct gtgcgattca cctcogcca gaccatctct 1980
ttcccacccc gagatgagtg gaatgacttc aactttgaca tggatgctcg ccgcaataag 2040
caacagcgca tcaaagagga gggggagtga gcctcaccat gtgagctctt cctatccctc 2100
tcctaactgc cagcycccta aaagcaactc tgcttaactt tcaaagcctt ctccctagct 2160
cctcccttc ctcttctgtg atttcttagg ggaaggagaa gtaaggaggt acctcttacc 2220
taacatctga cctggcatct aattctgatt ctggctttaa gccttcaaaa ctatagcttg 2280
cagaactgta gctgccatgg ctaggtagaa gtgagcaaaa aagagttggg tgtctcctta 2340
agctgcagag atttctcatt gacttttata aagcatgttc accttatag tctaagacta 2400
tatataaaa tgtataaata tacagtatag atttttgggt ggggggcatt gagtattgtt 2460
taaaatgtaa tttaaatgaa agaaaattga ttgacactta ttgaccattt ttaatttac 2520
ttgttttggg tggcttctct atactccttc ccttaagggt tatcatgtat ggtgatagg 2580
atctagagct taatgctaca tgtgagtac gatgatgtac agattcttct agttcttgg 2640
attctaaata catgccacat caaacctttg agtagatcca tttccattgc ttattatgta 2700
ggtaagactg tagatatgta ttcttttctc agtgttggt tattttatat tactgacatt 2760
tcttctagt atgatgggtc acgttgggtt gatttaatcc agttataaga agaagttcat 2820
gtccaaacgt cctctttagt ttttgggttg gaatgaggaa aattcttaaa aggcccatag 2880
cagccagttc aaaaacaccc gacgtcatgt atttgagcat atcagtaacc cccttaaatt 2940
taataccaga taccttatct tacaatattg attgggaaaa catttgctgc cattacagag 3000
gtattaaaaa taaatttcac tactagattg actaaactca atacacattt gctactgttg 3060
taagaattct gattgatttg attgggatga atgcatctc tctagttcta acagtgaagt 3120
tttactgtct attaatatc agggtaataa ggaatcatc agaaatgtt agtctgtact 3180
aaacagtaag atatctcaat gaaccataaa ttcaactttg taaaaatctt ttgaagcata 3240
gataatattg tttggtaaat gtttcttttg tttggtaaat gtttctttta aagacctcc 3300
tattctataa aactctgcat gtagaggctt gtttacctt ctctctctaa ggtttacaat 3360
aggagtgtg atttgaaaaa tataaaatta tgagattggg tttcctgtgg cataaattgc 3420
atcactgtat cattttcttt tttaacgggt aagagtttca gtttgttga aagtaactgt 3480
gagaacccag tttcccgctc atctccctta gggactaccc atagacatga aaggctccca 3540
cagagcaaga gataagtctt tcatggctgc tgttgcttaa accacttaaa cgaagagttc 3600
ccttgaaact ttgggaaac atgttaatga caatattcca gatctttcag aaatataaca 3660
catttttttg catgcatgca aatgagctct gaaatcttcc catgcattct ggtcaagggc 3720
tgtcattgca cataagcttc cattttaatt ttaaagtgc aaagggccag cgtggctcta 3780
aaaggtaatg tgtggattgc ctctgaaaag tgtgtatata ttttgtgtga aattgcatac 3840
tttgtatttt gattattttt ttttcttct tgggatagtg ggatttccag aaccacactt 3900
gaaacctttt tttatcgttt ttgtattttc atgaaaatac catttagtaa gaataccaca 3960
tcaataaaga aataatgcta caattttaag aggggagggg agggaaagt tttttttatt 4020
atttttttaa aattttgtat gttaaagaga atgagtcctt gatttcaaag ttttgttgta 4080
cttaaagtgt aataagcact gtaaacttct gcaacaagca tgcagctttg caaacccatt 4140
aaggggaaga atgaaagctg ttccttggtc ctagtgaaga gacaaactgc ttcccttact 4200
ttgctgaggg tttgaataaa cctaggactt ccgagctatg tcagtactat tcaggtaaca 4260
ctagggcctt ggaaattcct gtactgtgtc tcatggattt ggcactagcc aaagcgaggc 4320
acccttactg gcttacctcc tcatggcagc ctactctcct tgagtgtatg agtagccagg 4380
gtaaggggta aaaggatagt aagcatagaa accactagaa agtgggctta atggagttct 4440
tgtggcctca gctcaatgca gttagctgaa gaattgaaaa gtttttgttt ggagacgttt 4500
ataaacagaa atggaaagca gagttttcat taaatccttt tacctttttt ttttcttgg 4560
aatcccctaa aataacagta tgtgggatat tgaatgttaa agggatattt ttttctatt 4620
atttttataa ttgtacaaaa ttaagcaaat gttaaaagt ttatatgctt tattaatggt 4680

```

ttcaaaagggt attatacatg tgatacattt ttttaagcttc agttgcttgt cttctgggtac 4740
tttctgttat gggcttttgg ggagccagaa gccaatctac aatctctttt tgtttgccag 4800
gacatgcaat aaaatttaaa aaataaataa aaactaatta agaaataaa 4849

```

<210> 336

<211> 1386

<212> DNA

<213> Homo sapiens

<400> 336

```

atgttgtagc tggaaaacaa tgccagact caatttagtg agccacagta cacgaacctg 60
gggctcctga acagcatgga ccagcagatt cagaacggct cctcgccac cagtccttat 120
aacacagacc acgocgagaa cagcgtcagc gcgcctcgc cctacgcaca gccagctcc 180
accttcgatg ctctctctcc atcacccgcc atccctcca acaccgacta cccaggcccg 240
cacagtttcg acgtgtcctt ccagcagtcg agcaccgcca agtcggccac ctggacgtat 300
tccactgaac tgaagaaact ctactgccaa attgcaaaga catgccccat ccagatcaag 360
gtgatgaccc cacctcctca gggagctgtt atccgcgcca tgctgtctta caaaaaagct 420
gagcacgtca cggaggtggt gaagcgggtg cccaacctg agctgagccg tgaattcaac 480
gagggacaga ttgcccctcc tagtcatttg attcgagtag aggggaacag ccattgccag 540
tatgtagaag atcccatcac aggaagacag agtgtgctgg taccttatga gccaccccag 600
gttggcactg aattcacgac agtcttgtag aatttcattg gtaacagcag ttgtgttgga 660
gggatgaacc gccgtccaat tttaatcatt gttactctgg aaaccagaga tgggcaagtc 720
ctgggcccgc gctgctttga ggcccgatc tgtgcttgcc caggaagaga caggaaggcg 780
gatgaagata gcatcagaaa gcagcaagtt tcggacagta caaagaacgg tgatggtacg 840
aagcgcctgt ttcgtcagaa cacacatggt atccagatga catccatcaa gaaacgaaga 900
tccccagatg atgaactgtt atacttacca gtgagggggt gtgagactta tgaatgctg 960
ttgaagatca aagagtcctt ggaactcatg cagtaccttc ctcagcacac aattgaaacg 1020
tacaggcaac agcaacagca gcagcaccag cacttacttc agaaacagac ctcaatacag 1080
tctccatctt catatggtaa cagctcccca cctctgaaca aaatgaacag catgaacaag 1140
ctgccttctg tgagccagct tatcaacct cagcagcgca acgcccctac tcctacaacc 1200
attcctgatg gcatgggagc caacattccc atgatgggca cccacatgcc aatggctgga 1260
gacatgaatg gactcagccc caccagggca ctccctccc cactctccat gccatccacc 1320
tcccactgca cacccccacc tccgtatccc acagattgca gcattgtcag gatctggcaa 1380
gtctga 1386

```

<210> 337

<211> 1551

<212> DNA

<213> Homo sapiens

<400> 337

```

atgtcccaga gcacacagac aaatgaattc ctcagtccag aggttttcca gcatatctgg 60
gattttctgg aacagcctat atgttcagtt cagccatttg acttgaactt tgtggatgaa 120
ccatcagaag atggtgcgac aaacaagatt gagattagca tggactgtat ccgcatgcag 180
gactcggacc tgagtgaccc catgtggcca cagtacacga acctggggct cctgaacagc 240
atggaccagc agattcagaa cggtcctcgc tccaccagtc cctataacac agaccacgcg 300
cagaacagcg tcacggcgcc ctgcctctac gcacagccca gctccacctt cgatgctctc 360
tctccatcac cggccatccc ctccaacacc gactaccagc gccgcacag tttcgacgtg 420
tccttccagc agtcagacac cgccaagtcg gccacctgga cgtattccac tgaactgaag 480
aaactctact gccaaattgc aaagacatgc cccatccaga tcaagggtgat gacccacact 540
cctcagggag ctgttatccg cgccatgcct gtctacaaa aagctgagca cgtcacggag 600
gtggtgaaagc ggtgcccaca catgagctg agccgtgaat tcaacgagg acagattgcc 660
cctcctagtc atttgattcg agtagagggg aacagccatg cccagtatgt agaagatccc 720

```

```

atcacaggaa gacagagtgt gctggtacct tatgagccac cccaggttgg cactgaattc 780
acgacagtct tgtacaattt catgtgtaac agcagttgtg ttggagggat gaacggccgt 840
ccaattttta tcattgttac tctggaacc agagatgggc aagtcctggg ccgacgctgc 900
tttgaggccc ggatctgtgc ttgcccagga agagacagga aggcggatga agatagcatc 960
agaaagcagc aagtttcgga cagtacaaag aacggtgatg gtacgaagcg ccggttccgt 1020
cagaacacac atggtatcca gatgacatcc atcaagaaac gaagatcccc agatgatgaa 1080
ctgttatact taccagttag gggccgtgag acttatgaaa tgctgttgaa gatcaaagag 1140
tccctggaac tcatgcagta ccttcctcag cacacaattg aaacgtacag gcaacagcaa 1200
cagcagcagc accagcactt acttcagaaa cagacctcaa tacagtctcc atcttcatat 1260
ggtaacagct cccacactct gaacaaaatg aacagcatga acaagctgcc ttctgtgagc 1320
cagcttatca accctcagca gcgcaacgcc ctactccta caaccattcc tgatggcatg 1380
ggagccaaca ttcccatgat gggcacccac atgccaatgg ctggagacat gaatggactc 1440
agccccaccc aggcactccc tccccactc tccatgccat ccacctcca ctgcacaccc 1500
ccacctccgt atccacaga ttgcagcatt gtcaggatct ggcaagtctg a 1551

```

<210> 338

<211> 586

<212> PRT

<213> Homo sapiens

<400> 338

```

Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln
      5                      10                      15

```

```

Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Arg Asn
      20                      25                      30

```

```

Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser
      35                      40                      45

```

```

Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Pro Thr Phe Asp Ala
      50                      55                      60

```

```

Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro
      65                      70                      75                      80

```

```

His Ser Ser Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala
      85                      90                      95

```

```

Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala
      100                      105                      110

```

```

Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly
      115                      120                      125

```

```

Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr
      130                      135                      140

```

```

Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn
      145                      150                      155                      160

```

```

Glu Gly Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn
      165                      170                      175

```

```

Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val

```

180	185	190
Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val		
195	200	205
Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg		
210	215	220
Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val		
225	230	235
Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg		
245	250	255
Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp		
260	265	270
Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr		
275	280	285
His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp		
290	295	300
Glu Leu Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu		
305	310	315
Leu Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His		
325	330	335
Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu		
340	345	350
Leu Gln Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser		
355	360	365
Ser Pro Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val		
370	375	380
Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr		
385	390	395
Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met		
405	410	415
Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro		
420	425	430
Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro Pro		
435	440	445
Tyr Pro Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys		
450	455	460
Ser Ser Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr		
465	470	475
		480

Gln Ile Glu His Tyr Ser Met Asp Asp Leu Ala Ser Leu Lys Ile Pro
485 490 495

Glu Gln Phe Arg His Ala Ile Trp Lys Gly Ile Leu Asp His Arg Gln
500 505 510

Leu His Glu Phe Ser Ser Pro Ser His Leu Leu Arg Thr Pro Ser Ser
515 520 525

Ala Ser Thr Val Ser Val Gly Ser Ser Glu Thr Arg Gly Glu Arg Val
530 535 540

Ile Asp Ala Val Arg Phe Thr Leu Arg Gln Thr Ile Ser Phe Pro Pro
545 550 555 560

Arg Asp Glu Trp Asn Asp Phe Asn Phe Asp Met Asp Ala Arg Arg Asn
565 570 575

Lys Gln Gln Arg Ile Lys Glu Glu Gly Glu
580 585

<210> 339

<211> 641

<212> PRT

<213> Homo sapiens

<400> 339

Met Ser Gln Ser Thr Gln Thr Asn Glu Phe Leu Ser Pro Glu Val Phe
5 10 15

Gln His Ile Trp Asp Phe Leu Glu Gln Pro Ile Cys Ser Val Gln Pro
20 25 30

Ile Asp Leu Asn Phe Val Asp Glu Pro Ser Glu Asp Gly Ala Thr Asn
35 40 45

Lys Ile Glu Ile Ser Met Asp Cys Ile Arg Met Gln Asp Ser Asp Leu
50 55 60

Ser Asp Pro Met Trp Pro Gln Tyr Thr Asn Leu Gly Leu Leu Asn Ser
65 70 75 80

Met Asp Gln Gln Ile Gln Asn Gly Ser Ser Ser Thr Ser Pro Tyr Asn
85 90 95

Thr Asp His Ala Gln Asn Ser Val Thr Ala Pro Ser Pro Tyr Ala Gln
100 105 110

Pro Ser Ser Thr Phe Asp Ala Leu Ser Pro Ser Pro Ala Ile Pro Ser
115 120 125

Asn Thr Asp Tyr Pro Gly Pro His Ser Phe Asp Val Ser Phe Gln Gln
130 135 140

154

Ser Ser Thr Ala Lys Ser Ala Thr Trp Thr Tyr Ser Thr Glu Leu Lys
 145 150 155 160
 Lys Leu Tyr Cys Gln Ile Ala Lys Thr Cys Pro Ile Gln Ile Lys Val
 165 170 175
 Met Thr Pro Pro Pro Gln Gly Ala Val Ile Arg Ala Met Pro Val Tyr
 180 185 190
 Lys Lys Ala Glu His Val Thr Glu Val Val Lys Arg Cys Pro Asn His
 195 200 205
 Glu Leu Ser Arg Glu Phe Asn Glu Gly Gln Ile Ala Pro Pro Ser His
 210 215 220
 Leu Ile Arg Val Glu Gly Asn Ser His Ala Gln Tyr Val Glu Asp Pro
 225 230 235 240
 Ile Thr Gly Arg Gln Ser Val Leu Val Pro Tyr Glu Pro Pro Gln Val
 245 250 255
 Gly Thr Glu Phe Thr Thr Val Leu Tyr Asn Phe Met Cys Asn Ser Ser
 260 265 270
 Cys Val Gly Gly Met Asn Arg Arg Pro Ile Leu Ile Ile Val Thr Leu
 275 280 285
 Glu Thr Arg Asp Gly Gln Val Leu Gly Arg Arg Cys Phe Glu Ala Arg
 290 295 300
 Ile Cys Ala Cys Pro Gly Arg Asp Arg Lys Ala Asp Glu Asp Ser Ile
 305 310 315 320
 Arg Lys Gln Gln Val Ser Asp Ser Thr Lys Asn Gly Asp Gly Thr Lys
 325 330 335
 Arg Pro Phe Arg Gln Asn Thr His Gly Ile Gln Met Thr Ser Ile Lys
 340 345 350
 Lys Arg Arg Ser Pro Asp Asp Glu Leu Leu Tyr Leu Pro Val Arg Gly
 355 360 365
 Arg Glu Thr Tyr Glu Met Leu Leu Lys Ile Lys Glu Ser Leu Glu Leu
 370 375 380
 Met Gln Tyr Leu Pro Gln His Thr Ile Glu Thr Tyr Arg Gln Gln Gln
 385 390 395 400
 Gln Gln Gln His Gln His Leu Leu Gln Lys Gln Thr Ser Ile Gln Ser
 405 410 415
 Pro Ser Ser Tyr Gly Asn Ser Ser Pro Pro Leu Asn Lys Met Asn Ser
 420 425 430
 Met Asn Lys Leu Pro Ser Val Ser Gln Leu Ile Asn Pro Gln Gln Arg

435 440 445
 Asn Ala Leu Thr Pro Thr Thr Ile Pro Asp Gly Met Gly Ala Asn Ile
 450 455 460
 Pro Met Met Gly Thr His Met Pro Met Ala Gly Asp Met Asn Gly Leu
 465 470 475 480
 Ser Pro Thr Gln Ala Leu Pro Pro Pro Leu Ser Met Pro Ser Thr Ser
 485 490 495
 His Cys Thr Pro Pro Pro Pro Tyr Pro Thr Asp Cys Ser Ile Val Gly
 500 505 510
 Phe Leu Ala Arg Leu Gly Cys Ser Ser Cys Leu Asp Tyr Phe Thr Thr
 515 520 525
 Gln Gly Leu Thr Thr Ile Tyr Gln Ile Glu His Tyr Ser Met Asp Asp
 530 535 540
 Leu Ala Ser Leu Lys Ile Pro Glu Gln Phe Arg His Ala Ile Trp Lys
 545 550 555 560
 Gly Ile Leu Asp His Arg Gln Leu His Glu Phe Ser Ser Pro Ser His
 565 570 575
 Leu Leu Arg Thr Pro Ser Ser Ala Ser Thr Val Ser Val Gly Ser Ser
 580 585 590
 Glu Thr Arg Gly Glu Arg Val Ile Asp Ala Val Arg Phe Thr Leu Arg
 595 600 605
 Gln Thr Ile Ser Phe Pro Pro Arg Asp Glu Trp Asn Asp Phe Asn Phe
 610 615 620
 Asp Met Asp Ala Arg Arg Asn Lys Gln Gln Arg Ile Lys Glu Glu Gly
 625 630 635 640
 Glu

<210> 340

<211> 448

<212> PRT

<213> Homo sapiens

<400> 340

Met Ser Gln Ser Thr Gln Thr Asn Glu Phe Leu Ser Pro Glu Val Phe
 5 10 15

Gln His Ile Trp Asp Phe Leu Glu Gln Pro Ile Cys Ser Val Gln Pro
 20 25 30

Ile Asp Leu Asn Phe Val Asp Glu Pro Ser Glu Asp Gly Ala Thr Asn
 35 40 45

Lys Ile Glu Ile Ser Met Asp Cys Ile Arg Met Gln Asp Ser Asp Leu
 50 55 60
 Ser Asp Pro Met Trp Pro Gln Tyr Thr Asn Leu Gly Leu Leu Asn Ser
 65 70 75 80
 Met Asp Gln Gln Ile Gln Asn Gly Ser Ser Ser Thr Ser Pro Tyr Asn
 85 90 95
 Thr Asp His Ala Gln Asn Ser Val Thr Ala Pro Ser Pro Tyr Ala Gln
 100 105 110
 Pro Ser Ser Thr Phe Asp Ala Leu Ser Pro Ser Pro Ala Ile Pro Ser
 115 120 125
 Asn Thr Asp Tyr Pro Gly Pro His Ser Phe Asp Val Ser Phe Gln Gln
 130 135 140
 Ser Ser Thr Ala Lys Ser Ala Thr Trp Thr Tyr Ser Thr Glu Leu Lys
 145 150 155 160
 Lys Leu Tyr Cys Gln Ile Ala Lys Thr Cys Pro Ile Gln Ile Lys Val
 165 170 175
 Met Thr Pro Pro Pro Gln Gly Ala Val Ile Arg Ala Met Pro Val Tyr
 180 185 190
 Lys Lys Ala Glu His Val Thr Glu Val Val Lys Arg Cys Pro Asn His
 195 200 205
 Glu Leu Ser Arg Glu Phe Asn Glu Gly Gln Ile Ala Pro Pro Ser His
 210 215 220
 Leu Ile Arg Val Glu Gly Asn Ser His Ala Gln Tyr Val Glu Asp Pro
 225 230 235 240
 Ile Thr Gly Arg Gln Ser Val Leu Val Pro Tyr Glu Pro Pro Gln Val
 245 250 255
 Gly Thr Glu Phe Thr Thr Val Leu Tyr Asn Phe Met Cys Asn Ser Ser
 260 265 270
 Cys Val Gly Gly Met Asn Arg Arg Pro Ile Leu Ile Ile Val Thr Leu
 275 280 285
 Glu Thr Arg Asp Gly Gln Val Leu Gly Arg Arg Cys Phe Glu Ala Arg
 290 295 300
 Ile Cys Ala Cys Pro Gly Arg Asp Arg Lys Ala Asp Glu Asp Ser Ile
 305 310 315 320
 Arg Lys Gln Gln Val Ser Asp Ser Thr Lys Asn Gly Asp Gly Thr Lys
 325 330 335

Arg Pro Phe Arg Gln Asn Thr His Gly Ile Gln Met Thr Ser Ile Lys
 340 345 350

Lys Arg Arg Ser Pro Asp Asp Glu Leu Leu Tyr Leu Pro Val Arg Gly
 355 360 365

Arg Glu Thr Tyr Glu Met Leu Leu Lys Ile Lys Glu Ser Leu Glu Leu
 370 375 380

Met Gln Tyr Leu Pro Gln His Thr Ile Glu Thr Tyr Arg Gln Gln Gln
 385 390 395 400

Gln Gln Gln His Gln His Leu Leu Gln Lys His Leu Leu Ser Ala Cys
 405 410 415

Phe Arg Asn Glu Leu Val Glu Pro Arg Arg Glu Thr Pro Lys Gln Ser
 420 425 430

Asp Val Phe Phe Arg His Ser Lys Pro Pro Asn Arg Ser Val Tyr Pro
 435 440 445

<210> 341

<211> 356

<212> PRT

<213> Homo sapiens

<400> 341

Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln
 5 10 15

Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn
 20 25 30

Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser
 35 40 45

Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala
 50 55 60

Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro
 65 70 75 80

His Ser Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala
 85 90 95

Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala
 100 105 110

Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly
 115 120 125

Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr
 130 135 140

Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn

158

145 150 155 160
 Glu Gly Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn
 165 170 175
 Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val
 180 185 190
 Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val
 195 200 205
 Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg
 210 215 220
 Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val
 225 230 235 240
 Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg
 245 250 255
 Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp
 260 265 270
 Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Ser Arg Gln Asn Thr
 275 280 285
 His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp
 290 295 300
 Glu Leu Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu
 305 310 315 320
 Leu Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His
 325 330 335
 Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu
 340 345 350
 Leu Gln Lys Gln
 355

<210> 342

<211> 680

<212> PRT

<213> Homo sapiens

<400> 342

Met Asn Phe Glu Thr Ser Arg Cys Ala Thr Leu Gln Tyr Cys Pro Asp
 5 10 15

Pro Tyr Ile Gln Arg Phe Val Glu Thr Pro Ala His Phe Ser Trp Lys
 20 25 30

Glu Ser Tyr Tyr Arg Ser Thr Met Ser Gln Ser Thr Gln Thr Asn Glu
 35 40 45

Phe Leu Ser Pro Glu Val Phe Gln His Ile Trp Asp Phe Leu Glu Gln
 50 55 60
 Pro Ile Cys Ser Val Gln Pro Ile Asp Leu Asn Phe Val Asp Glu Pro
 65 70 75 80
 Ser Glu Asp Gly Ala Thr Asn Lys Ile Glu Ile Ser Met Asp Cys Ile
 85 90 95
 Arg Met Gln Asp Ser Asp Leu Ser Asp Pro Met Trp Pro Gln Tyr Thr
 100 105 110
 Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn Gly Ser
 115 120 125
 Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser Val Thr
 130 135 140
 Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala Leu Ser
 145 150 155 160
 Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro His Ser
 165 170 175
 Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala Thr Trp
 180 185 190
 Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala Lys Thr
 195 200 205
 Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly Ala Val
 210 215 220
 Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr Glu Val
 225 230 235 240
 Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn Glu Gly
 245 250 255
 Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn Ser His
 260 265 270
 Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val Leu Val
 275 280 285
 Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val Leu Tyr
 290 295 300
 Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg Arg Pro
 305 310 315 320
 Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val Leu Gly
 325 330 335

Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg Asp Arg
 340 345 350
 Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp Ser Thr
 355 360 365
 Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr His Gly
 370 375 380
 Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp Glu Leu
 385 390 395 400
 Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu Leu Lys
 405 410 415
 Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His Thr Ile
 420 425 430
 Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu Leu Gln
 435 440 445
 Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser Ser Pro
 450 455 460
 Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val Ser Gln
 465 470 475 480
 Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr Ile Pro
 485 490 495
 Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met Pro Met
 500 505 510
 Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro Pro Pro
 515 520 525
 Leu Ser Met Pro Ser Thr Ser Gln Cys Thr Pro Pro Pro Pro Tyr Pro
 530 535 540
 Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys Ser Ser
 545 550 555 560
 Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr Gln Ile
 565 570 575
 Glu His Tyr Ser Met Asp Asp Leu Ala Ser Leu Lys Ile Pro Glu Gln
 580 585 590
 Phe Arg His Ala Ile Trp Lys Gly Ile Leu Asp His Arg Gln Leu His
 595 600 605
 Glu Phe Ser Ser Pro Ser His Leu Leu Arg Thr Pro Ser Ser Ala Ser
 610 615 620
 Thr Val Ser Val Gly Ser Ser Glu Thr Arg Gly Glu Arg Val Ile Asp

625 630 635 640
 Ala Val Arg Phe Thr Leu Arg Gln Thr Ile Ser Phe Pro Pro Arg Asp
 645 650 655

Glu Trp Asn Asp Phe Asn Phe Asp Met Asp Ala Arg Arg Asn Lys Gln
 660 665 670

Gln Arg Ile Lys Glu Glu Gly Glu
 675 680

<210> 343

<211> 461

<212> PRT

<213> Homo sapiens

<400> 343

Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln
 5 10 15

Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn
 20 25 30

Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser
 35 40 45

Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala
 50 55 60

Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro
 65 70 75 80

His Ser Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala
 85 90 95

Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala
 100 105 110

Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly
 115 120 125

Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr
 130 135 140

Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn
 145 150 155 160

Glu Gly Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn
 165 170 175

Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val
 180 185 190

Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val
 195 200 205

Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg
 210 215 220
 Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val
 225 230 235 240
 Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg
 245 250 255
 Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp
 260 265 270
 Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr
 275 280 285
 His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp
 290 295 300
 Glu Leu Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu
 305 310 315 320
 Leu Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His
 325 330 335
 Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu
 340 345 350
 Leu Gln Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser
 355 360 365
 Ser Pro Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val
 370 375 380
 Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr
 385 390 395 400
 Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met
 405 410 415
 Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro
 420 425 430
 Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro Pro
 435 440 445
 Tyr Pro Thr Asp Cys Ser Ile Val Arg Ile Trp Gln Val
 450 455 460

<210> 344

<211> 516

<212> PRT

<213> Homo sapiens

<400> 344

Met	Ser	Gln	Ser	Thr	Gln	Thr	Asn	Glu	Phe	Leu	Ser	Pro	Glu	Val	Phe
5					10					15					
Gln	His	Ile	Trp	Asp	Phe	Leu	Glu	Gln	Pro	Ile	Cys	Ser	Val	Gln	Pro
20					25					30					
Ile	Asp	Leu	Asn	Phe	Val	Asp	Glu	Pro	Ser	Glu	Asp	Gly	Ala	Thr	Asn
35					40					45					
Lys	Ile	Glu	Ile	Ser	Met	Asp	Cys	Ile	Arg	Met	Gln	Asp	Ser	Asp	Leu
50					55					60					
Ser	Asp	Pro	Met	Trp	Pro	Gln	Tyr	Thr	Asn	Leu	Gly	Leu	Leu	Asn	Ser
65					70					75					
Met	Asp	Gln	Gln	Ile	Gln	Asn	Gly	Ser	Ser	Ser	Thr	Ser	Pro	Tyr	Asn
85					90					95					
Thr	Asp	His	Ala	Gln	Asn	Ser	Val	Thr	Ala	Pro	Ser	Pro	Tyr	Ala	Gln
100					105					110					
Pro	Ser	Ser	Thr	Phe	Asp	Ala	Leu	Ser	Pro	Ser	Pro	Ala	Ile	Pro	Ser
115					120					125					
Asn	Thr	Asp	Tyr	Pro	Gly	Pro	His	Ser	Phe	Asp	Val	Ser	Phe	Gln	Gln
130					135					140					
Ser	Ser	Thr	Ala	Lys	Ser	Ala	Thr	Trp	Thr	Tyr	Ser	Thr	Glu	Leu	Lys
145					150					155					
Lys	Leu	Tyr	Cys	Gln	Ile	Ala	Lys	Thr	Cys	Pro	Ile	Gln	Ile	Lys	Val
165					170					175					
Met	Thr	Pro	Pro	Pro	Gln	Gly	Ala	Val	Ile	Arg	Ala	Met	Pro	Val	Tyr
180					185					190					
Lys	Lys	Ala	Glu	His	Val	Thr	Glu	Val	Val	Lys	Arg	Cys	Pro	Asn	His
195					200					205					
Glu	Leu	Ser	Arg	Glu	Phe	Asn	Glu	Gly	Gln	Ile	Ala	Pro	Pro	Ser	His
210					215					220					
Leu	Ile	Arg	Val	Glu	Gly	Asn	Ser	His	Ala	Gln	Tyr	Val	Glu	Asp	Pro
225					230					235					
Ile	Thr	Gly	Arg	Gln	Ser	Val	Leu	Val	Pro	Tyr	Glu	Pro	Pro	Gln	Val
245					250					255					
Gly	Thr	Glu	Phe	Thr	Thr	Val	Leu	Tyr	Asn	Phe	Met	Cys	Asn	Ser	Ser
260					265					270					
Cys	Val	Gly	Gly	Met	Asn	Arg	Arg	Pro	Ile	Leu	Ile	Ile	Val	Thr	Leu
275					280					285					
Glu	Thr	Arg	Asp	Gly	Gln	Val	Leu	Gly	Arg	Arg	Cys	Phe	Glu	Ala	Arg

290 295 300
 Ile Cys Ala Cys Pro Gly Arg Asp Arg Lys Ala Asp Glu Asp Ser Ile
 305 310 315 320
 Arg Lys Gln Gln Val Ser Asp Ser Thr Lys Asn Gly Asp Gly Thr Lys
 325 330 335
 Arg Pro Phe Arg Gln Asn Thr His Gly Ile Gln Met Thr Ser Ile Lys
 340 345 350
 Lys Arg Arg Ser Pro Asp Asp Glu Leu Leu Tyr Leu Pro Val Arg Gly
 355 360 365
 Arg Glu Thr Tyr Glu Met Leu Leu Lys Ile Lys Glu Ser Leu Glu Leu
 370 375 380
 Met Gln Tyr Leu Pro Gln His Thr Ile Glu Thr Tyr Arg Gln Gln Gln
 385 390 395 400
 Gln Gln Gln His Gln His Leu Leu Gln Lys Gln Thr Ser Ile Gln Ser
 405 410 415
 Pro Ser Ser Tyr Gly Asn Ser Ser Pro Pro Leu Asn Lys Met Asn Ser
 420 425 430
 Met Asn Lys Leu Pro Ser Val Ser Gln Leu Ile Asn Pro Gln Gln Arg
 435 440 445
 Asn Ala Leu Thr Pro Thr Thr Ile Pro Asp Gly Met Gly Ala Asn Ile
 450 455 460
 Pro Met Met Gly Thr His Met Pro Met Ala Gly Asp Met Asn Gly Leu
 465 470 475 480
 Ser Pro Thr Gln Ala Leu Pro Pro Pro Leu Ser Met Pro Ser Thr Ser
 485 490 495
 His Cys Thr Pro Pro Pro Tyr Pro Thr Asp Cys Ser Ile Val Arg
 500 505 510
 Ile Trp Gln Val
 515

<210> 345

<211> 1800

<212> DNA

<213> Homo sapiens

<400> 345

gccgctcatt gccactgcag tgactaaagc tgggaagacg ctggtcagtt cacctgcccc 60
 actggttggtt ttttaaacia attctgatac aggcgacatc ctactgacc gagcaaagat 120
 tgacattcgt atcatcactg tgcaccattg gcttctagcg actccagtgg ggtaggagaa 180

```

ggaggtctga aaccctcgca gagggatctt gccctcattc tttgggtctg aaacactggc 240
agtcgttga aacaggactc agggataaac cagcgcaatg gattggggga cgctgcacac 300
tttcatcggg ggtgtcaaca aacactccac cagcatcggg aaggtgtgga tcacagtcac 360
ctttattttc cgagtcacga tcttagtggt ggctgcccag gaagtggtgg gtgacgagca 420
agaggacttc gtctgcaaca cactgcaacc gggatgcaaa aatgtgtgct atgaccactt 480
tttcccggtg tcccacatcc ggctgtgggc cctccagctg atcttcgtct ccaccccagc 540
gctgtggtg gccatgcatg tggcctacta caggcacgaa accactcgca agttcaggcg 600
aggagagaag aggaatgatt tcaaagacat agaggacatt aaaaagcaca aggttcggat 660
agaggggtcg ctgtggtgga cgtacaccag cagcatcttt ttccgaatca tctttgaagc 720
agcctttatg tatgtgtttt acttccttta caatgggtac cacctgccct ggggtgtgaa 780
atgtgggatt gacccttgcc ccaacctgtt tgactgcttt atttctaggc caacagagaa 840
gacgtgttt accattttta tgatttctgc gtctgtgatt tgcacgtgc ttaacgtggc 900
agagttgtgc tacctgctgc tgaaagtgtg ttttaggaga tcaaagagag cacagacgca 960
aaaaaatcac ccaatcatg ccctaaagga gagtaagcag aatgaaatga atgagctgat 1020
ttcagatagt ggtcaaaatg caatcacagg tttcccaagc taaacatttc aaggtaaaat 1080
gtagctgctg cataaggaga cttctgtctt ctccagaagg caataccaac ctgaaagttc 1140
cttctgtagc ctgaagagtt tgtaaagtac tttcataata aatagacact tgagttaact 1200
ttttgtagga tacttgctcc attcatacac aacgtaatca aatatgtggc ccatctctga 1260
aaacaagaga ctgcttgaca aaggagcatt gcagtcactt tgacaggttc cttttaagtg 1320
gactctctga caaagtgggt actttctgaa aatttatata actgttgtt ataaggaaca 1380
tttatccagg aattgatacg tttattagga aaagatatatt ttataggctt ggatgttttt 1440
agttccgact ttgaatttat ataaagtatt tttataatga ctggtcttcc ttacctggaa 1500
aaacatcgca tgtagttttt agaattacac cacaagtatc taaatttcca acttacaaaag 1560
ggtcctatct tgtaaattatt gttttgcatt gtctgttggc aaatttgtga actgtcatga 1620
tacgcttaag gtgggaaagt gttcattgca caatatattt ttactgcttt ctgaaatgag 1680
acggaacagt gtggaagcag aaggcttttt taactcatcc gtttgccgca tcggtgcaga 1740
ccactgggag atgtggatgt ggttgctctc ttttgcctgt ccccggtggt taacctttct 1800

```

<210> 346

<211> 261

<212> PRT

<213> Homo sapiens

<400> 346

```

Met Asp Trp Gly Thr Leu His Thr Phe Ile Gly Gly Val Asn Lys His
          5                      10                      15

```

```

Ser Thr Ser Ile Gly Lys Val Trp Ile Thr Val Ile Phe Ile Phe Arg
          20                      25                      30

```

```

Val Met Ile Leu Val Val Ala Ala Gln Glu Val Trp Gly Asp Glu Gln
          35                      40                      45

```

```

Glu Asp Phe Val Cys Asn Thr Leu Gln Pro Gly Cys Lys Asn Val Cys
          50                      55                      60

```

```

Tyr Asp His Phe Phe Pro Val Ser His Ile Arg Leu Trp Ala Leu Gln
          65                      70                      75                      80

```

```

Leu Ile Phe Val Ser Thr Pro Ala Leu Leu Val Ala Met His Val Ala
          85                      90                      95

```

```

Tyr Tyr Arg His Glu Thr Thr Arg Lys Phe Arg Arg Gly Glu Lys Arg
          100                      105                      110

```

Asn Asp Phe Lys Asp Ile Glu Asp Ile Lys Lys His Lys Val Arg Ile
115 120 125

Glu Gly Ser Leu Trp Trp Thr Tyr Thr Ser Ser Ile Phe Phe Arg Ile
130 135 140

Ile Phe Glu Ala Ala Phe Met Tyr Val Phe Tyr Phe Leu Tyr Asn Gly
145 150 155 160

Tyr His Leu Pro Trp Val Leu Lys Cys Gly Ile Asp Pro Cys Pro Asn
165 170 175

Leu Val Asp Cys Phe Ile Ser Arg Pro Thr Glu Lys Thr Val Phe Thr
180 185 190

Ile Phe Met Ile Ser Ala Ser Val Ile Cys Met Leu Leu Asn Val Ala
195 200 205

Glu Leu Cys Tyr Leu Leu Leu Lys Val Cys Phe Arg Arg Ser Lys Arg
210 215 220

Ala Gln Thr Gln Lys Asn His Pro Asn His Ala Leu Lys Glu Ser Lys
225 230 235 240

Gln Asn Glu Met Asn Glu Leu Ile Ser Asp Ser Gly Gln Asn Ala Ile
245 250 255

Thr Gly Phe Pro Ser
260

<210> 347

<211> 1740

<212> DNA

<213> Homo sapiens

<400> 347

atgaacaaac tgtatatcgg aaacctcagc gagaacgccg ccccctcgga cctagaaagt 60
atcttcaagg acgccaagat cccggtgtcg ggacccttcc tggatgaagac tggctacgcg 120
ttcgtggact gcccggaaga gagctgggcc ctcaaggcca tcgaggcgct ttcaggtaaa 180
atagaactgc acgggaaacc catagaagtt gagcactcgg tcccaaaaag gcaaaggatt 240
cggaaacttc agatacgaat tatcccgccct catttacagt gggaggtgct ggatagttta 300
ctagtccagt atggagtggg ggagagctgt gagcaagtga aactgactc ggaaactgca 360
gttgtaaatg taacctattc cagtaaggac caagctagac aagcactaga caaactgaat 420
ggatttcagt tagagaattt caccttgaaa gtgcctata tccctgatga aacggccgcc 480
cagcaaaaacc ccttcagaca gcccagaggt cgccgggggc ttgggcagag gggctcctca 540
aggcaggggt ctccaggatc cgtatccaag cagaaaccat gtgatttgcc tctgcgcctg 600
ctggttccca cccaatttgt tggagccatc ataggaaaag aagggtgccac cattcggaac 660
atcaccaaac agaccagtc taaaatcgat gtccaccgta aagaaaatgc gggggctgct 720
gagaagtoga ttactatcct ctctactcct gaaggcacct ctgcggcttg taagtctatt 780
ctggagatta tgcataagga agctcaagat ataaaattca cagaagagat ccccttgaag 840
attttagctc ataataactt tgttgagcgt cttattggta aagaaggaag aaatcttaa 900
aaaattgagc aagacacaga cactaaaatc acgatatctc cattgcagga attgacgctg 960

tataatccag	aaogcactat	tacagttaaa	ggcaatgttg	agacatgtgc	caaagctgag	1020
gaggagatca	tgaagaaaat	cagggagtct	tatgaaaatg	atattgtctc	tatgaatctt	1080
caagcacatt	taattcctgg	attaaatctg	aacgccttgg	gtctgttccc	accacttca	1140
gggatgccac	ctcccacctc	agggccccct	tcagccatga	ctcctcccta	ccgcagittt	1200
gagcaatcag	aaacgggagac	tgttcatctg	tttatcccag	ctctatcagt	cggtgccatc	1260
atcggaagc	agggccagca	catcaagcag	ctttctcgct	ttgctggagc	ttcaattaag	1320
attgctccag	cgggaagcacc	agatgctaaa	gtgaggatgg	tgattatcac	tggaccacca	1380
gaggctcagt	tcaaggctca	gggaagaatt	tatggaaaaa	ttaagaaga	aaactttgtt	1440
agtcctaaag	aagaggtgaa	acttgaagct	catatcagag	tgccatcctt	tgctgtctggc	1500
agagttattg	gaaaaggagg	caaaacggtg	aatgaacttc	agaatttgtc	aagtgcagaa	1560
gttgtttctc	ctcgtgacca	gacacctgat	gagaattgacc	aagtggttgt	caaaataact	1620
ggtcactttc	atgcttgcca	ggttgccag	agaaaaattc	aggaaattct	gactcaggta	1680
aagcagcacc	aacaacagaa	ggctctgcaa	agtggaccac	ctcagtcaag	acggaagttaa	1740

<210> 348
<211> 579
<212> PRT
<213> Homo sapiens

```

<400> 348
Met Asn Lys Leu Tyr Ile Gly Asn Leu Ser Glu Asn Ala Ala Pro Ser
      5                      10                      15
Asp Leu Glu Ser Ile Phe Lys Asp Ala Lys Ile Pro Val Ser Gly Pro
      20                      25                      30
Phe Leu Val Lys Thr Gly Tyr Ala Phe Val Asp Cys Pro Asp Glu Ser
      35                      40                      45
Trp Ala Leu Lys Ala Ile Glu Ala Leu Ser Gly Lys Ile Glu Leu His
      50                      55                      60
Gly Lys Pro Ile Glu Val Glu His Ser Val Pro Lys Arg Gln Arg Ile
      65                      70                      75                      80
Arg Lys Leu Gln Ile Arg Asn Ile Pro Pro His Leu Gln Trp Glu Val
      85                      90                      95
Leu Asp Ser Leu Leu Val Gln Tyr Gly Val Val Glu Ser Cys Glu Gln
      100                      105                      110
Val Asn Thr Asp Ser Glu Thr Ala Val Val Asn Val Thr Tyr Ser Ser
      115                      120                      125
Lys Asp Gln Ala Arg Gln Ala Leu Asp Lys Leu Asn Gly Phe Gln Leu
      130                      135                      140
Glu Asn Phe Thr Leu Lys Val Ala Tyr Ile Pro Asp Glu Thr Ala Ala
      145                      150                      155                      160
Gln Gln Asn Pro Leu Gln Gln Pro Arg Gly Arg Arg Gly Leu Gly Gln
      165                      170                      175
Arg Gly Ser Ser Arg Gln Gly Ser Pro Gly Ser Val Ser Lys Gln Lys

```

168

180	185	190
Pro Cys Asp Leu Pro Leu Arg Leu Leu Val Pro Thr Gln Phe Val Gly		
195	200	205
Ala Ile Ile Gly Lys Glu Gly Ala Thr Ile Arg Asn Ile Thr Lys Gln		
210	215	220
Thr Gln Ser Lys Ile Asp Val His Arg Lys Glu Asn Ala Gly Ala Ala		
225	230	235
Glu Lys Ser Ile Thr Ile Leu Ser Thr Pro Glu Gly Thr Ser Ala Ala		
245	250	255
Cys Lys Ser Ile Leu Glu Ile Met His Lys Glu Ala Gln Asp Ile Lys		
260	265	270
Phe Thr Glu Glu Ile Pro Leu Lys Ile Leu Ala His Asn Asn Phe Val		
275	280	285
Gly Arg Leu Ile Gly Lys Glu Gly Arg Asn Leu Lys Lys Ile Glu Gln		
290	295	300
Asp Thr Asp Thr Lys Ile Thr Ile Ser Pro Leu Gln Glu Leu Thr Leu		
305	310	315
Tyr Asn Pro Glu Arg Thr Ile Thr Val Lys Gly Asn Val Glu Thr Cys		
325	330	335
Ala Lys Ala Glu Glu Glu Ile Met Lys Lys Ile Arg Glu Ser Tyr Glu		
340	345	350
Asn Asp Ile Ala Ser Met Asn Leu Gln Ala His Leu Ile Pro Gly Leu		
355	360	365
Asn Leu Asn Ala Leu Gly Leu Phe Pro Pro Thr Ser Gly Met Pro Pro		
370	375	380
Pro Thr Ser Gly Pro Pro Ser Ala Met Thr Pro Pro Tyr Pro Gln Phe		
385	390	395
Glu Gln Ser Glu Thr Glu Thr Val His Leu Phe Ile Pro Ala Leu Ser		
405	410	415
Val Gly Ala Ile Ile Gly Lys Gln Gly Gln His Ile Lys Gln Leu Ser		
420	425	430
Arg Phe Ala Gly Ala Ser Ile Lys Ile Ala Pro Ala Glu Ala Pro Asp		
435	440	445
Ala Lys Val Arg Met Val Ile Ile Thr Gly Pro Pro Glu Ala Gln Phe		
450	455	460
Lys Ala Gln Gly Arg Ile Tyr Gly Lys Ile Lys Glu Glu Asn Phe Val		
465	470	475
		480

Ser Pro Lys Glu Glu Val Lys Leu Glu Ala His Ile Arg Val Pro Ser
 485 490 495

Phe Ala Ala Gly Arg Val Ile Gly Lys Gly Gly Lys Thr Val Asn Glu
 500 505 510

Leu Gln Asn Leu Ser Ser Ala Glu Val Val Val Pro Arg Asp Gln Thr
 515 520 525

Pro Asp Glu Asn Asp Gln Val Val Val Lys Ile Thr Gly His Phe Tyr
 530 535 540

Ala Cys Gln Val Ala Gln Arg Lys Ile Gln Glu Ile Leu Thr Gln Val
 545 550 555 560

Lys Gln His Gln Gln Gln Lys Ala Leu Gln Ser Gly Pro Pro Gln Ser
 565 570 575

Arg Arg Lys

<210> 349

<211> 207

<212> DNA

<213> Homo sapiens

<400> 349

atgtggcagc cctcttctt caagtggctc ttgtcctgtt gccctgggag ttctcaaatt 60
 gctgcagcag cctccacca gcctgaggat gacatcaata cacagaggaa gaagagtcag 120
 gaaaagatga gagaagttac agactctcct gggcgacccc gagagcttac cattcctcag 180
 acttcttcac atggtgctaa cagattt 207

<210> 350

<211> 69

<212> PRT

<213> Homo sapiens

<400> 350

Met Trp Gln Pro Leu Phe Phe Lys Trp Leu Leu Ser Cys Cys Pro Gly
 5 10 15

Ser Ser Gln Ile Ala Ala Ala Ala Ser Thr Gln Pro Glu Asp Asp Ile
 20 25 30

Asn Thr Gln Arg Lys Lys Ser Gln Glu Lys Met Arg Glu Val Thr Asp
 35 40 45

Ser Pro Gly Arg Pro Arg Glu Leu Thr Ile Pro Gln Thr Ser Ser His
 50 55 60

Gly Ala Asn Arg Phe
 65

